



FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422



JASON POWER TRANSMISSION BELTS



VISIT OUR WEB SITE AT WWW.CLARKTR.COM

Jason Industrial Inc.®

**Every Belt You'll Ever Use.
Made to Perform. Priced to Compete.**



The Jason Advantage

Jason Industrial offers the country's largest and most complete stock of power transmission belts, designed to fit every need, standard or metric. We're also the best source for your other industrial product needs, such as appliance hoses and belts, lawn, garden and utility belts, industrial hoses and couplings, and molded rubber products. As well, we offer custom products to meet your unique needs and specifications. To ensure the quality of our more technically demanding products, we've brought together experts in timing belt manufacturing, research and development, application and marketing to run our Timing Belt Manufacturing Company, Inc. (TBMC), our state-of-the-art manufacturing plant in Greenville, SC. TBMC is ISO 9002 certified.

Where You Need Us

All Jason products are sold via a coast-to-coast distributor network, so you'll always be able to get the product you want quickly, easily and at a competitive price. This is possible because our distributors are backed by eleven strategically located regional warehouses. Through the years, we've grown to become one of the nation's largest industrial belt suppliers, and we want to be your first choice for high quality Power Transmission Belts.



BELTING

- Vee Belts & Belting
- Urethane Belting
- Synchronous Neoprene
- Variable Speed Belting
- Metric Belting
- Multi-Rib V-Belts
- MXV Super Duty Belting
- 400 Flat & Neoflex Belts

More Than Just Quality Products

At Jason, we offer our customers more than just quality products at competitive prices. We also extend to our customers responsive service and a knowledgeable technical support staff.

Our courteous customer service professionals are available to answer your questions and help solve your application problems. Likewise, our technical support staff is ready to work through your most complex application inquiries at no additional cost.

With over 50 years experience in belts and industrial products, the Jason support team can recommend the proper product for your application, and if none exists, custom design one to meet your specific need.



**Jason Also Supplies a Full-Line of Hose & Coupling Products and Light & Heavy Duty Sheaves & Bushings
See Inside Back Cover for a Complete Catalog Listing**



www.jasonindustrial.com


VISIT OUR WEB SITE AT WWW.CLARKTR.COM

Table of Contents

| | PAGE | CONTENTS |
|--------------------------------|--------------|---|
| Synchronous Neoprene | 4 | HTB® Timing Belts |
| | 5 | Dual HTB Timing Belts |
| | 6 | Tiger Synchronous Belts |
| | 8 | Standard Timing Belts |
| | 10 | Double Sided Timing Belts |
| | 11 | Open End Belting |
| Urethane | 12 | Urethane Timing Belts - Metric |
| | 14 | Urethane Timing Belts - Dual & Open-end Metric |
| | 15 | Urethane Timing Belts, XL, L & H |
| | 16 | VAR Urethane Belting |
| Vee Belts & Belting | 17 | Fractional Horsepower (FHP) & Classical V-Belts |
| | 19 | UniMatch® Cogged Raw Edge Classical V-Belts |
| | 21 | UniMatch® SP Series Metric V-Belts, |
| | 23 | Open-End and Accu-Link Belting |
| | 24 | UniMatch® Deep Wedge V-Belts |
| | 25 | UniMatch® Cogged Raw Edge Deep Wedge V-Belts |
| | 26 | UniMatch® Banded V-Belts (Classical) |
| | 27 | UniMatch® Banded V-Belts (Deep-Wedge) |
| | 28 | Variable Speed V-Belts |
| | 32 | Multi-Rib V-Belts |
| | Misc. | 33 |
| 34 | | MXV Super Duty Belts |
| 35 | | Jason Type 400 Flat Belts & Neoflex Belts |
| 36 | | Jason Iron Products |
| 37 | | Belt Tensioning Instructions |
| 38 | | Reference Dimensions for Jason Belts |
| 39 | | Jason Product Catalogs |

www.jasonindustrial.com

VISIT OUR WEB SITE AT WWW.CLARKTR.COM



FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

HTB® Timing Belts

HTB® Timing Belts



Oil, heat and abrasion-resistant.

The standard trapezoidal tooth timing belt design performs poorly in high torque applications and high power drives at lower speeds. To overcome this disadvantage the High Torque Belt (HTB) was developed using a more efficient tooth profile.

Stock 5mm, 8mm and 14mm pitch HTB timing belts are listed below. Non-standard lengths in these pitches are also available, as are belts with 3mm pitch.

HTB timing belts are specified by belt pitch length, tooth profile, and tooth pitch code and belt width in millimeters. For example:

720 - 8M - 30
 (Belt Pitch Length) (Tooth Pitch Code) (Belt Width)
 (mm) (mm) (mm)

3mm HTB Timing Belts

Many sizes are in stock. Other 3mm Pitch HTB Belts are available on a made to order basis. Please check with Jason for availability.

8mm HTB Timing Belts

| Belt Length & Pitch Code | No. of Teeth | Width(mm) | | | | | | | |
|--------------------------|--------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|
| | | 20 | | 30 | | 50 | | 85 | |
| | | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) |
| 480-8M | 60 | \$12.78 | .13 | \$18.00 | .20 | \$28.70 | .34 | \$47.70 | .57 |
| 536-8M | 67 | 13.20 | .14 | 18.80 | .23 | 30.10 | .38 | 50.20 | .63 |
| 560-8M | 70 | 13.80 | .16 | 19.70 | .23 | 31.50 | .39 | 52.40 | .66 |
| 600-8M | 75 | 14.50 | .17 | 20.80 | .25 | 33.30 | .42 | 55.50 | .71 |
| 624-8M | 78 | 14.90 | .18 | 22.35 | .26 | 37.25 | .43 | 63.33 | .74 |
| 632-8M | 79 | 14.70 | .18 | 21.00 | .27 | 33.80 | .44 | 56.40 | .75 |
| 640-8M | 80 | 14.90 | .18 | 21.30 | .27 | 34.20 | .45 | 57.10 | .76 |
| 656-8M | 82 | 15.66 | .17 | 21.83 | .25 | 34.20 | .42 | 58.14 | .71 |
| 720-8M | 90 | 16.00 | .19 | 22.90 | .27 | 37.00 | .45 | 61.80 | .76 |
| 760-8M | 95 | 16.63 | .21 | 23.94 | .31 | 38.67 | .52 | 64.70 | .89 |
| 800-8M | 100 | 17.50 | .22 | 25.20 | .33 | 40.70 | .56 | 68.10 | .96 |
| 840-8M | 105 | 18.05 | .24 | 26.00 | .35 | 42.10 | .58 | 70.45 | .99 |
| 880-8M | 110 | 18.60 | .25 | 26.80 | .37 | 43.50 | .61 | 72.80 | 1.05 |
| 912-8M | 114 | 18.60 | .26 | 27.60 | .38 | 44.90 | .64 | 76.33 | 1.07 |
| 920-8M | 115 | 19.15 | .26 | 27.60 | .38 | 44.90 | .64 | 75.15 | 1.10 |
| 960-8M | 120 | 19.70 | .27 | 28.40 | .40 | 46.30 | .67 | 77.50 | 1.14 |
| 1040-8M | 130 | 20.80 | .29 | 30.10 | .43 | 49.00 | .74 | 82.20 | 1.24 |
| 1120-8M | 140 | 21.90 | .31 | 31.70 | .47 | 51.80 | .78 | 86.90 | 1.33 |
| 1152-8M | 144 | 23.10 | .34 | 33.40 | .50 | 54.60 | .84 | 91.60 | 1.46 |
| 1200-8M | 150 | 23.10 | .34 | 33.40 | .50 | 54.60 | .84 | 91.60 | 1.42 |
| 1224-8M | 153 | 23.65 | .35 | 34.20 | .51 | 56.00 | .85 | 93.95 | 1.45 |
| 1248-8M | 156 | 23.38 | .35 | 33.57 | .53 | 55.95 | .87 | 95.15 | 1.49 |
| 1280-8M | 160 | 24.20 | .36 | 35.00 | .53 | 57.40 | .89 | 96.30 | 1.51 |
| 1328-8M | 166 | 25.53 | .38 | 38.30 | .55 | 62.90 | .92 | 106.93 | 1.57 |
| 1344-8M | 168 | 23.84 | .38 | 35.75 | .58 | 59.59 | .95 | 101.31 | 1.60 |
| 1360-8M | 170 | 25.16 | .38 | 37.74 | .59 | 62.90 | .98 | 99.83 | 1.63 |
| 1440-8M | 180 | 26.40 | .40 | 38.30 | .60 | 62.90 | 1.01 | 105.70 | 1.71 |
| 1520-8M | 190 | 27.70 | .42 | 40.91 | .64 | 64.38 | 1.06 | 111.57 | 1.80 |
| 1600-8M | 200 | 28.70 | .45 | 41.60 | .67 | 68.50 | 1.11 | 115.20 | 1.90 |
| 1760-8M | 220 | 30.90 | .49 | 44.90 | .73 | 74.00 | 1.23 | 124.50 | 2.07 |
| 1800-8M | 225 | 31.60 | .50 | 45.90 | .75 | 75.90 | 1.25 | 127.70 | 2.12 |
| 2000-8M | 250 | 34.60 | .56 | 50.30 | .83 | 83.30 | 1.39 | 140.20 | 2.36 |
| 2104-8M | 263 | 36.10 | .60 | 56.40 | .88 | 87.00 | 1.50 | 146.30 | 2.45 |
| 2248-8M | 281 | 36.91 | .64 | 55.36 | .96 | 92.27 | 1.60 | 156.85 | 2.72 |
| 2400-8M | 300 | 40.50 | .68 | 59.10 | 1.00 | 98.10 | 1.66 | 165.30 | 2.82 |
| 2600-8M | 325 | 43.80 | .74 | 63.60 | 1.08 | 106.70 | 1.80 | 178.40 | 3.06 |
| 2800-8M | 350 | 46.50 | .80 | 67.80 | 1.16 | 112.90 | 1.92 | 190.46 | 3.29 |
| 3048-8M | 381 | 50.62 | .86 | 91.59 | 1.29 | 152.65 | 2.16 | 259.50 | 3.68 |
| 3600-8M | 450 | 54.98 | 1.02 | 82.47 | 1.53 | 137.45 | 2.56 | 233.60 | 4.35 |
| 4400-8M | 550 | 70.80 | 1.25 | 100.80 | 1.32 | 171.60 | 3.01 | 295.30 | 5.16 |

5mm HTB Timing Belts

| Belt Profile, Length & Pitch Code | No. of Teeth | Width(mm) | | | | | |
|-----------------------------------|--------------|---------------|-----------------------|---------------|-----------------------|---------------|-----------------------|
| | | 09 | | 15 | | 25 | |
| | | \$ List Price | Approx. Weight (lbs.) | \$ List Price | Approx. Weight (lbs.) | \$ List Price | Approx. Weight (lbs.) |
| 215-5M | 43 | 3.13 | .019 | 5.97 | .032 | 9.95 | .054 |
| 225-5M | 45 | 4.07 | .020 | 5.77 | .034 | 12.45 | .056 |
| 240-5M | 48 | 4.36 | .022 | 7.27 | .036 | 12.12 | .060 |
| 265-5M | 53 | 4.48 | .024 | 6.80 | .040 | 11.22 | .066 |
| 270-5M | 54 | 3.54 | .024 | 7.21 | .041 | 9.83 | .068 |
| 300-5M | 60 | 4.72 | .026 | 7.21 | .044 | 11.90 | .073 |
| 320-5M | 64 | 4.41 | .028 | 7.35 | .047 | 12.13 | .078 |
| 325-5M | 65 | 4.84 | .029 | 7.35 | .048 | 12.13 | .080 |
| 330-5M | 66 | 4.87 | .029 | 7.21 | .049 | 12.69 | .082 |
| 345-5M | 69 | 5.06 | .030 | 7.69 | .050 | 12.82 | .084 |
| 350-5M | 70 | 5.09 | .031 | 7.75 | .051 | 12.79 | .085 |
| 355-5M | 71 | 4.72 | .031 | 7.86 | .052 | 13.13 | .086 |
| 360-5M | 72 | 5.15 | .032 | 8.05 | .053 | 13.10 | .088 |
| 370-5M | 74 | 5.21 | .032 | 7.96 | .054 | 13.13 | .090 |
| 375-5M | 75 | 5.25 | .033 | 8.02 | .055 | 13.23 | .091 |
| 400-5M | 80 | 5.41 | .035 | 8.28 | .059 | 13.66 | .098 |
| 420-5M | 84 | 5.51 | .036 | 8.37 | .060 | 13.81 | .100 |
| 425-5M | 85 | 5.54 | .037 | 8.54 | .061 | 14.09 | .101 |
| 450-5M | 90 | 5.70 | .039 | 8.81 | .066 | 14.59 | .110 |
| 460-5M | 92 | 5.79 | .040 | 8.88 | .067 | 14.88 | .111 |
| 465-5M | 93 | 5.79 | .041 | 8.88 | .068 | 14.65 | .113 |
| 475-5M | 95 | 5.85 | .042 | 9.00 | .070 | 15.00 | .116 |
| 500-5M | 100 | 6.03 | .044 | 9.36 | .073 | 15.44 | .121 |
| 525-5M | 105 | 5.88 | .049 | 9.89 | .076 | 16.33 | .127 |
| 535-5M | 107 | 6.32 | .050 | 9.89 | .078 | 16.32 | .130 |
| 500-5M | 100 | 6.03 | .044 | 9.36 | .073 | 15.44 | .121 |
| 550-5M | 110 | 7.21 | .050 | 10.15 | .082 | 18.03 | .137 |
| 565-5M | 113 | 6.49 | .051 | 10.15 | .083 | 16.75 | .138 |
| 575-5M | 115 | 6.87 | .051 | 10.30 | .084 | 17.00 | .139 |
| 580-5M | 116 | 6.59 | .051 | 10.30 | .085 | 17.00 | .141 |
| 600-5M | 120 | 6.61 | .053 | 10.42 | .088 | 17.19 | .146 |
| 610-5M | 122 | 6.70 | .054 | 10.47 | .090 | 17.28 | .149 |
| 615-5M | 123 | 6.56 | .054 | 10.94 | .090 | 18.23 | .151 |
| 625-5M | 125 | 6.91 | .055 | 10.94 | .092 | 19.19 | .153 |
| 635-5M | 127 | 6.91 | .056 | 10.94 | .093 | 18.05 | .154 |
| 640-5M | 128 | 6.91 | .056 | 11.52 | .094 | 18.23 | .157 |
| 665-5M | 133 | 7.11 | .058 | 11.31 | .097 | 18.85 | .160 |
| 670-5M | 134 | 7.15 | .058 | 11.31 | .098 | 18.85 | .162 |
| 675-5M | 135 | 7.15 | .059 | 11.31 | .099 | 18.66 | .164 |
| 680-5M | 136 | 7.15 | .059 | 11.48 | .099 | 18.95 | .165 |
| 615-5M | 123 | 6.56 | .054 | 10.94 | .090 | 18.23 | .151 |
| 700-5M | 140 | 6.89 | .061 | 11.47 | .102 | 19.13 | .170 |
| 725-5M | 145 | 7.34 | .064 | 11.62 | .106 | 19.17 | .176 |
| 740-5M | 148 | 7.53 | .065 | 12.03 | .108 | 19.85 | .179 |
| 750-5M | 150 | 7.31 | .066 | 12.19 | .110 | 20.32 | .175 |
| 755-5M | 151 | 7.53 | .066 | 12.55 | .111 | 20.92 | .184 |
| 770-5M | 154 | 7.84 | .068 | 12.65 | .113 | 21.78 | .188 |
| 800-5M | 160 | 7.85 | .070 | 12.55 | .117 | 20.71 | .194 |
| 825-5M | 165 | 7.71 | .072 | 12.86 | .120 | 21.22 | .197 |
| 835-5M | 167 | 8.05 | .073 | 12.86 | .121 | 21.22 | .201 |
| 850-5M | 170 | 8.35 | .074 | 13.34 | .124 | 22.23 | .206 |
| 860-5M | 172 | 8.47 | .075 | 13.34 | .126 | 22.44 | .210 |
| 890-5M | 178 | 8.47 | .078 | 13.60 | .130 | 22.44 | .216 |
| 925-5M | 185 | 8.61 | .081 | 13.76 | .135 | 22.70 | .224 |
| 935-5M | 187 | 8.61 | .082 | 13.76 | .136 | 22.93 | .226 |
| 950-5M | 190 | 8.76 | .083 | 14.13 | .138 | 23.31 | .229 |
| 980-5M | 196 | 8.94 | .085 | 14.29 | .142 | 23.58 | .236 |
| 1000-5M | 200 | 9.09 | .087 | 14.69 | .145 | 24.24 | .241 |
| 1050-5M | 210 | 9.39 | .092 | 15.21 | .153 | 25.10 | .254 |
| 1125-5M | 225 | 9.84 | .098 | 16.00 | .164 | 26.40 | .272 |
| 1240-5M | 248 | 10.61 | .109 | 16.90 | .181 | 27.89 | .301 |
| 1270-5M | 254 | 10.79 | .111 | 17.61 | .185 | 29.06 | .307 |
| 1420-5M | 284 | 11.38 | .124 | 18.66 | .206 | 30.79 | .342 |
| 1500-5M | 300 | 10.43 | .131 | 19.56 | .218 | 32.60 | .364 |
| 1595-5M | 319 | - | - | 20.80 | .231 | 34.32 | .384 |
| 1790-5M | 358 | - | - | 22.93 | .260 | 37.83 | .432 |
| 1800-5M | 360 | - | - | 23.00 | .261 | 37.95 | .433 |
| 1870-5M | 374 | 14.84 | .167 | 24.74 | .271 | 41.23 | .452 |
| 2000-5M | 400 | - | - | 24.94 | .281 | 41.15 | .467 |
| 2525-5M | 505 | - | - | 30.39 | .354 | 50.14 | .588 |


FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

HTB® and Dual HTB® Timing Belts

A. A high-modulus fiberglass cord is wound across the entire width of the belt pitch line ensuring minimal stretch and resistance to repeated flexing.

B. The body is a synthetic neoprene compounded to resist flex fatigue, heat, ozone, mineral lubricating oils and aging.

C. A tough nylon fabric is bonded to the tooth surface for wear resistance.



14mm HTB Timing Belts

| Belt Profile, Length & Pitch Code | No. of Teeth | Width(mm) | | | | | | | | | |
|-----------------------------------|--------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|
| | | 40 | | 55 | | 85 | | 115 | | 170 | |
| | | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) |
| 966-14M | 69 | \$93.50 | .84 | \$125.10 | 1.15 | \$182.10 | 1.78 | \$242.10 | 2.40 | \$350.20 | 3.55 |
| 1190-14M | 85 | 104.80 | 1.02 | 138.20 | 1.42 | 202.10 | 2.20 | 269.60 | 2.98 | 390.20 | 4.39 |
| 1400-14M | 100 | 114.00 | 1.20 | 151.00 | 1.67 | 221.80 | 2.57 | 296.20 | 3.50 | 429.50 | 5.15 |
| 1610-14M | 115 | 123.40 | 1.40 | 164.50 | 1.92 | 242.00 | 2.95 | 323.60 | 4.02 | 469.60 | 5.95 |
| 1778-14M | 127 | 131.70 | 1.52 | 175.30 | 2.13 | 258.10 | 3.25 | 345.60 | 4.45 | 501.60 | 6.55 |
| 1890-14M | 135 | 138.30 | 1.62 | 184.40 | 2.25 | 272.00 | 3.49 | 364.40 | 4.73 | 529.10 | 6.95 |
| 2100-14M | 150 | 150.70 | 1.80 | 201.50 | 2.50 | 298.10 | 3.88 | 399.70 | 5.25 | 580.80 | 7.75 |
| 2310-14M | 165 | 160.50 | 2.00 | 214.60 | 2.75 | 318.00 | 4.26 | 426.40 | 5.75 | 619.90 | 8.50 |
| 2450-14M | 175 | 167.10 | 2.12 | 223.40 | 2.93 | 331.20 | 4.52 | 444.20 | 6.10 | 646.00 | 9.00 |
| 2590-14M | 185 | 175.20 | 2.25 | 234.70 | 3.10 | 348.10 | 4.78 | 467.00 | 6.45 | 679.40 | 9.55 |
| 2800-14M | 200 | 187.40 | 2.43 | 251.60 | 3.34 | 373.50 | 5.15 | 501.20 | 7.00 | 729.60 | 10.30 |
| 3150-14M | 225 | 205.70 | 2.73 | 276.80 | 3.77 | 412.10 | 5.80 | 553.60 | 7.85 | 807.20 | 11.60 |
| 3360-14M | 240 | 215.40 | 2.90 | 290.70 | 4.02 | 432.70 | 6.20 | 581.70 | 8.35 | 848.40 | 12.35 |
| 3500-14M | 250 | 222.10 | 3.00 | 299.80 | 4.19 | 446.50 | 6.45 | 600.80 | 8.75 | 875.70 | 12.90 |
| 3850-14M | 275 | 244.50 | 3.30 | 333.10 | 4.60 | 494.70 | 7.10 | 665.80 | 9.62 | 968.50 | 14.20 |
| 4326-14M | 309 | 271.60 | 3.70 | 367.20 | 5.17 | 549.40 | 8.00 | 740.00 | 10.80 | 1080.80 | 15.95 |
| 4578-14M | 327 | 287.00 | 3.92 | 389.40 | 5.48 | 579.80 | 8.45 | 783.00 | 11.40 | 1122.50 | 16.90 |

Among the advantages are:

- Higher torque transmission at low speeds
- High power transmission over a wide speed range
- Improved meshing to reduce tooth jump
- Higher resistance to tooth shear
- Less tooth wear due to friction

Dual HTB® Timing Belts

Dual HTB belts are often used in reversing or serpentine applications.

Special widths are available: use price for next width stock belt. Materials are same as standard belts except that teeth on one side are ground from fiber reinforced neoprene stock. Power takeoff from ground side is limited to 50% of total belt rating. Teeth with nylon facing should always be on driver pulley.

**ANY WIDTH AVAILABLE FROM STOCK
CONSULT JASON FOR PRICING**

Dual 5mm HTB Timing Belts

| Belt Profile, Length & Pitch Code | No. of Teeth | Width(mm) | | | | | |
|-----------------------------------|--------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|
| | | 09 | | 15 | | 25 | |
| | | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) |
| D400-5M | 80 | \$13.54 | .037 | \$20.70 | .063 | \$34.15 | .105 |
| D450-5M | 90 | 14.25 | .042 | 22.04 | .071 | 36.48 | .118 |
| D475-5M | 95 | 14.64 | .045 | 22.50 | .075 | 37.50 | .124 |
| D500-5M | 100 | 15.08 | .047 | 23.40 | .078 | 38.60 | .128 |
| D525-5M | 105 | 15.48 | .053 | 24.57 | .083 | 40.53 | .140 |
| D540-5M | 108 | 16.00 | .054 | 25.00 | .086 | 41.25 | .142 |
| D600-5M | 120 | 16.28 | .056 | 25.84 | .094 | 42.65 | .157 |
| D615-5M | 123 | 16.68 | .058 | 26.49 | .097 | 43.72 | .161 |
| D635-5M | 127 | 17.23 | .060 | 27.35 | .100 | 45.14 | .165 |
| D710-5M | 142 | 18.10 | .066 | 28.68 | .110 | 47.34 | .183 |
| D835-5M | 167 | 20.14 | .078 | 32.15 | .129 | 53.05 | .215 |
| D925-5M | 185 | 21.53 | .087 | 34.40 | .144 | 56.75 | .240 |
| D1420-5M | 284 | 28.45 | .133 | 46.65 | .220 | 76.98 | .366 |
| D1595-5M | 319 | 31.74 | .148 | 52.00 | .247 | 85.80 | .411 |
| D1690-5M | 338 | 33.31 | .157 | 55.52 | .262 | 92.53 | .436 |

Dual 14mm HTB Timing Belts

| Belt Profile, Length & Pitch Code | No. of Teeth | Width(mm) | | | | | | | | | |
|-----------------------------------|--------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|
| | | 40 | | 55 | | 85 | | 115 | | 170 | |
| | | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) |
| D1190-14M | 85 | 241.04 | 1.12 | 317.86 | 1.56 | 464.83 | 2.42 | 620.08 | 3.28 | 897.46 | 4.83 |
| D1400-14M | 100 | 262.20 | 1.32 | 347.30 | 1.84 | 510.14 | 2.83 | 681.26 | 3.85 | 987.85 | 5.67 |
| D1610-14M | 115 | 283.82 | 1.54 | 378.35 | 2.11 | 556.60 | 3.25 | 744.28 | 4.42 | 1080.08 | 6.55 |
| D1778-14M | 127 | 302.91 | 1.67 | 403.19 | 2.34 | 593.63 | 3.58 | 794.88 | 4.90 | 1153.68 | 7.21 |
| D1890-14M | 135 | 318.09 | 1.78 | 424.12 | 2.48 | 625.60 | 3.84 | 838.12 | 5.20 | 1216.93 | 7.65 |
| D2100-14M | 150 | 346.61 | 1.98 | 463.45 | 2.75 | 685.63 | 4.27 | 919.31 | 5.78 | 1335.84 | 8.53 |
| D2310-14M | 165 | 369.15 | 2.20 | 493.58 | 3.03 | 731.40 | 4.69 | 980.72 | 6.33 | 1425.77 | 9.35 |
| D2450-14M | 175 | 384.33 | 2.33 | 513.82 | 3.22 | 761.76 | 4.97 | 1021.66 | 6.71 | 1485.80 | 9.90 |
| D2590-14M | 185 | 402.96 | 2.48 | 539.81 | 3.41 | 800.63 | 5.26 | 1074.10 | 7.10 | 1562.62 | 10.51 |
| D2800-14M | 200 | 431.02 | 2.67 | 578.68 | 3.67 | 859.05 | 5.67 | 1152.76 | 7.70 | 1678.08 | 11.33 |
| D3150-14M | 225 | 473.11 | 3.00 | 636.64 | 4.15 | 947.83 | 6.38 | 1273.28 | 8.64 | 1856.56 | 12.76 |
| D3360-14M | 240 | 495.42 | 3.19 | 668.61 | 4.42 | 995.21 | 6.82 | 1337.91 | 9.19 | 1951.32 | 13.59 |
| D3500-14M | 250 | 510.83 | 3.30 | 689.54 | 4.61 | 1026.95 | 7.10 | 1381.84 | 9.63 | 2014.11 | 14.19 |
| D3850-14M | 275 | 562.35 | 3.63 | 766.13 | 5.06 | 1137.81 | 7.81 | 1531.34 | 10.58 | 2227.55 | 15.62 |
| D4326-14M | 309 | 624.68 | 4.07 | 844.56 | 5.69 | 1263.62 | 8.80 | 1702.00 | 11.88 | 2485.84 | 17.55 |
| D4578-14M | 327 | 660.10 | 4.31 | 895.62 | 6.03 | 1333.54 | 9.30 | 1800.90 | 12.54 | 2581.75 | 18.59 |



Dual 8mm HTB sizes and pricing on pg. 6

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

Dual HTB® Timing Belts and Tiger® Synchronous Belts

Dual 8mm HTB Timing Belts

| Belt Profile, Length & Pitch Code | No. of Teeth | Width(mm) | | | | | | | | Belt Profile, Length & Pitch Code | No. of Teeth | Width(mm) | | | | | | | |
|-----------------------------------|--------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|-----------------------------------|--------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|
| | | 20 | | 30 | | 50 | | 85 | | | | 20 | | 30 | | 50 | | 85 | |
| | | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | | | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) |
| D480-8M | 60 | \$29.40 | .14 | \$45.00 | .22 | \$71.75 | .36 | \$119.25 | .61 | D1200-8M | 150 | \$53.15 | .35 | \$83.50 | .53 | \$136.50 | .90 | \$229.00 | 1.50 |
| D536-8M | 67 | 30.40 | .15 | 47.00 | .25 | 75.25 | .41 | 125.50 | .67 | D1224-8M | 153 | 55.65 | .37 | 87.50 | .55 | 143.50 | .93 | 240.75 | 1.58 |
| D560-8M | 70 | 31.75 | .17 | 49.25 | .26 | 78.75 | .42 | 131.00 | .70 | D1280-8M | 160 | 55.65 | .39 | 87.50 | .58 | 143.50 | .95 | 240.75 | 1.61 |
| D600-8M | 75 | 33.35 | .18 | 52.00 | .27 | 83.25 | .45 | 138.75 | .76 | D1440-8M | 180 | 57.05 | .43 | 95.75 | .64 | 157.25 | 1.08 | 264.25 | 1.82 |
| D632-8M | 79 | 33.80 | .19 | 52.50 | .29 | 84.50 | .47 | 141.00 | .80 | D1600-8M | 200 | 66.00 | .48 | 104.00 | .71 | 171.25 | 1.19 | 288.00 | 2.03 |
| D640-8M | 80 | 34.30 | .20 | 53.25 | .30 | 85.50 | .48 | 142.75 | .82 | D1760-8M | 220 | 71.10 | .52 | 112.25 | .77 | 185.00 | 1.31 | 311.25 | 2.20 |
| D720-8M | 90 | 36.80 | .21 | 57.25 | .32 | 92.50 | .54 | 154.50 | .91 | D1800-8M | 225 | 72.70 | .54 | 114.75 | .80 | 189.75 | 1.34 | 319.25 | 2.29 |
| D800-8M | 100 | 40.25 | .23 | 63.00 | .35 | 101.75 | .60 | 170.25 | 1.03 | D2000-8M | 250 | 79.60 | .60 | 125.75 | .88 | 208.25 | 1.49 | 350.50 | 2.52 |
| D840-8M | 105 | 41.50 | .25 | 65.00 | .37 | 105.25 | .62 | 176.15 | 1.06 | D2104-8M | 263 | 88.19 | .63 | 132.28 | .95 | 220.47 | 1.57 | 374.79 | 2.67 |
| D880-8M | 110 | 42.80 | .27 | 67.00 | .39 | 108.75 | .65 | 182.00 | 1.12 | D2400-8M | 300 | 93.15 | .72 | 147.75 | 1.07 | 245.25 | 1.76 | 414.75 | 3.02 |
| D920-8M | 115 | 44.05 | .28 | 69.00 | .40 | 111.25 | .68 | 187.90 | 1.17 | D2600-8M | 325 | 100.75 | .79 | 159.00 | 1.15 | 266.75 | 1.92 | 446.00 | 3.27 |
| D960-8M | 120 | 45.31 | .29 | 71.00 | .43 | 115.75 | .71 | 193.75 | 1.22 | D2800-8M | 350 | 107.20 | .85 | 169.50 | 1.22 | 282.25 | 2.06 | 476.00 | 3.52 |
| D1040-8M | 130 | 47.85 | .31 | 75.25 | .46 | 122.50 | .79 | 205.50 | 1.32 | D3048-8M | 381 | 112.78 | .93 | 174.57 | 1.38 | 307.25 | 2.31 | 522.33 | 3.93 |
| D1120-8M | 140 | 50.35 | .33 | 79.25 | .50 | 129.50 | .83 | 217.25 | 1.00 | D3600-8M | 450 | 133.20 | 1.10 | 206.18 | 1.65 | 343.63 | 2.76 | 604.02 | 4.69 |
| D1152-8M | 144 | 53.15 | .34 | 83.50 | .52 | 136.50 | .87 | 229.00 | 1.47 | D4400-8M | 550 | 162.80 | 1.35 | 252.00 | 1.39 | 429.00 | 3.22 | 738.25 | 5.52 |

Tiger® Synchronous Belts

Jason's Maximum Performance High-Torque Belt

Jason developed the Tiger Belt® to extend the synchronous belt application range.


Special aramid reinforced compounds, along with improved tooth facing and tensile members provide the muscle for the increased horsepower ratings; up to three times that of standard HTB® belts.

Laboratory and customer tested tough!

Tiger Belts® may also be ordered in the standard 8mm pitch HTB® widths of 20mm, 30mm, 50mm and 85mm, as well as in standard 14mm pitch HTB® widths of 40mm, 55mm, 85mm, 115mm and 170mm.

HTB® drives utilizing TigerBelts® as direct replacements for original HTB® belts will see greatly improved belt life.

Tiger Belts® should be installed so that the deflection at midspan is 1/64" for every inch of span when the force specified in the table below is applied.



FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

Tiger® Synchronous Belts


| FOR HTB REPLACEMENT | | | JASON TIGER BELTS | FOR TIGER DRIVES | | |
|---------------------|-----------|------------------|----------------------|------------------|--------------|------------------|
| | HTB WIDTH | DEFLECTION FORCE | | | HTB WIDTH | DEFLECTION FORCE |
| 8mm | 20 | 3 - 5 lbs. | | 8mm | 12 | 3 - 5 lbs. |
| | 30 | 4 - 8 lbs. | | | 22 | 4 - 8 lbs. |
| | 50 | 10 - 15 lbs. | 35 | | 8 - 13 lbs. | |
| | 85 | 15 - 26 lbs. | 60 | | 16 - 25 lbs. | |
| 14mm | 40 | 8 - 16 lbs. | 14mm | 20 | 5 - 11 lbs. | |
| | 55 | 12 - 26 lbs. | | 42 | 12 - 22 lbs. | |
| | 85 | 21 - 46 lbs. | | 65 | 20 - 40 lbs. | |
| | 115 | 30 - 60 lbs. | | 90 | 30 - 60 lbs. | |
| | 170 | 45 - 92 lbs. | | 120 | 42 - 85 lbs. | |

Force Deflection Table see page 37

Tiger® Synchronous Belts

Jason's Maximum Performance High-Torque Belt

Jason's High-Torque HTB* *Curvilinear Profile Belt is Now Available in a
HIGH HORSEPOWER CONSTRUCTION**



- Horsepower capacity up to 3 times that of HTB®.
- Will run in either HTB® or RPP®*** Pulleys.
- Available in HTB®/HTD®**** widths for longer life on replacement use.
- Available in RPP Panther®***/QT Powerchain®***** widths for high horsepower applications.
- Performance testing has shown the Tiger Belt® to outlast competitive premium products.

Tiger® 8mm Synchronous Belts

Tiger® 14mm Synchronous Belts

| Belt Length & Pitch Code | Width (mm) | | | | Belt Length & Pitch Code | Width (mm) | | | | |
|--------------------------|------------|------------|------------|------------|---|------------|------------|------------|------------|------------|
| | 12 | 22 | 35 | 60 | | 20 | 42 | 65 | 90 | 120 |
| | List Price | List Price | List Price | List Price | | List Price | List Price | List Price | List Price | List Price |
| 480-8MT | \$15.34 | \$26.40 | \$40.18 | \$67.34 | 966-14MT | \$93.50 | \$191.06 | \$278.51 | \$378.94 | \$494.40 |
| 536-8MT | 15.84 | 27.57 | 42.14 | 70.87 | 1190-14MT | 104.80 | 211.07 | 309.09 | 421.98 | 550.87 |
| 560-8MT | 16.56 | 28.89 | 44.10 | 73.98 | 1400-14MT | 114.00 | 239.62 | 339.22 | 463.60 | 606.35 |
| 600-8MT | 17.40 | 30.51 | 46.62 | 78.35 | 1610-14MT | 123.40 | 251.24 | 370.12 | 506.50 | 662.96 |
| 632-8MT | 17.64 | 30.80 | 47.32 | 79.62 | 1778-14MT | 131.80 | 267.73 | 394.74 | 540.94 | 708.14 |
| 640-8MT | 17.88 | 31.24 | 47.88 | 80.61 | 1890-14MT | 138.30 | 281.63 | 416.00 | 570.37 | 746.96 |
| 720-8MT | 19.20 | 33.59 | 51.80 | 87.25 | 2100-14MT | 150.70 | 307.75 | 455.92 | 625.62 | 819.95 |
| 800-8MT | 21.00 | 36.96 | 56.98 | 96.14 | 2310-14MT | 160.50 | 327.75 | 486.35 | 667.41 | 875.15 |
| 840-8MT | 21.66 | 38.13 | 58.94 | 99.46 | 2450-14MT | 167.10 | 341.19 | 506.54 | 695.27 | 912.00 |
| 880-8MT | 22.32 | 39.31 | 60.90 | 102.78 | 2590-14MT | 175.20 | 358.45 | 532.39 | 730.96 | 959.15 |
| 1040-8MT | 24.96 | 44.15 | 68.60 | 116.05 | 2800-14MT | 187.40 | 384.26 | 571.24 | 784.49 | 1030.02 |
| 1104-8MT | 26.28 | 46.49 | 72.52 | 122.68 | 3150-14MT | 205.70 | 422.75 | 630.27 | 866.50 | 1139.58 |
| 1120-8MT | 26.28 | 46.49 | 72.52 | 122.68 | 3360-14MT | 215.40 | 443.98 | 661.78 | 910.49 | 1197.74 |
| 1152-8MT | 27.72 | 48.99 | 76.44 | 129.32 | 3500-14MT | 222.10 | 457.88 | 682.88 | 940.38 | 1236.28 |
| 1200-8MT | 27.72 | 48.99 | 76.44 | 129.32 | 3850-14MT | 244.50 | 508.73 | 756.60 | 1042.12 | 1367.29 |
| 1224-8MT | 28.38 | 50.16 | 78.40 | 132.64 | 4326-14MT | 271.60 | 560.81 | 840.26 | 1158.26 | 1525.84 |
| 1280-8MT | 29.04 | 51.33 | 80.36 | 135.95 | 4578-14MT | 287.00 | 594.72 | 886.75 | 1225.57 | 1584.71 |
| 1440-8MT | 31.68 | 56.17 | 88.06 | 149.22 | <p>See Jason's Tiger® Belt Supplement or visit our website for more information on Tiger Belt®.</p> <p>www.jasonindustrial.com</p> | | | | | |
| 1600-8MT | 34.44 | 61.01 | 95.90 | 162.64 | | | | | | |
| 1760-8MT | 37.08 | 65.85 | 103.60 | 175.76 | | | | | | |
| 1800-8MT | 37.92 | 67.32 | 106.26 | 180.28 | | | | | | |
| 2000-8MT | 41.52 | 73.77 | 116.62 | 197.93 | | | | | | |
| 2400-8MT | 48.60 | 86.68 | 137.34 | 233.36 | | | | | | |
| 2600-8MT | 52.56 | 93.28 | 149.38 | 251.86 | | | | | | |
| 2800-8MT | 55.80 | 99.44 | 158.06 | 268.88 | | | | | | |
| 4400-8MT | 84.96 | 147.84 | 240.24 | 416.89 | | | | | | |

* HTB is a registered trademark of Jason Industrial Inc.
 ** Always verify HP rating for Pulleys and Bushings before applying increased loads.
 *** RPP and Panther are registered trademarks of Dayco.
 **** HTD is a registered trademark of Gates Corporation.
 ***** QT Powerchain is a registered trademark of TB Woods.

VISIT OUR WEB SITE AT WWW.CLARKTR.COM

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

Standard Timing Belts

Standard Timing Belts

Oil, heat and abrasion-resistant.


Stock timing belts are listed below. They have fiberglass tension members, neoprene body with nylon covered teeth, all bonded together for maximum strength.

For non-stock widths, Jason cuts specified widths from our large supply of timing belt sleeves on special order.

Mini-pitch MXL (.080-inch pitch) timing belts are also available.

Jason timing belts are specified by belt length in inches times 10, belt pitch code and a three-digit belt width code which is the decimal inch-width multiplied by 100. A sample specification is shown below.

240 - L - 075
 Length Pitch Width
 (24.0-inches) (3/8-inch) (.75 inches)



Light 3/8-inch (L) Pitch Timing Belts

| Belt Length & Pitch Code | No. of Teeth | Width | | | | | |
|--------------------------|--------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|
| | | 050(1/2") | | 075(3/4") | | 100(1") | |
| | | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) |
| 124L | 33 | \$7.68 | .02 | \$10.92 | .05 | \$14.00 | .07 |
| 135L | 36 | 8.36 | .06 | 11.89 | .05 | 15.24 | .07 |
| 150L | 40 | 8.48 | .03 | 12.12 | .05 | 15.60 | .07 |
| 165L | 44 | 8.72 | .03 | 12.52 | .06 | 16.14 | .08 |
| 169L | 44 | 8.86 | .03 | 12.72 | .06 | 16.47 | .08 |
| 173L | 46 | 9.00 | .03 | 12.92 | .06 | 16.70 | .08 |
| 187L | 50 | 9.24 | .04 | 13.32 | .07 | 17.24 | .09 |
| 202L | 54 | 9.80 | .04 | 14.12 | .08 | 18.34 | .09 |
| 210L | 56 | 10.04 | .04 | 14.52 | .08 | 18.84 | .09 |
| 225L | 60 | 10.32 | .05 | 14.92 | .08 | 19.38 | .10 |
| 236L | 63 | 10.46 | .06 | 15.19 | .08 | 19.92 | .12 |
| 240L | 64 | 10.84 | .06 | 15.72 | .08 | 20.48 | .12 |
| 244L | 65 | 10.95 | .06 | 15.53 | .08 | 20.70 | .12 |
| 255L | 68 | 11.08 | .06 | 16.12 | .09 | 21.02 | .12 |
| 270L | 72 | 11.60 | .06 | 16.92 | .10 | 22.08 | .13 |
| 285L | 76 | 11.88 | .07 | 17.36 | .10 | 22.62 | .14 |
| 300L | 80 | 12.40 | .07 | 18.12 | .11 | 23.72 | .14 |
| 315L | 84 | 12.64 | .07 | 18.56 | .12 | 24.26 | .15 |
| 320L | 85 | 12.90 | .07 | 18.90 | .12 | 24.70 | .15 |
| 322L | 86 | 12.92 | .07 | 18.96 | .12 | 24.80 | .15 |
| 345L | 92 | 13.44 | .08 | 19.76 | .13 | 25.86 | .16 |
| 367L | 98 | 13.92 | .08 | 20.56 | .13 | 26.94 | .17 |
| 375L | 100 | 14.20 | .08 | 21.30 | .13 | 28.20 | .17 |
| 390L | 104 | 14.72 | .09 | 21.76 | .14 | 28.54 | .18 |
| 405L | 108 | 14.96 | .09 | 22.20 | .14 | 29.10 | .19 |
| 420L | 112 | 15.48 | .10 | 22.96 | .15 | 30.18 | .20 |
| 424L | 113 | 15.58 | .10 | 23.12 | .16 | 30.38 | .21 |
| 424L | 113 | 15.58 | .10 | 23.12 | .16 | 30.38 | .21 |
| 427L | 114 | 15.58 | .10 | 22.96 | .16 | 30.88 | .21 |
| 450L | 120 | 16.28 | .11 | 24.20 | .16 | 31.78 | .21 |
| 480L | 128 | 17.08 | .12 | 25.40 | .17 | 33.42 | .23 |
| 510L | 136 | 17.60 | .12 | 26.20 | .18 | 34.52 | .24 |
| 525L | 140 | * | .12 | * | .19 | * | .25 |
| 540L | 144 | 18.64 | .13 | 27.80 | .20 | 36.66 | .26 |
| 548L | 146 | 18.64 | .13 | 27.90 | .20 | 37.20 | .26 |
| 581L | 155 | 19.68 | .13 | 28.99 | .20 | 38.30 | .27 |
| 600L | 160 | 20.20 | .13 | 30.24 | .21 | 39.90 | .28 |
| 660L | 176 | 21.76 | .14 | 33.26 | .23 | 43.89 | .29 |
| 728L | 194 | 23.32 | .15 | 35.08 | .25 | 45.28 | .30 |
| 731L | 195 | 23.42 | .15 | 35.08 | .25 | 46.38 | .30 |
| 817L | 218 | 26.80 | .18 | 40.20 | .29 | 53.60 | .36 |

* Price on Application
8

Extra Light 1/5-inch (XL) Pitch Timing Belts

| Belt Length & Pitch Code | No. of Teeth | Width | | | | | |
|--------------------------|--------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|
| | | 025(1/4") | | 031(5/16") | | 037(3/8") | |
| | | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) |
| 54XL | 27 | \$2.84 | .005 | \$3.28 | .007 | \$3.72 | .008 |
| 60XL | 30 | 2.92 | .006 | 3.40 | .008 | 3.84 | .009 |
| 70XL | 35 | 3.00 | .007 | 3.48 | .009 | 4.00 | .011 |
| 80XL | 40 | 3.08 | .008 | 3.60 | .010 | 4.12 | .012 |
| 88XL | 44 | 3.14 | .009 | 3.70 | .011 | 4.20 | .014 |
| 90XL | 45 | 3.16 | .009 | 3.72 | .011 | 4.24 | .014 |
| 94XL | 47 | 3.20 | .010 | 3.74 | .012 | 4.28 | .015 |
| 98XL | 49 | 3.24 | .010 | 3.74 | .013 | 4.30 | .015 |
| 100XL | 50 | 3.28 | .010 | 3.80 | .013 | 4.36 | .015 |
| 102XL | 51 | 3.34 | .010 | 3.88 | .013 | 4.48 | .015 |
| 106XL | 53 | 3.34 | .011 | 3.88 | .013 | 4.48 | .016 |
| 110XL | 55 | 3.36 | .011 | 3.92 | .014 | 4.52 | .017 |
| 120XL | 60 | 3.44 | .012 | 4.04 | .015 | 4.60 | .019 |
| 128XL | 64 | 3.50 | .013 | 4.14 | .016 | 4.70 | .020 |
| 130XL | 65 | 3.52 | .013 | 4.16 | .016 | 4.76 | .020 |
| 134XL | 67 | * | .013 | * | .017 | * | .020 |
| 136XL | 68 | * | .014 | * | .018 | * | .021 |
| 140XL | 70 | 3.64 | .014 | 4.24 | .018 | 4.88 | .022 |
| 142XL | 71 | 3.66 | .014 | 4.26 | .018 | 4.90 | .023 |
| 150XL | 75 | 3.72 | .015 | 4.36 | .019 | 5.00 | .023 |
| 156XL | 78 | 3.80 | .016 | 4.48 | .020 | 5.16 | .024 |
| 160XL | 80 | 3.80 | .016 | 4.48 | .020 | 5.16 | .025 |
| 162XL | 81 | 3.82 | .016 | 4.50 | .021 | 5.18 | .026 |
| 170XL | 85 | 3.88 | .017 | 4.56 | .022 | 5.24 | .026 |
| 180XL | 90 | 3.96 | .018 | 4.68 | .023 | 5.40 | .028 |
| 182XL | 91 | 4.00 | .018 | 4.70 | .023 | 5.42 | .028 |
| 188XL | 94 | 4.06 | .019 | 4.78 | .024 | 5.48 | .029 |
| 190XL | 95 | 4.08 | .019 | 4.80 | .024 | 5.52 | .029 |
| 194XL | 97 | 4.16 | .020 | 4.88 | .025 | 5.64 | .030 |
| 200XL | 100 | 4.16 | .020 | 4.88 | .025 | 5.64 | .031 |
| 210XL | 105 | 4.24 | .021 | 5.00 | .026 | 5.76 | .032 |
| 214XL | 107 | 4.28 | .021 | 5.08 | .027 | 5.84 | .033 |
| 220XL | 110 | 4.32 | .022 | 5.12 | .028 | 5.92 | .034 |
| 228XL | 114 | 4.42 | .023 | 5.20 | .029 | 5.96 | .035 |
| 230XL | 115 | 4.44 | .023 | 5.24 | .029 | 6.00 | .035 |
| 234XL | 117 | 4.48 | .023 | 5.28 | .030 | 6.08 | .036 |
| 240XL | 120 | 4.52 | .024 | 5.32 | .031 | 6.16 | .037 |
| 250XL | 125 | 4.60 | .025 | 5.44 | .032 | 6.28 | .039 |
| 254XL | 127 | 4.64 | .026 | 5.48 | .033 | 6.34 | .040 |
| 260XL | 130 | 4.68 | .026 | 5.52 | .033 | 6.40 | .040 |
| 270XL | 135 | 4.72 | .029 | 5.70 | .034 | 6.58 | .041 |
| 274XL | 137 | 4.74 | .029 | 5.75 | .035 | 6.61 | .042 |
| 276XL | 138 | 4.76 | .029 | 5.80 | .035 | 6.64 | .042 |
| 280XL | 140 | 4.88 | .029 | 5.84 | .036 | 6.68 | .043 |
| 290XL | 145 | 4.92 | .029 | 5.88 | .038 | 6.80 | .045 |
| 310XL | 155 | 5.12 | .031 | 6.08 | .039 | 7.04 | .047 |
| 316XL | 158 | 5.24 | .032 | 6.12 | .040 | 7.08 | .048 |
| 320XL | 160 | 5.24 | .032 | 6.20 | .041 | 7.16 | .049 |
| 322XL | 161 | 5.26 | .032 | 6.26 | .041 | 7.19 | .049 |
| 330XL | 165 | 5.28 | .033 | 6.32 | .042 | 7.32 | .050 |
| 340XL | 170 | 5.40 | .034 | 6.39 | .042 | 7.40 | .051 |
| 344XL | 172 | 5.40 | .034 | 6.46 | .043 | 7.48 | .051 |
| 348XL | 174 | 5.40 | .035 | 6.39 | .044 | 7.40 | .053 |
| 350XL | 175 | 5.46 | .035 | 6.50 | .044 | 7.54 | .053 |
| 352XL | 176 | 5.48 | .035 | 6.52 | .044 | 7.56 | .053 |
| 364XL | 182 | 5.60 | .036 | 6.64 | .046 | 7.72 | .055 |
| 380XL | 190 | 5.76 | .038 | 6.88 | .048 | 7.98 | .058 |
| 390XL | 195 | 5.84 | .039 | 6.96 | .049 | 8.08 | .059 |
| 392XL | 196 | 5.86 | .039 | 6.98 | .049 | 8.10 | .059 |
| 412XL | 206 | 6.03 | .040 | 7.19 | .051 | 8.32 | .061 |
| 414XL | 207 | 6.00 | .041 | 7.13 | .051 | 8.27 | .062 |
| 434XL | 217 | 6.20 | .043 | 7.40 | .054 | 8.56 | .064 |
| 450XL | 225 | 6.36 | .045 | 7.67 | .058 | 8.84 | .069 |
| 460XL | 230 | 6.44 | .046 | 7.84 | .059 | 8.96 | .070 |
| 490XL | 245 | 6.68 | .049 | 8.04 | .061 | 9.36 | .073 |
| 1280XL | 640 | 13.26 | 1.27 | 15.96 | 1.59 | 18.57 | 1.91 |

* Price on Application

VISIT OUR WEB SITE AT WWW.CLARKTR.COM

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

Heavy 1/2-inch (H) Pitch Timing Belts

| Belt Length & Pitch Code | No. of Teeth | Width | | | | | | | | | |
|--------------------------|--------------|------------|-----------------------|------------|-----------------------|-------------|-----------------------|------------|-----------------------|------------|-----------------------|
| | | 075(3/4") | | 100(1") | | 150(1-1/2") | | 200(2") | | 300(3") | |
| | | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) |
| 210H | 42 | \$16.73 | .11 | \$22.30 | .15 | \$33.43 | .23 | \$44.30 | .30 | \$63.00 | .45 |
| 230H | 46 | 15.88 | .12 | 20.44 | .19 | 29.56 | .28 | 38.64 | .38 | 56.88 | .47 |
| 240H | 48 | 16.28 | .13 | 21.00 | .20 | 30.36 | .28 | 39.76 | .41 | 58.52 | .56 |
| 255H | 51 | 16.98 | .14 | 22.64 | .21 | 32.96 | .29 | 42.28 | .42 | 63.69 | .6 |
| 270H | 54 | 17.52 | .15 | 22.64 | .21 | 32.88 | .31 | 43.04 | .43 | 63.48 | .63 |
| 280H | 56 | 17.96 | .16 | 23.20 | .21 | 33.68 | .31 | 44.16 | .44 | 65.12 | .64 |
| 300H | 60 | 18.76 | .17 | 24.32 | .23 | 35.36 | .35 | 46.36 | .47 | 68.44 | .70 |
| 310H | 62 | 19.39 | .18 | 24.88 | .24 | 36.16 | .36 | 47.48 | .48 | 70.72 | .72 |
| 315H | 63 | 19.39 | .18 | 24.88 | .24 | 36.16 | .36 | 47.48 | .49 | 70.72 | .73 |
| 320H | 64 | 14.40 | .18 | 24.88 | .25 | 28.26 | .37 | 37.68 | .50 | 56.52 | .74 |
| 330H | 66 | 20.04 | .19 | 25.96 | .25 | 37.84 | .38 | 49.68 | .51 | 73.40 | .77 |
| 340H | 68 | 20.44 | .19 | 26.52 | .26 | 38.68 | .38 | 50.76 | .52 | 75.04 | .78 |
| 350H | 70 | 20.88 | .20 | 27.08 | .27 | 39.48 | .40 | 51.88 | .55 | 76.68 | .82 |
| 360H | 72 | 21.28 | .20 | 27.64 | .28 | 40.32 | .42 | 53.00 | .56 | 78.36 | .84 |
| 370H | 74 | 21.68 | .21 | 28.20 | .28 | 41.16 | .42 | 54.08 | .57 | 80.00 | .86 |
| 375H | 75 | 21.92 | .21 | 28.46 | .29 | 41.56 | .43 | 54.64 | .58 | 80.82 | .88 |
| 390H | 78 | 22.52 | .22 | 29.28 | .30 | 42.80 | .45 | 56.28 | .61 | 83.32 | .91 |
| 400H | 80 | 22.96 | .23 | 29.84 | .31 | 43.64 | .47 | 57.40 | .63 | 84.96 | .93 |
| 410H | 82 | 23.36 | .23 | 30.40 | .31 | 44.88 | .48 | 58.48 | .64 | 86.60 | .96 |
| 420H | 84 | 23.76 | .24 | 30.96 | .32 | 45.28 | .49 | 59.60 | .65 | 88.28 | .98 |
| 430H | 86 | 24.20 | .24 | 31.52 | .33 | 46.12 | .50 | 60.72 | .67 | 89.92 | .99 |
| 450H | 90 | 25.04 | .25 | 32.60 | .35 | 47.76 | .52 | 62.92 | .70 | 93.20 | 1.05 |
| 465H | 93 | 33.16 | .26 | 33.16 | .36 | 48.60 | .55 | 64.00 | .71 | 94.88 | 1.09 |
| 480H | 96 | 26.28 | .27 | 34.28 | .37 | 50.24 | .56 | 66.20 | .72 | 98.16 | 1.12 |
| 490H | 98 | 26.68 | .27 | 34.84 | .38 | 51.08 | .57 | 67.32 | .75 | 99.84 | 1.15 |
| 510H | 102 | 27.12 | .28 | 35.40 | .39 | 51.92 | .59 | 68.44 | .79 | 101.48 | 1.18 |
| 530H | 106 | 27.96 | .29 | 36.48 | .40 | 53.56 | .61 | 70.64 | .82 | 104.80 | 1.20 |
| 540H | 108 | 28.76 | .30 | 37.60 | .41 | 55.24 | .63 | 72.84 | .84 | 108.08 | 1.25 |
| 560H | 112 | * | * | * | * | * | * | * | * | * | * |
| 570H | 114 | 29.60 | .32 | 38.72 | .44 | 56.88 | .66 | 75.04 | .89 | 111.40 | 1.32 |
| 580H | 116 | 30.44 | .33 | 39.80 | .45 | 58.56 | .68 | 77.24 | .91 | 114.68 | 1.3 |
| 585H | 117 | * | * | * | * | * | * | * | * | * | * |
| 600H | 120 | 31.28 | .34 | 40.92 | .46 | 60.20 | .70 | 79.44 | .93 | 118.00 | 1.40 |
| 630H | 126 | 32.12 | .35 | 42.04 | .48 | 61.84 | .73 | 81.64 | .98 | 121.32 | 1.47 |
| 650H | 130 | 32.96 | .36 | 43.37 | .50 | 63.52 | .76 | 83.84 | 1.00 | 124.60 | 1.50 |
| 660H | 132 | 33.76 | .37 | 44.24 | .51 | 65.16 | .77 | 86.06 | 1.02 | 127.92 | 1.54 |
| 680H | 136 | 34.60 | .38 | 45.36 | .52 | 66.84 | .79 | 88.28 | 1.06 | 131.20 | 1.59 |
| 700H | 140 | 35.44 | .39 | 46.44 | .54 | 68.48 | .81 | 90.48 | 1.09 | 134.52 | 1.64 |
| 725H | 145 | 36.28 | .41 | 47.56 | .56 | 70.12 | .84 | 92.68 | 1.12 | 137.84 | 1.75 |
| 730H | 146 | 36.28 | .41 | 47.56 | .56 | 70.12 | .84 | 92.68 | 1.13 | 137.84 | 1.80 |
| 750H | 150 | 37.12 | .42 | 48.68 | .58 | 71.80 | .87 | 94.88 | 1.16 | 141.12 | 1.87 |
| 770H | 154 | 37.96 | .43 | 49.76 | .59 | 72.30 | .90 | 97.08 | 1.20 | 144.44 | 1.90 |
| 800H | 160 | 39.60 | .45 | 52.00 | .61 | 75.12 | .93 | 101.52 | 1.24 | 151.04 | 1.93 |
| 810H | 162 | 39.60 | .46 | 52.00 | .62 | 75.12 | .95 | 101.52 | 1.25 | 151.04 | 1.93 |
| 820H | 164 | 40.44 | .46 | 53.08 | .63 | 78.44 | .96 | 103.72 | 1.27 | 154.36 | 1.94 |
| 840H | 168 | 41.28 | .47 | 54.20 | .64 | 80.08 | .97 | 105.92 | 1.28 | 157.64 | 1.95 |
| 850H | 170 | 41.28 | .48 | 54.20 | .65 | 80.08 | .99 | 105.92 | 1.32 | 157.64 | 1.99 |
| 860H | 172 | 41.28 | .48 | 55.32 | .66 | 81.72 | 1.00 | 108.12 | 1.35 | 163.40 | 2.00 |
| 880H | 176 | 42.96 | .50 | 56.40 | .67 | 83.40 | 1.03 | 110.32 | 1.37 | 164.24 | 2.00 |
| 900H | 180 | 43.76 | .51 | 57.52 | .69 | 85.04 | 1.04 | 112.52 | 1.40 | 167.56 | 2.10 |
| 950H | 190 | 44.79 | .53 | 59.72 | .72 | 88.36 | 1.10 | 116.96 | 1.47 | 174.16 | 2.16 |
| 1000H | 200 | 47.96 | .56 | 63.04 | .77 | 93.32 | 1.16 | 123.56 | 1.55 | 184.08 | 2.32 |
| 1100H | 220 | 52.12 | .59 | 68.56 | .84 | 101.60 | 1.27 | 134.60 | 1.71 | 200.60 | 2.57 |
| 1120H | 224 | * | * | * | * | * | * | * | * | * | * |
| 1140H | 228 | * | * | * | * | * | * | * | * | * | * |
| 1150H | 230 | * | * | * | * | * | * | * | * | * | * |
| 1250H | 250 | 58.40 | .70 | 76.88 | .96 | 114.04 | 1.46 | 151.12 | 1.94 | 225.40 | 2.92 |
| 1400H | 280 | 64.64 | .79 | 85.16 | 1.07 | 126.44 | 1.62 | 167.68 | 2.17 | 250.16 | 3.24 |
| 1700H | 340 | 77.16 | .95 | 101.76 | 1.30 | 151.28 | 1.95 | 200.76 | 2.63 | 299.72 | 3.95 |
| 2010H | 402 | * | * | * | * | * | * | * | * | * | * |
| 2360H | 472 | * | * | * | * | * | * | * | * | * | * |

* Price on Application



ANY WIDTH AVAILABLE FROM STOCK CONSULT JASON FOR PRICING

Cotton Cleaner Belts

| Size | List Price | No. of Teeth |
|-----------------|------------|--------------|
| 61CCB142 | \$184.03 | 60 |
| 63CCB165 | 187.81 | 63 |
| 64CCB170 | 187.81 | 64 |
| 65CCB175 | 191.57 | 65 |

Standard Timing Belts

VISIT OUR WEB SITE AT WWW.CLARKTR.COM

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

Standard Timing Belts and Double Sided Timing Belts

Extra Heavy 7/8-inch (XH) Pitch Timing Belts

| Belt Length & Pitch Code | No. of Teeth | Width | | | | | |
|--------------------------|--------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|
| | | 200(2") | | 300(3") | | 400(4") | |
| | | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) |
| 507XH | 58 | \$163.80 | 2.11 | \$230.52 | 3.16 | \$297.28 | 4.22 |
| 560XH | 64 | 175.24 | 2.33 | 247.16 | 3.49 | 319.12 | 4.66 |
| 630XH | 72 | 186.68 | 2.62 | 263.80 | 3.93 | 340.96 | 5.24 |
| 700XH | 80 | 201.92 | 2.91 | 286.00 | 4.37 | 370.08 | 5.82 |
| 770XH | 88 | 213.36 | 3.20 | 302.64 | 4.81 | 391.92 | 6.41 |
| 840XH | 96 | 228.64 | 3.49 | 324.80 | 5.25 | 421.04 | 6.99 |
| 980XH | 112 | 255.32 | 4.08 | 362.64 | 6.12 | 472.00 | 8.15 |
| 1120XH | 128 | 278.20 | 4.66 | 396.92 | 6.99 | 515.68 | 9.32 |
| 1260XH | 144 | 306.80 | 5.24 | 438.52 | 7.86 | 570.28 | 10.48 |
| 1400XH | 160 | 335.40 | 5.82 | 480.12 | 8.74 | 624.88 | 11.65 |
| 1540XH | 176 | 354.48 | 6.41 | 507.84 | 9.61 | 661.28 | 12.81 |
| 1750XH | 200 | 402.12 | 7.28 | 577.20 | 10.92 | 752.28 | 14.56 |

Double Extra Heavy 1-1/4-inch (XXH) Pitch Timing Belts

| Belt Length & Pitch Code | No. of Teeth | Width | | | | | | | |
|--------------------------|--------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|
| | | 200(2") | | 300(3") | | 400(4") | | 500(5") | |
| | | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) |
| 700XXH | 56 | \$242.42 | 4.09 | \$343.14 | 6.13 | \$443.72 | 8.18 | \$544.96 | 10.22 |
| 800XXH | 64 | 265.36 | 4.67 | 376.42 | 7.01 | 487.08 | 9.34 | 599.04 | 11.68 |
| 900XXH | 72 | 288.34 | 5.26 | 409.70 | 7.88 | 503.40 | 10.51 | 653.12 | 13.14 |
| 1000XXH | 80 | 311.32 | 5.84 | 442.98 | 8.76 | 573.72 | 11.68 | 707.20 | 14.50 |
| 1200XXH | 96 | 352.04 | 7.01 | 509.54 | 10.51 | 660.40 | 14.60 | 815.36 | 17.52 |
| 1400XXH | 112 | 398.00 | 8.18 | 576.10 | 12.26 | 747.04 | 16.35 | 923.52 | 20.44 |
| 1600XXH | 128 | 443.92 | 9.34 | 642.66 | 14.02 | 833.72 | 18.69 | 1031.68 | 23.36 |
| 1800XXH | 144 | 494.00 | 10.57 | 709.22 | 15.77 | 924.56 | 21.02 | 1139.84 | 26.28 |

Special Constructions - Consult Jason for Prices

- Kevlar® Tensile Member
- Non-Marking
- Red Latex Backings
- Special Compounds
- Non-Standard Widths
- Extra Backing
- S or Z Tensile Member

Double Sided Timing Belts

Neoprene fiberglass reinforced

Double sided belts afford power transmission from either side of the belt and are often used in reversing and serpentine applications.

They are specified the same way as timing belts except with a "D" prefix. For example: D240H100. Special widths are cut to order from our sleeve stock for fast delivery.

Double sided timing belts are produced using the same materials as single sided belts, except that the backside is ground from a fiber reinforced special rubber compound. There is no nylon facing on the backside. Power take off on the backside is limited to 50% of the total catalog rating.

Total belt rating is the same as for single sided belts.

Teeth with nylon facing should always be against driver pulley.



3/8-inch (L) Pitch Dual Timing Belts

| Belt Length & Pitch Code | No. of Teeth | Width | | | | | |
|--------------------------|--------------|------------|-----------------------|------------|-----------------------|------------|-----------------------|
| | | 050(1/2") | | 075(3/4") | | 100(1") | |
| | | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) |
| D124L | 33 | \$19.20 | .03 | \$27.30 | .05 | \$34.95 | .06 |
| D150L | 40 | 21.20 | .04 | 30.30 | .06 | 39.00 | .08 |
| D165L | 44 | 21.80 | .04 | 31.30 | .06 | 40.35 | .09 |
| D173L | 46 | 21.92 | .05 | 32.87 | .07 | 41.75 | .09 |
| D187L | 50 | 23.10 | .05 | 33.30 | .07 | 43.10 | .10 |
| D202L | 54 | 24.07 | .05 | 34.39 | .08 | 45.85 | .10 |
| D210L | 56 | 25.10 | .05 | 36.30 | .08 | 47.10 | .10 |
| D225L | 60 | 25.80 | .05 | 37.30 | .08 | 48.46 | .10 |
| D240L | 64 | 27.10 | .06 | 39.30 | .09 | 51.20 | .12 |
| D255L | 68 | 27.70 | .06 | 40.30 | .09 | 52.56 | .12 |
| D270L | 72 | 29.00 | .07 | 42.30 | .10 | 55.20 | .14 |
| D285L | 76 | 29.70 | .07 | 43.40 | .11 | 56.56 | .14 |
| D300L | 80 | 31.00 | .07 | 45.30 | .11 | 59.30 | .14 |
| D320L | 85 | 32.25 | .07 | 47.25 | .11 | 61.75 | .15 |
| D322L | 86 | 32.30 | .08 | 47.40 | .12 | 62.00 | .16 |
| D345L | 92 | 33.60 | .08 | 49.40 | .12 | 64.66 | .16 |
| D367L | 98 | 34.80 | .08 | 51.40 | .13 | 67.36 | .16 |
| D390L | 104 | 36.80 | .09 | 54.40 | .14 | 71.36 | .18 |
| D420L | 112 | 38.70 | .10 | 57.40 | .15 | 75.46 | .20 |
| D450L | 120 | 40.70 | .10 | 60.50 | .15 | 79.46 | .20 |
| D480L | 128 | 42.70 | .11 | 63.50 | .16 | 83.56 | .22 |
| D510L | 136 | 44.00 | .12 | 65.50 | .18 | 86.30 | .24 |
| D540L | 144 | 46.60 | .13 | 69.50 | .19 | 91.66 | .26 |
| D600L | 160 | 50.50 | .14 | 75.60 | .21 | 99.76 | .28 |
| D660L | 176 | 54.40 | .16 | 81.60 | .24 | 107.86 | .32 |
| D817L | 218 | 67.00 | .20 | 100.50 | .30 | 134.00 | .40 |

SEE PAGE 5 FOR DUAL HTB BELTS

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

1/2-inch (H) Pitch Double Sided Timing Belts

| Belt Length & Pitch Code | No. of Teeth | Width | | | | | | | | | |
|--------------------------|--------------|------------|-----------------------|------------|-----------------------|-------------|-----------------------|------------|-----------------------|------------|-----------------------|
| | | 075(3/4") | | 100(1") | | 150(1-1/2") | | 200(2") | | 300(3") | |
| | | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) | List Price | Approx. Weight (lbs.) |
| D240H | 48 | \$40.70 | .17 | \$52.50 | .22 | \$75.90 | .34 | \$99.40 | .44 | \$146.30 | .68 |
| D270H | 54 | 43.80 | .19 | 56.60 | .25 | 82.20 | .38 | 107.60 | .50 | 158.70 | .76 |
| D300H | 60 | 46.90 | .21 | 60.80 | .28 | 88.40 | .42 | 115.90 | .56 | 171.10 | .82 |
| D330H | 66 | 50.10 | .23 | 64.90 | .30 | 94.60 | .44 | 124.20 | .60 | 183.50 | .92 |
| D350H | 70 | 52.20 | .24 | 67.70 | .32 | 93.70 | .46 | 129.70 | .64 | 191.70 | .96 |
| D360H | 72 | 53.20 | .25 | 69.10 | .33 | 100.80 | .50 | 132.50 | .66 | 195.90 | 1.00 |
| D375H | 75 | 54.80 | .26 | 71.15 | .35 | 103.90 | .52 | 136.60 | .69 | 202.05 | 1.06 |
| D390H | 78 | 56.30 | .27 | 73.20 | .36 | 107.00 | .54 | 140.70 | .72 | 208.30 | 1.08 |
| D400H | 80 | 57.40 | .29 | 74.60 | .38 | 109.10 | .56 | 143.50 | .76 | 212.40 | 1.15 |
| D420H | 84 | 59.40 | .30 | 77.40 | .40 | 113.20 | .60 | 149.00 | .80 | 220.70 | 1.20 |
| D450H | 90 | 62.60 | .32 | 81.50 | .43 | 119.40 | .64 | 157.30 | .86 | 223.00 | 1.28 |
| D480H | 96 | 65.70 | .34 | 85.70 | .45 | 125.60 | .68 | 165.50 | .90 | 245.40 | 1.36 |
| D510H | 102 | 67.80 | .36 | 88.50 | .48 | 129.80 | .72 | 171.10 | .96 | 253.70 | 1.42 |
| D540H | 108 | 71.90 | .38 | 94.00 | .51 | 138.10 | .76 | 182.10 | 1.02 | 270.20 | 1.52 |
| D570H | 114 | 74.00 | .40 | 96.80 | .53 | 142.20 | .80 | 187.60 | 1.06 | 278.50 | 1.60 |
| D600H | 120 | 78.20 | .42 | 102.30 | .56 | 150.50 | .84 | 198.60 | 1.12 | 295.00 | 1.68 |
| D630H | 126 | 80.30 | .44 | 105.10 | .59 | 154.60 | .88 | 204.10 | 1.18 | 303.30 | 1.76 |
| D660H | 132 | 84.40 | .47 | 110.60 | .63 | 162.90 | .94 | 215.20 | 1.26 | 319.80 | 1.86 |
| D700H | 140 | 88.60 | .49 | 116.10 | .65 | 171.20 | .98 | 226.20 | 1.30 | 336.30 | 1.96 |
| D725H | 145 | 89.18 | .51 | 118.90 | .68 | 178.35 | 1.02 | 231.70 | 1.36 | 344.55 | 2.04 |
| D750H | 150 | 92.80 | .53 | 121.70 | .71 | 179.50 | 1.06 | 237.20 | 1.42 | 352.80 | 2.12 |
| D800H | 160 | 99.00 | .56 | 130.00 | .75 | 187.80 | 1.12 | 253.80 | 1.50 | 377.60 | 2.24 |
| D850H | 170 | 103.20 | .60 | 135.50 | .80 | 200.20 | 1.20 | 264.80 | 1.60 | 394.10 | 2.40 |
| D900H | 180 | 109.40 | .64 | 143.80 | .85 | 212.60 | 1.28 | 281.30 | 1.70 | 418.90 | 2.56 |
| D1000H | 200 | 119.90 | .71 | 157.60 | .95 | 233.30 | 1.41 | 308.90 | 1.90 | 460.20 | 2.82 |
| D1100H | 220 | 130.30 | .77 | 171.40 | 1.03 | 254.00 | 1.54 | 336.50 | 2.06 | 501.50 | 3.08 |
| D1250H | 250 | 146.00 | .89 | 192.20 | 1.19 | 285.10 | 1.78 | 377.80 | 2.38 | 563.50 | 3.56 |
| D1400H | 280 | 161.60 | 1.00 | 212.90 | 1.33 | 316.10 | 2.00 | 419.20 | 2.66 | 625.40 | 4.00 |
| D1700H | 340 | 192.60 | 1.20 | 253.90 | 1.60 | 377.60 | 2.40 | 501.10 | 3.20 | 748.10 | 4.80 |

1/5-inch (XL) Pitch Double Sided Timing Belts

| Belt Length Approx. & Pitch Code | No. of Teeth | Width | | | |
|----------------------------------|--------------|------------|-----------------------|------------|---------------|
| | | 025(1/4") | | 037(3/8") | |
| | | List Price | Approx. Weight (lbs.) | List Price | Weight (lbs.) |
| D60XL | 30 | \$7.30 | .005 | \$9.60 | .01 |
| D70XL | 35 | 7.50 | .005 | 10.00 | .01 |
| D80XL | 40 | 7.70 | .005 | 10.30 | .01 |
| D90XL | 45 | 7.90 | .005 | 10.75 | .01 |
| D100XL | 50 | 8.20 | .005 | 10.90 | .01 |
| D110XL | 55 | 8.40 | .01 | 11.30 | .01 |
| D120XL | 60 | 8.60 | .01 | 11.50 | .01 |
| D130XL | 65 | 8.80 | .01 | 11.90 | .02 |
| D140XL | 70 | 9.10 | .01 | 12.20 | .02 |
| D150XL | 75 | 9.30 | .01 | 12.50 | .02 |
| D156XL | 78 | 9.40 | .01 | 12.70 | .02 |
| D160XL | 80 | 9.50 | .01 | 12.90 | .02 |
| D170XL | 85 | 9.70 | .01 | 13.10 | .02 |
| D180XL | 90 | 9.90 | .02 | 13.50 | .02 |
| D190XL | 95 | 10.20 | .02 | 13.80 | .02 |
| D200XL | 100 | 10.40 | .02 | 14.10 | .02 |
| D210XL | 105 | 10.60 | .02 | 14.40 | .03 |
| D220XL | 110 | 10.80 | .02 | 14.80 | .03 |
| D230XL | 115 | 11.10 | .02 | 15.00 | .03 |
| D240XL | 120 | 11.30 | .02 | 15.40 | .03 |
| D250XL | 125 | 11.50 | .02 | 15.70 | .03 |
| D260XL | 130 | 11.70 | .02 | 16.00 | .03 |
| D270XL | 135 | 12.00 | .02 | 16.40 | .03 |
| D280XL | 140 | 12.20 | .03 | 16.70 | .04 |
| D290XL | 145 | 12.30 | .03 | 17.00 | .04 |
| D300XL | 150 | 12.60 | .03 | 17.30 | .04 |
| D310XL | 155 | 12.80 | .03 | 17.60 | .04 |
| D330XL | 165 | 13.20 | .03 | 18.30 | .04 |
| D350XL | 175 | 13.60 | .03 | 18.80 | .04 |
| D362XL | 181 | 14.00 | .03 | 19.30 | .05 |
| D392XL | 196 | 14.60 | .04 | 20.20 | .05 |
| D450XL | 225 | 15.90 | .04 | 22.10 | .05 |
| D492XL | 246 | 16.70 | .04 | 23.40 | .06 |
| D690XL | 345 | 21.20 | .06 | 29.80 | .09 |
| D900XL | 450 | 25.80 | .08 | 36.50 | .11 |

Open-End Belting

Neoprene, fiberglass reinforced

For positioning, metering, and open-close applications. Open end timing belting is specified by an "L" for long length, the belt pitch letters and the width code (i.e. L8M-20). Length is specified in feet. Spliced belts available on special order. Special constructions and backings also available.



Open-End HTB Belting

| Pitch Code | Width Code | List Price/Ft | Pounds per Ft |
|------------|------------|---------------|---------------|
| L8M | 10 | \$3.01 | .04 |
| L8M | 12.5 | 3.77 | .05 |
| L8M | 15 | 4.52 | .06 |
| L8M | 20 | 6.02 | .09 |
| L8M | 25 | 7.53 | .11 |
| L8M | 30 | 8.12 | .12 |
| L8M | 40 | 13.31 | .16 |
| L8M | 50 | 13.64 | .21 |
| L8M | 75 | 20.52 | .30 |
| L8M | 80 | 21.72 | .32 |
| L8M | 85 | 23.08 | .36 |
| L14M | 40 | 23.82 | .26 |
| L14M | 55 | 31.40 | .36 |
| L14M | 85 | 52.81 | .55 |
| L14M | 115 | 70.44 | .75 |

Other widths available upon request. Minimum order 50'. Width code is metric. LENGTHS CUT TO ORDER, 10% ADDITIONAL

Double Sided Neoprene Belting

Double Sided Fiberglass Reinforced

Available up to 350' in Length

Until now chain was the only design option for drives requiring long spans *and* the capability to drive from either side. Now the advantages of timing belts (non corrosive, no lubrication, no retensioning, high speed capabilities) can make such drives more versatile than ever.

Dual Roll Belting is specified DL followed by pitch code & width code e.g. DLH075 is Double Sided 1/2" pitch, 3/4" wide. Length is specified in feet. Consult Jason for roll lengths. Minimum order 50'. Other widths available on request.

| Dual Roll List Prices Per Foot | | | | | | | |
|--------------------------------|-------|---------|---------|---------|---------|---------|---------|
| | Pitch | 050 | 075 | 100 | 150 | 200 | |
| DLL | 3/8" | \$7.55 | \$11.15 | \$15.32 | | | |
| DLH | 1/2" | \$8.05 | \$11.90 | \$15.65 | \$25.05 | \$33.40 | |
| | Pitch | 15 | 20 | 25 | 30 | 50 | 85 |
| DL8M | 8MM | \$11.30 | \$15.05 | \$18.83 | \$20.30 | \$34.10 | \$57.70 |

Open-End Timing Belting

| Pitch Code | Width Code | List Price/Ft | Pounds per Ft |
|----------------|------------|---------------|---------------|
| LXL (1/5-inch) | 025 | \$1.28 | .015 |
| LXL (1/5-inch) | 031 | 1.60 | .018 |
| LXL (1/5-inch) | 037 | 1.92 | .020 |
| LXL (1/5-inch) | 050 | 2.56 | .027 |
| LXL (1/5-inch) | 075 | 3.84 | .040 |
| LL (3/8-inch) | 037 | 2.30 | .022 |
| LL (3/8-inch) | 050 | 3.02 | .030 |
| LL (3/8-inch) | 075 | 4.60 | .045 |
| LL (3/8-inch) | 100 | 6.13 | .060 |
| LL (3/8-inch) | 150 | 9.20 | .090 |
| LL (3/8-inch) | 200 | 12.26 | .120 |
| LH (1/2-inch) | 037 | 2.41 | .037 |
| LH (1/2-inch) | 050 | 3.22 | .050 |
| LH (1/2-inch) | 075 | 4.76 | .075 |
| LH (1/2-inch) | 100 | 6.26 | .100 |
| LH (1/2-inch) | 150 | 10.02 | .150 |
| LH (1/2-inch) | 175 | 13.36 | .175 |
| LH (1/2-inch) | 200 | 13.36 | .200 |
| LH (1/2-inch) | 300 | 18.22 | .300 |
| LXH (7/8-inch) | 075 | 9.92 | .187 |
| LXH (7/8-inch) | 100 | 13.00 | .250 |

Other widths available upon request. Minimum order 50'. LENGTHS CUT TO ORDER, 10% ADDITIONAL

Double Sided Timing Belts and Open-End Timing Belting

Urethane Timing Belts - Metric


Urethane steel cable construction. Oil, heat and abrasion-resistant.

Metric timing belts are available in 5mm and 10mm pitch. They have steel tension members bonded to a urethane body. They are especially useful for chemically resistant operating requirements and for clean environments.

For non-stock widths, Jason can cut specified widths from our supply of metric timing belt sleeves on special order. Maximum width is 300mm.

Metric timing belts are specified by belt width in millimeters, belt pitch, letter-number and pitch length in millimeters.

For example: 20T10/900.



AT-5 Metric Pitch Timing Belts

| Belt Length & Pitch Code | No. of Teeth | Width (mm) | | | | | | | |
|--------------------------|--------------|------------|------------|------------|------------|------------|------------|------------|------------|
| | | 4 | 6 | 8 | 10 | 12 | 16 | 20 | 25 |
| | | List Price | List Price | List Price | List Price | List Price | List Price | List Price | List Price |
| AT5-225 | 45 | \$2.60 | \$3.90 | \$5.21 | \$6.51 | \$7.81 | \$10.41 | \$13.02 | \$16.27 |
| AT5-255 | 51 | 2.64 | 3.97 | 5.29 | 6.61 | 7.93 | 10.58 | 13.22 | 16.53 |
| AT5-275* | 55 | | | | | | | | |
| AT5-280 | 56 | 2.66 | 3.99 | 5.32 | 6.66 | 7.99 | 10.65 | 13.31 | 16.64 |
| AT5-300 | 60 | 2.69 | 4.03 | 5.37 | 6.72 | 8.06 | 10.75 | 13.43 | 16.79 |
| AT5-330 | 66 | 2.80 | 4.20 | 5.60 | 7.12 | 8.56 | 11.39 | 14.24 | 17.79 |
| AT5-340 | 68 | 2.85 | 4.27 | 5.69 | 7.12 | 8.54 | 11.39 | 14.23 | 17.79 |
| AT5-375 | 75 | 2.89 | 4.33 | 5.78 | 7.22 | 8.66 | 11.55 | 14.44 | 18.05 |
| AT5-390 | 78 | 2.95 | 4.42 | 5.89 | 7.37 | 8.84 | 11.79 | 14.74 | 18.42 |
| AT5-420 | 84 | 3.09 | 4.64 | 6.19 | 7.74 | 9.28 | 12.38 | 15.47 | 19.34 |
| AT5-450 | 90 | 3.12 | 4.68 | 6.23 | 7.79 | 9.36 | 12.47 | 15.59 | 19.48 |
| AT5-455 | 91 | 3.15 | 4.73 | 6.30 | 7.88 | 9.46 | 12.61 | 15.76 | 19.70 |
| AT5-480 | 96 | 3.20 | 4.80 | 6.40 | 7.81 | 9.61 | 12.50 | 15.62 | 20.02 |
| AT5-500 | 100 | 3.25 | 4.88 | 6.51 | 8.14 | 9.76 | 13.02 | 16.27 | 20.34 |
| AT5-525 | 105 | 3.37 | 5.00 | 6.80 | 8.65 | 10.38 | 13.84 | 17.30 | 21.63 |
| AT5-545 | 109 | 3.46 | 5.19 | 6.92 | 8.65 | 10.38 | 13.84 | 17.30 | 21.63 |
| AT5-600 | 120 | 3.78 | 5.68 | 7.57 | 9.46 | 11.35 | 15.14 | 18.92 | 23.65 |
| AT5-610 | 122 | 3.88 | 5.83 | 7.77 | 9.71 | 11.65 | 15.54 | 19.42 | 24.28 |
| AT5-630 | 126 | 4.07 | 6.10 | 8.13 | 10.17 | 12.27 | 16.27 | 20.34 | 25.42 |
| AT5-660 | 132 | 4.07 | 6.10 | 8.13 | 10.17 | 12.20 | 16.27 | 20.34 | 25.42 |
| AT5-710 | 142 | 4.23 | 6.34 | 8.45 | 10.57 | 12.68 | 16.91 | 21.14 | 26.42 |
| AT5-720 | 144 | 4.26 | 6.39 | 8.51 | 10.65 | 12.78 | 17.04 | 21.30 | 26.62 |
| AT5-750 | 150 | 4.35 | 6.53 | 8.70 | 10.88 | 13.06 | 17.41 | 21.76 | 27.20 |
| AT5-780 | 156 | 4.39 | 6.59 | 8.79 | 10.98 | 13.18 | 17.57 | 21.97 | 27.46 |
| AT5-825 | 165 | 4.48 | 6.71 | 8.95 | 11.19 | 13.43 | 17.90 | 22.38 | 27.97 |
| AT5-860 | 172 | 4.64 | 6.95 | 9.27 | 11.59 | 13.90 | 18.55 | 23.19 | 28.98 |
| AT5-975 | 195 | 5.17 | 7.75 | 10.33 | 12.92 | 15.50 | 20.67 | 25.83 | 32.29 |
| AT5-1050 | 210 | 5.61 | 8.42 | 11.23 | 14.04 | 16.84 | 22.46 | 28.07 | 35.09 |
| AT5-1125 | 225 | 6.01 | 9.02 | 12.03 | 15.04 | 18.04 | 24.06 | 30.07 | 37.60 |
| AT5-1500 | 300 | 8.01 | 12.03 | 16.04 | 20.06 | 24.06 | 32.09 | 40.10 | 50.23 |
| AT5-2000 | 400 | 10.69 | 16.04 | 21.39 | 26.74 | 32.08 | 42.78 | 53.47 | 66.84 |

*Prices available upon request



AT-10 Metric Pitch Timing Belts

| Belt Length & Pitch Code | No. of Teeth | Width (mm) | | | | | | | |
|--------------------------|--------------|------------|------------|------------|------------|------------|------------|------------|------------|
| | | 10 | 14 | 16 | 20 | 25 | 30 | 32 | 50 |
| | | List Price | List Price | List Price | List Price | List Price | List Price | List Price | List Price |
| AT10-500 | 50 | \$9.76 | \$13.66 | \$15.61 | \$19.51 | \$24.39 | \$29.27 | \$31.22 | \$48.78 |
| AT10-560 | 56 | 10.57 | 14.80 | 16.91 | 21.14 | 26.42 | 31.70 | 33.82 | 52.84 |
| AT10-580 | 58 | 10.68 | 14.95 | 17.08 | 21.35 | 26.69 | 32.01 | 34.58 | 53.30 |
| AT10-600 | 60 | 10.78 | 15.09 | 17.24 | 21.55 | 26.94 | 32.33 | 34.48 | 53.88 |
| AT10-610 | 61 | 10.88 | 15.23 | 17.41 | 21.76 | 27.20 | 32.64 | 34.82 | 54.40 |
| AT10-660 | 66 | 10.98 | 15.38 | 17.57 | 21.97 | 27.46 | 32.95 | 35.15 | 54.92 |
| AT10-700 | 70 | 11.29 | 15.81 | 18.07 | 22.58 | 28.23 | 33.88 | 36.13 | 56.46 |
| AT10-730 | 73 | 11.69 | 16.37 | 18.71 | 23.38 | 29.23 | 35.08 | 37.41 | 58.46 |
| AT10-780 | 78 | 11.90 | 16.65 | 19.03 | 23.79 | 29.74 | 35.69 | 38.07 | 59.48 |
| AT10-800 | 80 | 12.20 | 17.09 | 19.53 | 24.41 | 30.51 | 36.61 | 39.05 | 61.02 |
| AT10-810 | 81 | 12.50 | 17.42 | 19.53 | 24.90 | 32.92 | 37.20 | 39.85 | 62.25 |
| AT10-840 | 84 | 13.17 | 18.44 | 21.07 | 26.34 | 32.92 | 39.50 | 42.14 | 65.84 |
| AT10-880 | 88 | 14.35 | 20.09 | 22.96 | 28.70 | 35.87 | 43.04 | 45.92 | 71.74 |
| AT10-890 | 89 | 14.64 | 20.50 | 23.43 | 29.29 | 36.61 | 43.93 | 46.86 | 73.22 |
| AT10-920 | 92 | 15.25 | 21.35 | 24.40 | 30.50 | 38.13 | 45.76 | 48.81 | 76.26 |
| AT10-960 | 96 | 15.76 | 22.07 | 25.22 | 31.53 | 39.41 | 47.29 | 50.44 | 78.82 |
| AT10-980 | 98 | 16.89 | 23.64 | 27.02 | 33.78 | 42.22 | 50.66 | 54.04 | 84.44 |
| AT10-1000 | 100 | 17.08 | 23.91 | 27.33 | 34.16 | 42.70 | 51.24 | 54.66 | 85.40 |
| AT10-1010 | 101 | 17.39 | 24.34 | 27.82 | 34.78 | 43.47 | 52.16 | 55.64 | 86.94 |
| AT10-1050 | 105 | 17.50 | 24.49 | 27.99 | 34.99 | 43.74 | 52.49 | 55.99 | 87.48 |
| AT10-1080 | 108 | 17.70 | 24.77 | 28.31 | 35.39 | 44.24 | 53.09 | 56.63 | 88.48 |
| AT10-1100 | 110 | 17.96 | 25.14 | 28.74 | 35.92 | 44.90 | 53.88 | 57.47 | 89.80 |
| AT10-1150 | 115 | 18.20 | 25.49 | 29.13 | 36.41 | 45.51 | 54.61 | 58.25 | 91.02 |
| AT10-1200 | 120 | 19.32 | 26.06 | 30.92 | 38.65 | 48.31 | 57.49 | 61.32 | 96.62 |
| AT10-1210 | 121 | 19.32 | 27.05 | 30.92 | 38.65 | 48.31 | 57.97 | 61.84 | 96.62 |
| AT10-1220 | 122 | 19.49 | 27.70 | 31.72 | 39.66 | 49.57 | 59.48 | 63.45 | 99.14 |
| AT10-1230 | 123 | 19.67 | 27.76 | 31.72 | 39.66 | 49.57 | 59.48 | 63.45 | 99.14 |
| AT10-1240 | 124 | 19.67 | 27.76 | 31.72 | 39.66 | 49.57 | 59.48 | 63.45 | 99.14 |
| AT10-1250 | 125 | 19.83 | 27.76 | 31.72 | 39.66 | 49.57 | 59.48 | 63.45 | 99.14 |
| AT10-1280 | 128 | 21.50 | 30.10 | 34.40 | 43.00 | 53.74 | 57.97 | 61.84 | 101.52 |
| AT10-1300 | 130 | 21.91 | 30.67 | 36.05 | 43.82 | 54.77 | 63.75 | 68.00 | 106.25 |
| AT10-1320 | 132 | 27.67 | 31.75 | 36.28 | 44.34 | 55.42 | 68.02 | 72.55 | 110.84 |
| AT10-1350 | 135 | 22.67 | 31.74 | 36.28 | 45.34 | 56.68 | 68.02 | 72.55 | 113.36 |
| AT10-1360 | 136 | 22.84 | 31.98 | 36.54 | 45.68 | 57.10 | 68.52 | 72.55 | 116.46 |
| AT10-1400 | 140 | 23.29 | 32.61 | 37.27 | 45.58 | 58.23 | 69.88 | 74.53 | 116.46 |
| AT10-1420 | 142 | 23.45 | 32.83 | 37.52 | 46.90 | 58.63 | 70.36 | 75.05 | 117.26 |
| AT10-1480 | 148 | 24.44 | 34.22 | 39.11 | 48.88 | 61.10 | 73.33 | 78.22 | 122.21 |
| AT10-1500 | 150 | 24.78 | 34.68 | 39.63 | 49.54 | 61.93 | 74.32 | 79.27 | 123.87 |
| AT10-1560 | 150 | 24.78 | 34.68 | 39.63 | 49.54 | 61.93 | 74.32 | 79.27 | 123.87 |
| AT10-1600 | 160 | 25.41 | 35.58 | 40.66 | 50.82 | 63.53 | 76.24 | 81.32 | 127.06 |
| AT10-1630 | 163 | 25.88 | 36.50 | 42.84 | 51.77 | 68.50 | 82.20 | 87.68 | 137.00 |
| AT10-1700 | 170 | 27.45 | 38.44 | 43.93 | 54.90 | 68.63 | 82.36 | 87.85 | 137.26 |
| AT10-1720 | 172 | 22.77 | 38.89 | 44.45 | 55.55 | 69.44 | 83.33 | 88.98 | 138.87 |
| AT10-1800 | 180 | 29.49 | 41.29 | 47.19 | 58.98 | 73.73 | 88.48 | 94.37 | 147.46 |
| AT10-1860 | 186 | 30.47 | 42.67 | 48.76 | 60.95 | 76.19 | 91.28 | 97.52 | 152.38 |
| AT10-1940 | 194 | 31.78 | 45.00 | 50.86 | 63.57 | 79.46 | 95.36 | 101.71 | 158.92 |

T-5 Metric Pitch Timing Belts

Table with columns: Belt Length & Pitch Code, No. of Teeth, Width (mm) (4, 6, 8, 10, 12, 16, 20, 25), List Price, Price. Rows include various belt models like T5-120, T5-150, etc.

T-10 Metric Pitch Timing Belts

Table with columns: Belt Length & Pitch Code, No. of Teeth, Width (mm) (10, 14, 16, 20, 25, 30, 32, 50), List Price, Price. Rows include various belt models like T10-260, T10-340, etc.

KEVLAR REINFORCEMENT AVAILABLE AT SAME LIST PRICES NORMALLY WITH MINIMUM ORDER. OTHER LENGTHS CAN BE SPLICED TO ORDER.

Metric timing belts are available in 5mm and 10mm pitch. They have steel tension members bonded to a urethane body. They are especially useful for chemically resistant operating requirements and for clean environments.

For non-stock widths, Jason can cut specified widths from our supply of metric timing belt sleeves on special order. Maximum width is 300mm.

Metric timing belts are specified by belt width in millimeters, belt pitch, letter-number and pitch length in millimeters. For example: 20T10/900.

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

Dual Metric and Open End - Urethane Timing Belts

Urethane Timing Belts - Dual Metric



T-10 DL Dual-sided

| Belt Length & Pitch Code | No. of Teeth | Width (mm) | | | | | | | |
|--------------------------|--------------|------------|------------|------------|------------|------------|------------|------------|------------|
| | | 10 | 14 | 16 | 20 | 25 | 30 | 35 | 50 |
| | | List Price | List Price | List Price | List Price | List Price | List Price | List Price | List Price |
| T10-260DL | 26 | \$9.58 | \$13.07 | \$14.85 | \$17.89 | \$22.36 | \$26.71 | \$31.16 | \$43.68 |
| T10-530DL | 53 | 11.34 | 15.48 | 17.58 | 21.18 | 27.51 | 31.62 | 33.51 | 51.66 |
| T10-630DL | 63 | 12.48 | 17.22 | 19.56 | 23.58 | 30.72 | 35.46 | 37.56 | 58.14 |
| T10-660DL | 66 | 12.72 | 17.58 | 19.98 | 24.18 | 31.53 | 36.44 | 38.61 | 59.73 |
| T10-720DL | 72 | 13.62 | 18.84 | 21.42 | 26.04 | 33.93 | 39.24 | 41.58 | 64.59 |
| T10-840DL | 84 | 15.00 | 21.00 | 23.88 | 29.04 | 37.98 | 44.06 | 46.68 | 72.66 |
| T10-920DL | 92 | 16.16 | 22.62 | 25.86 | 32.33 | 40.41 | 48.49 | 56.57 | 80.81 |
| T10-980DL | 98 | 16.50 | 23.19 | 26.34 | 31.10 | 32.10 | 48.81 | 51.72 | 80.73 |
| T10-1100DL | 110 | 16.93 | 23.69 | 27.08 | 39.45 | 49.32 | 50.78 | 59.25 | 84.62 |
| T10-1210DL | 121 | 19.02 | 26.97 | 30.66 | 37.50 | 49.32 | 57.39 | 60.78 | 95.25 |
| T10-1240DL | 124 | 19.26 | 27.45 | 31.20 | 38.10 | 50.13 | 58.38 | 61.83 | 96.81 |
| T10-1250DL | 125 | 19.56 | 27.84 | 31.62 | 38.70 | 50.94 | 59.31 | 62.82 | 98.46 |
| T10-1320DL | 132 | 19.86 | 28.29 | 32.16 | 39.30 | 51.78 | 60.24 | 63.81 | 100.08 |
| T10-1350DL | 135 | 20.40 | 29.20 | 33.18 | 40.56 | 53.34 | 62.19 | 65.88 | 103.32 |
| T10-1420DL | 142 | 21.75 | 30.43 | 34.78 | 43.47 | 54.34 | 65.41 | 69.30 | 108.68 |
| T10-1610DL | 161 | 23.28 | 33.42 | 37.98 | 46.56 | 61.47 | 71.73 | 75.99 | 119.40 |
| T10-1880DL | 188 | 26.70 | 36.81 | 43.86 | 53.82 | 71.19 | 83.19 | 88.11 | 138.75 |

T-5 DL Dual-sided

| Belt Length & Pitch Code | No. of Teeth | Width (mm) | | | | | | | |
|--------------------------|--------------|------------|------------|------------|------------|------------|------------|------------|------------|
| | | 4 | 6 | 8 | 10 | 12 | 16 | 20 | 25 |
| | | List Price | List Price | List Price | List Price | List Price | List Price | List Price | List Price |
| T5-410DL | 82 | \$3.54 | \$5.70 | \$6.72 | \$7.74 | \$10.44 | \$12.54 | \$15.24 | \$19.68 |
| T5-460DL | 92 | 3.63 | 5.94 | 7.02 | 8.10 | 10.98 | 13.14 | 16.02 | 20.70 |
| T5-590DL | 118 | 4.05 | 6.68 | 7.83 | 9.12 | 12.34 | 14.84 | 18.16 | 23.56 |
| T5-620DL | 124 | 4.14 | 6.78 | 7.98 | 9.24 | 12.60 | 15.18 | 18.48 | 23.94 |
| T5-750DL | 150 | 4.44 | 7.38 | 8.82 | 10.20 | 13.92 | 16.80 | 20.46 | 26.64 |
| T5-815DL | 163 | 4.74 | 7.86 | 9.30 | 10.74 | 14.76 | 17.82 | 21.60 | 28.68 |
| T5-860DL | 172 | 4.84 | 7.98 | 9.60 | 11.12 | 15.18 | 18.36 | 22.36 | 29.16 |
| T5-940DL | 188 | 5.04 | 8.40 | 10.02 | 11.60 | 15.90 | 19.20 | 23.40 | 30.46 |
| T5-1100DL | 220 | 5.52 | 9.30 | 11.10 | 12.84 | 17.64 | 21.48 | 26.16 | 34.14 |


Urethane, Steel or Kevlar reinforced belting

Resistant to moisture, oils, ozone, UV light and hydrolysis. Available in FDA Construction. For additional information, please contact a Jason Sales Representative.

List Prices Per Foot, Steel or Kevlar reinforced.

| Width (mm) | | | | | | | | | | |
|--------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | 6 | 8 | 10 | 12 | 16 | 20 | 25 | 32 | 50 | |
| T5 | \$1.75 | \$2.25 | \$2.90 | \$3.15 | \$4.40 | \$5.75 | \$6.75 | \$9.00 | 13.50 | |
| | 10 | 12 | 16 | 20 | 25 | 32 | 40 | 50 | 75 | 100 |
| T10 | \$4.40 | \$4.40 | \$6.00 | \$6.30 | \$7.00 | \$9.00 | \$10.00 | \$11.00 | \$16.00 | \$22.00 |
| | 25 | 32 | 50 | 75 | 100 | | | | | |
| T20 | \$9.00 | \$12.00 | \$19.00 | \$30.00 | \$42.00 | | | | | |
| | 6 | 10 | 16 | 20 | 25 | 32 | 50 | | | |
| AT5 | \$2.50 | \$3.50 | \$5.30 | \$6.70 | \$8.10 | \$10.80 | \$16.15 | | | |
| | 16 | 25 | 32 | 50 | 75 | 100 | | | | |
| AT10 | \$7.00 | \$9.50 | \$12.00 | \$14.00 | \$20.00 | \$27.00 | | | | |
| | 25 | 32 | 50 | 75 | 100 | | | | | |
| AT20 | \$11.50 | \$15.00 | \$24.00 | \$39.00 | \$54.00 | | | | | |
| Width (mm) | | | | | | | | | | |
| | 10 | 15 | 20 | 25 | 50 | | | | | |
| 5mm | \$4.50 | \$6.10 | \$10.50 | \$10.50 | \$17.00 | | | | | |
| | 10 | 15 | 20 | 25 | 30 | 50 | 85 | | | |
| 8mm | \$5.20 | \$8.25 | \$9.45 | \$10.35 | \$12.80 | \$16.00 | \$27.00 | | | |
| | 25 | 40 | 55 | 85 | 100 | | | | | |
| 14mm | \$14.95 | \$23.90 | \$32.70 | \$50.50 | \$62.00 | | | | | |
| Width-Inches | | | | | | | | | | |
| | 025 | 031 | 037 | 050 | 075 | 100 | | | | |
| XL(1/5") | \$1.45 | \$1.75 | \$2.00 | \$2.70 | \$4.00 | \$5.40 | | | | |
| | 037 | 050 | 075 | 100 | 150 | 200 | | | | |
| L(3/8") | \$2.85 | \$3.10 | \$4.75 | \$5.70 | \$7.80 | \$9.15 | | | | |
| | 050 | 075 | 100 | 150 | 200 | 300 | 400 | | | |
| H(1/2") | \$3.49 | \$5.40 | \$6.20 | \$8.50 | \$10.10 | \$15.00 | \$25.60 | | | |
| | 100 | 150 | 200 | 300 | 400 | 600 | | | | |
| XH(7/8") | \$10.00 | \$15.00 | \$20.00 | \$32.00 | \$45.00 | \$69.00 | | | | |

FDA construction add 10% to above prices. Fabric covering toothside add 15% to above prices. Fabric covering backside add 15% to above prices. Standard roll lengths 100 meters (328 ft.). Minimum order quantity 50 ft.



IMPORTANT:
For all bulk orders, we will ship the full requirement in one continuous piece if possible. If our stock does not permit this, shorter lengths will be used with no length being less than 50 feet.

- BELTS**
- Endless belts can be spliced to order.
 - Minimum Pitch length is 20", except T20 & 14mm where the minimum is 36" length.
 - Note: Splicing belts reduces horsepower rating.
 - Consult Jason for pricing of spliced belts.
 - Always specify whether steel or Kevlar reinforcement.
 - Consult Jason for pricing and availability of special shapes and backings.

VISIT OUR WEB SITE AT WWW.CLARKTR.COM

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

Urethane Standard Timing Belts, XL, L & H

Urethane steel cable construction. Oil, heat and abrasion-resistant.

These belts have steel tension members bonded to a urethane body. They offer greater tensile strength and are stretch and flake-resistant. They are especially useful for chemically-resistant operating requirements and for clean environments.

For non-stock widths, Jason can cut specified widths from our supply of timing belt sleeves on special order. Maximum width is 12.0".

KEVLAR REINFORCEMENT AVAILABLE, AT SAME LIST PRICES.

1/5-inch (XL) Pitch Belts

| Belt Length & Pitch Code | Width(in) | | |
|--------------------------|------------|-------------|------------|
| | 025 (1/4") | 031 (5/16") | 037 (3/8") |
| | List Price | List Price | List Price |
| 60XL | \$3.55 | \$4.50 | \$5.35 |
| 70XL | 3.65 | 4.55 | 5.50 |
| 80XL | 3.75 | 4.65 | 5.60 |
| 90XL | 3.85 | 4.80 | 5.75 |
| 100XL | 3.90 | 4.90 | 5.85 |
| 110XL | 3.95 | 4.95 | 5.95 |
| 120XL | 4.05 | 5.05 | 6.08 |
| 130XL | 4.10 | 5.15 | 6.20 |
| 134XL | 4.16 | 5.21 | 6.26 |
| 140XL | 4.25 | 5.30 | 6.36 |
| 150XL | 4.30 | 5.40 | 6.48 |
| 160XL | 4.40 | 5.50 | 6.60 |
| 170XL | 4.55 | 5.70 | 6.85 |
| 180XL | 4.65 | 5.80 | 6.95 |
| 190XL | 4.70 | 5.90 | 7.10 |
| 194XL | 4.80 | 6.02 | 7.24 |
| 200XL | 4.95 | 6.20 | 7.45 |
| 210XL | 5.05 | 6.30 | 7.56 |
| 220XL | 5.30 | 6.65 | 8.00 |
| 230XL | 5.70 | 7.15 | 8.60 |
| 240XL | 6.00 | 7.50 | 9.00 |
| 250XL | 6.32 | 7.90 | 9.50 |
| 260XL | 6.55 | 8.20 | 9.85 |
| 270XL | 6.67 | 8.28 | 10.00 |
| 288XL | 6.65 | 8.35 | 10.00 |
| 290XL | 6.70 | 8.40 | 10.10 |
| 300XL | 6.75 | 8.45 | 10.15 |
| 356XL | 7.15 | 8.95 | 10.75 |
| 414XL | 8.55 | 10.70 | 12.85 |
| 450XL | 9.60 | 12.00 | 14.45 |
| 566XL | 11.95 | 14.95 | 18.00 |

To Order:

Example: **150** **XL** **025** **US/K**
 Length Pitch Code Width
 (15-inches) (1/5-inch) (1/4-inch)
 Urethane
 Steel
 Kevlar

3/8-inch (L) Pitch Belts

| Belt Length & Pitch Code | Width(in) | | |
|--------------------------|------------|------------|------------|
| | 050 (1/2") | 075 (3/4") | 100 (1") |
| | List Price | List Price | List Price |
| 86L | \$10.00 | \$15.90 | \$20.00 |
| 124L | 10.35 | 15.00 | 20.70 |
| 150L | 10.40 | 15.50 | 20.80 |
| 173L | 10.55 | 15.60 | 21.15 |
| 187L | 10.70 | 16.00 | 21.50 |
| 202L | 11.50 | 17.20 | 23.00 |
| 210L | 12.00 | 18.00 | 24.00 |
| 225L | 12.40 | 18.60 | 24.80 |
| 240L | 12.80 | 19.20 | 25.60 |
| 255L | 12.90 | 19.40 | 25.20 |
| 270L | 13.00 | 19.60 | 26.00 |
| 285L | 13.30 | 20.00 | 26.60 |
| 300L | 13.60 | 20.30 | 26.90 |
| 322L | 14.50 | 21.70 | 29.20 |
| 345L | 16.70 | 25.10 | 33.40 |
| 367L | 18.60 | 27.40 | 36.55 |
| 390L | 19.90 | 29.75 | 39.70 |
| 420L | 20.30 | 30.20 | 40.30 |
| 450L | 20.70 | 30.60 | 40.80 |
| 480L | 21.00 | 31.00 | 41.40 |
| 510L | 21.30 | 31.50 | 41.90 |
| 540L | 23.10 | 34.50 | 45.90 |
| 570L | 24.90 | 37.40 | 49.80 |
| 600L | 26.20 | 39.40 | 52.42 |

1/2-inch (H) Pitch Belts

| Belt Length & Pitch Code | Width(in) | | | | |
|--------------------------|------------|------------|--------------|------------|------------|
| | 075 (3/4") | 100 (1") | 150 (1-1/2") | 200 (2") | 300 (3") |
| | List Price | List Price | List Price | List Price | List Price |
| 230H | \$19.08 | \$25.44 | \$35.62 | \$45.80 | \$68.69 |
| 240H | 19.91 | 26.55 | 37.17 | 47.79 | 71.68 |
| 270H | 20.78 | 27.70 | 38.78 | 49.86 | 74.79 |
| 300H | 21.71 | 28.95 | 40.53 | 52.11 | 81.06 |
| 330H | 24.19 | 32.25 | 45.15 | 58.05 | 87.08 |
| 360H | 28.05 | 37.40 | 52.36 | 67.32 | 104.72 |
| 390H | 32.06 | 42.75 | 59.85 | 76.95 | 119.70 |
| 420H | 32.36 | 43.15 | 60.41 | 77.67 | 120.82 |
| 450H | 33.33 | 44.45 | 62.23 | 80.01 | 124.46 |
| 480H | 36.03 | 48.05 | 67.27 | 86.49 | 134.54 |
| 510H | 39.07 | 52.10 | 72.94 | 93.78 | 145.88 |



Urethane Standard Timing Belts - XL, L & H

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

VAR Urethane Belting

VAR Urethane Belting

Vee and Round



*500 ft rolls
+special order
‡ 200 ft. rolls only

Round Belting

| Belt Type Color (in.) | Dia. (mm) | RO orange | ROS orange reinforced | RL brown | RPN green | RPS green reinforced | RM red | RCW white |
|-----------------------------|--------------|----------------|-----------------------------|-------------|---------------|----------------------------|----------------|--------------|
| 5/64 | 2 ‡ | ▪ | ▪ | \$65.05 | \$121.05 | ▪ | \$87.66 | ▪ |
| 1/8 | 3 | \$45.23 | ▪ | 51.29 | 76.26 | ▪ | 69.10 | ▪ |
| 5/32 | 4 | ▪ | ▪ | 78.50 | 121.13 | ▪ | 103.79 | ▪ |
| 3/16 | 5 | 98.56 | ▪ | 111.43 | 168.44 | ▪ | 150.23 | ▪ |
| 1/4 | 6.3 | 142.75 | \$196.66 | 161.46 | 173.07 | ▪ | 217.45 | \$2677.68*+ |
| 9/32 | 7 | ▪ | ▪ | ▪ | 319.93 | \$319.93 | ▪ | ▪ |
| 5/16 | 8 | 228.81 | 314.56 | 258.06 | 384.61 | 565.02 | 348.47 | ▪ |
| | 9 | ▪ | ▪ | ▪ | 493.67 | 617.22 | ▪ | ▪ |
| 3/8 | 9.5 | 328.78 | 452.93 | 357.33 | ▪ | ▪ | 481.52 | 3468.08* |
| 7/16 | 10 | ▪ | ▪ | ▪ | 594.29 | 780.71 | ▪ | ▪ |
| 15/32 | 12 | ▪ | ▪ | ▪ | ▪ | 1048.17 | ▪ | ▪ |
| 1/2 | 12.5 | 550.50 | 758.34 | 622.27 | 799.62 | ▪ | 838.61 | 2217.25*+ |
| 9/16 | 14 | 705.18 | 969.38 | ▪ | ▪ | ▪ | ▪ | ▪ |
| 5/8 | 15 | 866.82 | 1191.57 | 1108.18 | 1272.64 | 1588.66 | 1319.88 | ▪ |
| 3/4 | 18 | 1303.19 | 1791.58 | 1470.16 | 1752.00 | 2296.67 | 1984.53 | ▪ |

Dual




| Belt Type Color | Dual VO orange |
|--------------------|----------------------|
| DVO-3L | \$885.39 |
| DVO-A | 1096.20 |
| DVOS-A | 2213.41 |

Round Clear

| Belt Type | LIST PRICE |
|-----------|------------|
| RLC-3 | \$58.42 |
| RLC-4 | 132.80 |
| RLC-5 | 127.14 |
| RLC-6.3 | 184.00 |
| RLC-9 | 264.50 |
| RLC-9.5 | 407.38 |
| RLC-12.5 | 709.37 |
| RLC-15 | 1178.33 |

- # = Diameter (mm)

Vee Belting



| Belt Type Color Profile | Top Width (mm) | VO orange | VOS orange reinforced | VOS-GT orange reinforced | VL brown | VM red |
|-------------------------------|----------------------|-----------------|-----------------------------|--------------------------------|-----------------|-----------------|
| 3L | 10 | \$257.02 | \$369.70 | ▪ | \$291.15 | \$391.72 |
| A | 13 | 373.51 | 511.51 | ▪ | 423.02 | 569.15 |
| B | 17 | 592.68 | 814.37 | \$818.10 | 670.55 | 901.76 |
| C | 22 | 1076.64 | ▪ | 1474.78 | 1217.10 | 1640.41 |
| D | 32 | ▪ | ▪ | 3311.86 | 2735.16 | 3669.51 |
| E | 40 | ▪ | ▪ | ▪ | 4070.21 | 5733.74 |
| | 20 | ▪ | ▪ | ▪ | ▪ | 1271.79 |
| | 25 | ▪ | ▪ | ▪ | ▪ | 2241.80 |

Ridgetop



| Belt Type Color Profile | Top Width (mm) | Ridgetop VLRT brown | Ridgetop VMRT red |
|-------------------------------|----------------------|---------------------------|-------------------------|
| A | 13 | \$835.38 | \$845.76 |
| B | 17 | 1389.89 | 1398.05 |
| C | 22 | 2830.14 | 2865.30 |

V-Belting Super Grip Backing



| Belt Type Color Profile | Top Width (mm) | VO-SG orange | VOS-SG orange reinforced | VL-SG brown | VM-SG red |
|-------------------------------|----------------------|-----------------|--------------------------------|----------------|--------------|
| 3L | 10 | \$1560.94 | ▪ | \$1560.94 | \$1560.94 |
| A | 13 | 1535.00 | \$1747.87 | 1598.65 | 1598.65 |
| B | 17 | 1711.86 | 1950.44 | 1711.86 | 1711.86 |
| C | 22 | 1913.36 | 2993.39 | 1913.36 | 1913.36 |
| D | 32 | ▪ | ▪ | 3260.03 | 3260.03 |
| E | 40 | ▪ | ▪ | 4053.14 | 4053.14 |

Splicing Kit

| Tool Kit | List Price |
|----------|------------|
| VAR-T100 | \$1924.18 |

Replacement parts are available, contact Customer Service.

All prices are list per 100 ft roll and are supplied in 100 ft rolls, except as noted. Part numbers are as follows; Belt Type-size, examples: VO-A-SG, RO - 1/4, VO-A

Belting prices listed in **Bold type** available from stock.

▪ indicates belting type is not available in this size.

Pricing and specifications are subject to change without notice.

Product Nomenclature

| Type Code | Profiles/ Construction | Material |
|-----------|---------------------------|----------|
| R | round | L brown |
| V | V | O orange |
| RT | ridgetop | PN green |
| S | reinforced | M red |
| SG | Super Grip backing | W white |
| GT | Groove Top | |

ex. VOS-A V profile, orange, reinforced, A section

| Material Color | Durometer | FDA Grade Material |
|-----------------|-------------|--------------------|
| brown (L) | 80 Shore A | yes |
| orange (O) | 83 Shore A | yes |
| green (PN) | 88 Shore A | no |
| red (M) | 90 Shore A | yes |
| beige | 95 Shore A | yes |
| white (W) | 100 Shore A | yes |
| super grip (SG) | 60 Shore A | no |
| clear (C) | 80 Shore A | yes |

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

Fractional HorsePower (FHP) V-Belts and UniMatch® V-Belts

Oil and heat-resistant. Static dissipating.

These Fractional HorsePower belts conform to RMA standard IP 23.

3L FHP V-Belts (3/8-inch Top Width, 7/32-inch Thick)

| Ind. Belt No. | List Price | Approx. Weight (lbs.) | Ind. Belt No. | List Price | Approx. Weight (lbs.) | Ind. Belt No. | List Price | Approx. Weight (lbs.) | Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|---------------|------------|-----------------------|---------------|------------|-----------------------|---------------|------------|-----------------------|
| 3L120 | \$4.72 | .04 | 3L300 | \$5.12 | .10 | 3L450 | \$6.56 | .15 | 3L610 | \$7.92 | .20 |
| 3L130 | 4.72 | .04 | 3L310 | 5.16 | .11 | 3L460 | 6.64 | .15 | 3L620 | 8.00 | .20 |
| 3L140 | 4.72 | .04 | 3L315 | 5.20 | .11 | 3L470 | 6.76 | .16 | 3L630 | 8.12 | .20 |
| 3L150 | 4.72 | .05 | 3L320 | 5.24 | .11 | 3L480 | 6.84 | .16 | 3L640 | 8.16 | .21 |
| 3L160 | 4.72 | .05 | 3L330 | 5.32 | .11 | 3L490 | 6.92 | .16 | 3L650 | 8.32 | .21 |
| 3L170 | 4.72 | .06 | 3L340 | 5.40 | .11 | 3L500 | 7.00 | .17 | 3L660 | 8.40 | .21 |
| 3L180 | 4.72 | .06 | 3L350 | 5.52 | .12 | 3L510 | 7.08 | .17 | 3L670 | 8.52 | .22 |
| 3L190 | 4.72 | .06 | 3L360 | 5.60 | .12 | 3L520 | 7.16 | .17 | 3L680 | 8.60 | .22 |
| 3L200 | 4.72 | .07 | 3L365* | 5.66 | .12 | 3L530 | 7.24 | .18 | 3L690 | 8.72 | .22 |
| 3L210 | 4.72 | .07 | 3L370 | 5.72 | .12 | 3L540 | 7.32 | .18 | 3L700 | 8.80 | .22 |
| 3L220 | 4.72 | .07 | 3LS37 | 5.72 | .12 | 3L550 | 7.40 | .19 | 3L710 | 8.92 | .22 |
| 3L230 | 4.72 | .08 | 3L380 | 5.84 | .13 | 3L560 | 7.48 | .19 | 3L720 | 9.00 | .23 |
| 3L240 | 4.72 | .08 | 3L390 | 5.96 | .13 | 3L565 | 7.48 | .19 | 3L730 | 9.08 | .23 |
| 3L250 | 4.72 | .08 | 3L400 | 6.08 | .13 | 3L570 | 7.56 | .19 | 3L740 | 9.20 | .23 |
| 3L260 | 4.80 | .09 | 3L410 | 6.20 | .14 | 3L580 | 7.72 | .20 | 3L750 | 9.20 | .24 |
| 3L270 | 4.88 | .09 | 3L420 | 6.28 | .14 | 3L590 | 7.72 | .20 | 3L760 | 9.20 | .24 |
| 3L280 | 4.96 | .09 | 3L430 | 6.36 | .15 | 3L595 | 7.80 | .20 | | | |
| 3L290 | 5.04 | .10 | 3L440 | 6.44 | .15 | 3L600 | 7.80 | .20 | | | |

Outside length minus 1-1/2 inches equals inside length.

IMPORTANT

Classical belts are built to RMA engineering standard IP 20 and are dual branded with classical multiple size and FHP size. FHP designation denotes outside length. Classical designation denotes inside length. No need to stock both types when you use Jason UniMatch Dual Branded sizes.

A Section Classical V-Belts (1/2-inch Top Width, 1 1/32-inch Thick) Dual Brand

| Ind. Belt No. | List Price | Approx. Weight (lbs.) | Ind. Belt No. | List Price | Approx. Weight (lbs.) | Ind. Belt No. | List Price | Approx. Weight (lbs.) | Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|--------------------|------------|-----------------------|---------------|------------|-----------------------|---------------|------------|-----------------------|---------------------|------------|-----------------------|
| A15A | \$4.96 | .10 | A45 (4L 470) | \$7.12 | .30 | A79 (4L 810) | \$10.60 | .40 | A113 | \$16.32 | .80 |
| A16A | 4.96 | .10 | A46 (4L 480) | 7.20 | .30 | A80 (4L 820) | 10.80 | .40 | A114 | 16.32 | .80 |
| A17A | 4.96 | .10 | A47 (4L 490) | 7.32 | .30 | A81 (4L 830) | 11.00 | .40 | A115 | 16.46 | .80 |
| A18 | 4.96 | .10 | A48 (4L 500) | 7.40 | .30 | A82 (4L 840) | 11.12 | .40 | A116 | 16.64 | .80 |
| A18 ^{3/4} | 4.92 | .10 | A49 (4L 510) | 7.48 | .30 | A83 (4L 850) | 11.28 | .40 | A118 | 16.96 | .80 |
| A19 | 5.00 | .10 | A50 (4L 520) | 7.52 | .30 | A84 (4L 860) | 11.40 | .40 | A119 | 17.20 | .80 |
| A20 | 5.00 | .10 | A51 (4L 530) | 7.60 | .30 | A85 (4L 870) | 11.60 | .40 | A120 | 17.20 | .80 |
| A21 | 5.08 | .10 | A52 (4L 540) | 7.64 | .30 | A86 (4L 880) | 11.76 | .40 | A124 | 17.80 | .80 |
| A21 ^{3/4} | 5.08 | .10 | A53 (4L 550) | 7.80 | .30 | A87 (4L 890) | 11.92 | .40 | A128 | 18.40 | .80 |
| A22 | 5.08 | .15 | A54 (4L 560) | 8.00 | .30 | A88 (4L 900) | 12.08 | .40 | A130 | 18.68 | .80 |
| A23 | 5.12 | .20 | A55 (4L 570) | 8.00 | .30 | A89 (4L 910) | 12.12 | .40 | A133 | 19.12 | .80 |
| A23 ^{1/2} | 5.16 | .20 | A56 (4L 580) | 8.20 | .30 | A90 (4L 920) | 12.40 | .40 | A133 ^{1/2} | 19.12 | .80 |
| A24 | 5.16 | .20 | A57 (4L 590) | 8.24 | .30 | A91 (4L 930) | 12.56 | .50 | A134 | 19.20 | .80 |
| A25 | 5.20 | .20 | A58 (4L 600) | 8.28 | .30 | A92 (4L 940) | 12.68 | .50 | A135 | 19.44 | .90 |
| A26 (4L 280) | 5.20 | .20 | A59 (4L 610) | 8.32 | .30 | A93 (4L 950) | 12.80 | .50 | A136 | 19.44 | .90 |
| A27 (4L 290) | 5.28 | .20 | A60 (4L 620) | 8.40 | .30 | A94 (4L 960) | 12.96 | .50 | A137 | 19.44 | .90 |
| A28 (4L 300) | 5.40 | .20 | A61 (4L 630) | 8.52 | .30 | A95 (4L 970) | 13.08 | .50 | A140 | 20.56 | .95 |
| A29 (4L 310) | 5.48 | .20 | A62 (4L 640) | 8.60 | .30 | A96 (4L 980) | 13.20 | .50 | A144 | 20.56 | 1.00 |
| A29 ^{1/2} | 5.54 | .20 | A63 (4L 650) | 8.80 | .30 | A97 (4L 990) | 13.36 | .50 | A148 | 21.13 | 1.00 |
| A30 (4L 320) | 5.60 | .20 | A64 (4L 660) | 8.92 | .30 | A98 (4L 1000) | 13.52 | .50 | A157 | 22.00 | 1.10 |
| A31 (4L 330) | 5.60 | .20 | A65 (4L 670) | 9.00 | .30 | A99 | 13.76 | .50 | A158 | 22.60 | 1.10 |
| A32 (4L 340) | 5.68 | .20 | A66 (4L 680) | 9.00 | .40 | A100 | 13.76 | .50 | A162 | 23.00 | 1.10 |
| A33 (4L 350) | 5.80 | .20 | A67 (4L 690) | 9.12 | .40 | A101 | 14.00 | .50 | A170 | 24.00 | 1.15 |
| A34 (4L 360) | 5.88 | .20 | A68 (4L 700) | 9.20 | .40 | A102 | 14.00 | .50 | A173 | 24.00 | 1.15 |
| A35 (4L 370) | 6.00 | .20 | A69 (4L 710) | 9.60 | .40 | A103 | 14.14 | .50 | A180 | 24.60 | 1.15 |
| A36 (4L 380) | 6.00 | .20 | A70 (4L 720) | 9.60 | .40 | A104 | 14.28 | .50 | A187 | 25.00 | 1.20 |
| A37 (4L 390) | 6.00 | .20 | A71 (4L 730) | 9.64 | .40 | A105 | 14.40 | .50 | A196 | 25.50 | 1.31 |
| A38 (4L 400) | 6.40 | .20 | A72 (4L 740) | 9.72 | .40 | A106 | 14.80 | .55 | A197 | 26.50 | 1.31 |
| A39 (4L 410) | 6.64 | .20 | A73 (4L 750) | 9.80 | .40 | A107 | 14.40 | .57 | A210 | 28.42 | 1.35 |
| A40 (4L 420) | 6.68 | .20 | A74 (4L 760) | 9.88 | .40 | A108 | 15.20 | .60 | A221 | 29.73 | 1.40 |
| A41 (4L 430) | 6.72 | .20 | A75 (4L 770) | 10.00 | .40 | A109 | 15.60 | .65 | A256 | 45.88 | 1.70 |
| A42 (4L 440) | 6.80 | .20 | A76 (4L 780) | 10.16 | .40 | A110 | 15.60 | .70 | A258 | 45.88 | 1.75 |
| A43 (4L 450) | 7.00 | .30 | A77 (4L 790) | 10.24 | .40 | A111 | 15.80 | .75 | | | |
| A44 (4L 460) | 7.04 | .30 | A78 (4L 800) | 10.40 | .40 | A112 | 16.00 | .80 | | | |

Inside length plus 2 inches equals outside length.

FOR NOTCHED CONSTRUCTION ADD 25% TO THE LIST PRICE.

VISIT OUR WEB SITE AT WWW.CLARKTR.COM

Fractional HorsePower (FHP) and UniMatch™ V-Belts

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

Fractional HorsePower (FHP) & UniMatch® V-Belts

UniMatch® Multiple V-Belts (cont.)

B Section Classical V-Belts (21/32-inch Top Width, 13/32-inch Thick) Dual Brand

Table with 12 columns: Ind. Belt No., List Price, Approx. Weight (lbs.), and four columns of belt models (B20-B61, B62-B105, B106-B173, B175-B221, B223-B276, B280-B333, B345-B472).

Inside length plus 3 inches equals outside length. FOR NOTCHED CONSTRUCTION ADD 25% TO THE LIST PRICE.

C Section Classical V-Belts (7/8-inch Top Width, 17/32-inch Thick)

Table with 12 columns: Ind. Belt No., List Price, Approx. Weight (lbs.), and four columns of belt models (C41-C48, C50-C56, C58-C69, C70-C73, C75-C106, C107-C154, C155-C190, C195-C207, C208-C215, C220-C245, C246-C314, C315-C420, C480).

Inside length plus 4 inches approx. equals outside length. FOR NOTCHED CONSTRUCTION ADD 25% TO THE LIST PRICE.

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

UniMatch® Multiple V-Belts (cont.)



D Section Classical V-Belts (1-1/4-inch Top Width, 3/4-inch Thick)

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| D90 | \$59.68 | 3.40 |
| D105 | 69.44 | 4.00 |
| D112 | 74.08 | 4.20 |
| D115 | 75.90 | 4.30 |
| D120 | 79.20 | 4.50 |
| D128 | 84.40 | 4.80 |
| | | |
| D132 | 86.90 | 5.00 |
| D135 | 88.88 | 5.10 |
| D136 | 89.60 | 5.20 |
| D139 | 94.80 | 5.20 |
| D140 | 94.80 | 5.30 |
| D144 | 94.80 | 5.40 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| D148 | \$104.00 | 6.00 |
| D153 | 104.00 | 6.00 |
| D154 | 104.00 | 6.00 |
| D155 | 104.00 | 6.00 |
| D158 | 104.00 | 6.00 |
| D159 | 104.00 | 6.10 |
| | | |
| D162 | 107.20 | 6.10 |
| D165 | 109.19 | 6.20 |
| D171 | 113.00 | 6.40 |
| D173 | 113.60 | 6.50 |
| D180 | 118.00 | 6.80 |
| D195 | 128.00 | 7.30 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| D205 | \$136.00 | 7.90 |
| D210 | 140.00 | 8.40 |
| D225 | 146.60 | 8.40 |
| D240 | 155.20 | 9.00 |
| D248 | 157.20 | 9.00 |
| D255 | 162.00 | 9.50 |
| | | |
| D270 | 174.80 | 10.00 |
| D285 | 184.00 | 10.70 |
| D300 | 194.00 | 11.20 |
| D315 | 200.00 | 11.80 |
| D330 | 213.60 | 12.40 |
| D345 | 224.00 | 12.60 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| D355 | \$229.60 | 13.00 |
| D360 | 232.80 | 13.50 |
| D390 | 252.20 | 14.60 |
| D394 | 256.00 | 14.80 |
| D420 | 272.80 | 15.80 |
| D441 | 286.36 | 16.50 |
| | | |
| D450 | 292.20 | 16.95 |
| D480 | 312.80 | 18.10 |
| D540 | 352.80 | 20.20 |
| D600 | 392.80 | 22.40 |
| D660 | 432.80 | 24.80 |

Inside length plus 5 inches equals outside length.

FOR NOTCHED CONSTRUCTION ADD 25% TO THE LIST PRICE.



E Section Multiple V-Belts (1-1/2-inch Top Width, 1-inch Thick)

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| E144 | \$136.40 | 9.30 |
| E180 | 170.00 | 9.30 |
| E195 | 184.00 | 10.00 |
| E210 | 198.40 | 12.00 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| E225 | \$210.60 | 13.00 |
| E240 | 222.80 | 13.50 |
| E270 | 250.40 | 15.30 |
| E300 | 278.40 | 17.00 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| E310 | \$287.83 | 17.60 |
| E330 | 306.40 | 18.80 |
| E360 | 334.00 | 20.40 |
| E390 | 361.80 | 22.10 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| E420 | \$394.00 | 23.80 |
| E441 | 450.38 | 25.00 |
| E460 | 437.96 | 26.00 |
| E480 | 457.00 | 28.00 |

Inside length plus 6 inches equals outside length.

FOR NOTCHED CONSTRUCTION ADD 25% TO THE LIST PRICE.

UniMatch® Cogged Raw Edge Classical V-Belts

Oil and heat resistant. Static dissipating.

RMA spec multiple V-belts in a raw edge, cogged construction are especially useful for high speed, compact drives. These belts all have the UniMatch feature (see introduction).

Raw edge, cogged multiple V-belts are listed by industry number in which the first letter indicates belt section, the X is a cogged construction and the number is belt inside length in inches.



AX Section Cogged Classical V-Belts (1/2-inch Top Width, 5/16-inch Thick)

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| AX18 | \$10.40 | .17 |
| AX20 | 10.40 | .17 |
| AX22 | 10.40 | .17 |
| AX23 | 10.40 | .17 |
| AX24 | 10.40 | .17 |
| AX25 | 10.40 | .18 |
| | | |
| AX26 | 10.40 | .18 |
| AX27 | 10.40 | .18 |
| AX28 | 10.40 | .19 |
| AX29 | 10.40 | .20 |
| AX30 | 11.04 | .20 |
| AX31 | 11.20 | .21 |
| | | |
| AX32 | 11.40 | .21 |
| AX33 | 11.60 | .22 |
| AX34 | 11.84 | .23 |
| AX35 | 12.00 | .24 |
| AX36 | 12.24 | .24 |
| AX37 | 12.56 | .25 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| AX38 | \$12.80 | .26 |
| AX39 | 13.04 | .26 |
| AX40 | 13.28 | .26 |
| AX41 | 13.52 | .27 |
| AX42 | 13.76 | .28 |
| AX43 | 14.00 | .29 |
| | | |
| AX44 | 14.20 | .30 |
| AX45 | 14.30 | .31 |
| AX46 | 14.40 | .31 |
| AX47 | 14.72 | .31 |
| AX48 | 14.72 | .32 |
| AX49 | 15.04 | .33 |
| | | |
| AX50 | 15.04 | .33 |
| AX51 | 15.20 | .34 |
| AX52 | 15.36 | .35 |
| AX53 | 15.52 | .35 |
| AX54 | 15.76 | .36 |
| AX55 | 15.92 | .36 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| AX56 | \$ 16.08 | .37 |
| AX58 | 16.36 | .38 |
| AX59 | 16.52 | .40 |
| AX60 | 16.80 | .40 |
| AX61 | 17.20 | .40 |
| AX62 | 17.20 | .41 |
| | | |
| AX63 | 17.33 | .41 |
| AX64 | 17.60 | .42 |
| AX65 | 18.03 | .43 |
| AX66 | 18.00 | .43 |
| AX67 | 18.20 | .44 |
| AX68 | 18.40 | .45 |
| | | |
| AX69 | 19.14 | .46 |
| AX70 | 19.20 | .46 |
| AX71 | 19.36 | .47 |
| AX72 | 19.63 | .48 |
| AX73 | 19.68 | .48 |
| AX74 | 19.84 | .48 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| AX75 | \$20.00 | .49 |
| AX76 | 20.26 | .50 |
| AX77 | 20.64 | .50 |
| AX78 | 20.96 | .51 |
| AX80 | 21.60 | .52 |
| AX84 | 23.00 | .54 |
| | | |
| AX85 | 23.20 | .55 |
| AX86 | 23.47 | .56 |
| AX90 | 24.80 | .59 |
| AX92 | 25.35 | .61 |
| AX96 | 26.40 | .62 |
| AX105 | 28.80 | .68 |
| | | |
| AX108 | 29.26 | .70 |
| AX110 | 31.04 | .71 |
| AX112 | 32.00 | .73 |
| AX120 | 34.40 | .74 |
| AX128 | 36.80 | .78 |
| AX136 | 39.20 | .82 |

Inside length plus 2 inches equals outside length.

VISIT OUR WEB SITE AT WWW.CLARKTR.COM

UniMatch® Multiple V-Belts & Cogged Raw Edge Classical V-Belts

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

UniMatch® Cogged Multi V-Belts

BX Section Cogged Classical V-Belts (21/32-inch Top Width, 13/32-inch Thick)

| Ind. Belt No. | List Price | Approx. Weight (lbs.) | Ind. Belt No. | List Price | Approx. Weight (lbs.) | Ind. Belt No. | List Price | Approx. Weight (lbs.) | Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|---------------|------------|-----------------------|---------------|------------|-----------------------|---------------|------------|-----------------------|
| BX30 | \$13.71 | .38 | BX54 | \$23.04 | .60 | BX79 | \$30.40 | .87 | BX105 | \$40.00 | 1.14 |
| BX31 | 14.17 | .39 | BX55 | 23.20 | .61 | BX80 | 30.80 | .88 | BX108 | 41.52 | 1.17 |
| BX32 | 16.00 | .39 | BX56 | 23.36 | .62 | BX81 | 31.20 | .89 | BX112 | 43.20 | 1.22 |
| BX33 | 16.00 | .40 | BX57 | 23.68 | .63 | BX82 | 32.00 | .90 | BX113 | 43.52 | 1.22 |
| BX34 | 16.00 | .39 | BX58 | 23.68 | .64 | BX83 | 32.24 | .91 | BX114 | 44.10 | 1.23 |
| BX35 | 16.00 | .40 | BX59 | 23.84 | .66 | BX84 | 32.80 | .92 | BX115 | 44.10 | 1.25 |
| BX36 | 16.48 | .42 | BX60 | 24.00 | .67 | BX85 | 32.80 | .93 | BX116 | 44.40 | 1.26 |
| BX37 | 17.14 | .43 | BX61 | 24.32 | .68 | BX86 | 34.40 | .93 | BX120 | 45.60 | 1.30 |
| BX38 | 17.60 | .43 | BX62 | 24.64 | .69 | BX87 | 34.40 | .93 | BX124 | 47.20 | 1.30 |
| BX39 | 17.60 | .45 | BX63 | 24.96 | .70 | BX88 | 33.62 | .95 | BX128 | 48.80 | 1.30 |
| BX40 | 18.40 | .46 | BX64 | 25.28 | .71 | BX89 | 34.01 | .96 | BX133 | 51.20 | 1.34 |
| BX41 | 18.80 | .47 | BX65 | 25.60 | .72 | BX90 | 34.40 | .98 | BX136 | 52.16 | 1.37 |
| BX42 | 19.20 | .48 | BX66 | 25.92 | .73 | BX91 | 34.95 | .99 | BX144 | 55.20 | 1.45 |
| BX43 | 19.60 | .49 | BX67 | 26.16 | .74 | BX92 | 35.50 | 1.00 | BX150 | 57.28 | 1.51 |
| BX44 | 19.90 | .50 | BX68 | 26.40 | .75 | BX93 | 36.00 | 1.01 | BX158 | 60.00 | 1.59 |
| BX45 | 20.40 | .51 | BX69 | 27.12 | .76 | BX94 | 36.41 | 1.02 | BX162 | 62.42 | 1.63 |
| BX46 | 20.80 | .52 | BX70 | 27.12 | .77 | BX95 | 36.80 | 1.03 | BX173 | 65.60 | 1.74 |
| BX47 | 20.99 | .53 | BX71 | 27.44 | .78 | BX96 | 37.20 | 1.05 | BX180 | 68.80 | 1.81 |
| BX48 | 21.44 | .54 | BX73 | 28.80 | .80 | BX97 | 37.60 | 1.06 | BX195 | 74.40 | 1.96 |
| BX49 | 22.08 | .55 | BX74 | 28.80 | .81 | BX98 | 37.77 | 1.07 | BX210 | 80.00 | 2.10 |
| BX50 | 22.08 | .56 | BX75 | 28.80 | .82 | BX99 | 38.16 | 1.08 | BX240 | 90.40 | 2.36 |
| BX51 | 22.40 | .57 | BX76 | 29.60 | .83 | BX100 | 38.40 | 1.09 | | | |
| BX52 | 22.64 | .58 | BX77 | 29.60 | .85 | BX102 | 38.20 | 1.10 | | | |
| BX53 | 22.80 | .59 | BX78 | 30.00 | .86 | BX103 | 39.20 | 1.12 | | | |

Inside length plus 3 inches equals outside length.

CX Section Cogged Classical V-Belts (7/8-inch Top Width, 17/32-inch Thick)

| Ind. Belt No. | List Price | Approx. Weight (lbs.) | Ind. Belt No. | List Price | Approx. Weight (lbs.) | Ind. Belt No. | List Price | Approx. Weight (lbs.) | Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|---------------|------------|-----------------------|---------------|------------|-----------------------|---------------|------------|-----------------------|
| CX51 | \$36.80 | 1.07 | CX81 | \$58.40 | 1.64 | CX109 | \$77.92 | 2.18 | CX173 | \$122.40 | 3.15 |
| CX60 | 43.20 | 1.24 | CX82 | 60.00 | 1.67 | CX112 | 80.00 | 2.24 | CX180 | 128.00 | 3.27 |
| CX68 | 48.80 | 1.39 | CX83 | 60.00 | 1.69 | CX115 | 82.08 | 2.29 | CX187* | 133.44 | |
| CX71 | 57.51 | 1.45 | Cx84 | 60.00 | 1.71 | CX120 | 85.60 | 2.39 | CX190 | 135.60 | 3.46 |
| CX73 | 52.89 | 1.49 | CX85 | 60.00 | 1.72 | CX123 | 88.32 | 2.40 | CX195 | 138.40 | 3.55 |
| CX74 | 52.89 | 1.51 | Cx86 | 60.00 | 1.75 | CX128 | 91.20 | 2.42 | CX210 | 149.60 | 3.77 |
| CX75 | 53.60 | 1.53 | Cx87 | 68.80 | 1.79 | CX133 | 94.40 | 2.47 | CX240 | 168.00 | 4.30 |
| CX76 | 58.40 | 1.55 | CX88 | 68.80 | 1.79 | CX136 | 96.32 | 2.49 | CX255 | 179.68 | 4.58 |
| Cx77 | 58.40 | 1.57 | Cx89 | 68.80 | 1.81 | CX144 | 102.40 | 2.63 | CX270 | 189.60 | 4.85 |
| CX78 | 58.40 | 1.59 | CX90 | 64.80 | 1.81 | CX150 | 106.08 | 2.75 | | | |
| Cx79 | 58.40 | 1.61 | CX96 | 68.80 | 1.93 | CX158 | 112.00 | 2.90 | | | |
| Cx80 | 58.40 | 1.63 | CX105 | 75.20 | 2.10 | CX162 | 114.40 | 2.95 | | | |

Inside length plus 4 inches equals outside length.



FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

UniMatch® SP Series Metric V-Belts

Oil and heat-resistant. Static dissipating.

Built to European standards DIN 7753, AFNOR T47-117, BS 3790 and ISO 4184. SP series V-belts were the forerunners of the RMA deep wedge, high capacity V-belt sections. These deep-wedge belts (38°) allow for more power, high speed ratios, smaller center distances and more compact drives. They are replacement belts for many imported machines and for machinery built for export.

These V-belts also have the UniMatch feature. This eliminates belt set matching with its multiple stocking problems.

Non-standard lengths are available on special order.

Metric V-belts are specified by letters showing the SP section and numbers giving the **pitch length** in millimeters.

For example: **SPA 850**.

NOTE: Belt sizes to 2240mm in length are also available in raw edge construction. These belts are designated by an X prefix rather than S. For example: **XPB1400**. For Raw Edge Construction, add 25% to list price.



Although metric V-belts are ordered by section and pitch length, they are sometimes labeled with the section letters, belt length in millimeters and the letters LA (approx. length), LI (inside length) or LW (pitch length).



SPZ Section Metric V-Belts (9.7mm Top Width, 8mm Thick) ALSO AVAILABLE AS XPZ TO XPZ2240

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| SPZ512 | \$7.65 | .1 |
| SPZ562 | 7.65 | .1 |
| SPZ587 | 7.65 | .1 |
| SPZ607 | 7.65 | .1 |
| SPZ612 | 7.65 | .1 |
| SPZ630 | 7.65 | .1 |
| SPZ637 | 7.77 | .1 |
| SPZ662 | 7.77 | .1 |
| SPZ670 | 7.77 | .1 |
| SPZ677 | 7.77 | .1 |
| SPZ687 | 7.82 | .1 |
| SPZ710 | 8.22 | .1 |
| SPZ722 | 8.55 | .1 |
| SPZ732 | 8.55 | .1 |
| SPZ737 | 8.55 | .1 |
| SPZ750 | 8.55 | .2 |
| SPZ758 | 8.55 | .2 |
| SPZ760 | 8.79 | .2 |
| SPZ762 | 8.79 | .2 |
| SPZ772 | 8.79 | .2 |
| SPZ787 | 8.79 | .2 |
| SPZ800 | 8.79 | .2 |
| SPZ812 | 9.45 | .2 |
| SPZ825 | 9.45 | .2 |
| SPZ837 | 9.45 | .2 |
| SPZ850 | 9.45 | .2 |
| SPZ862 | 9.78 | .2 |
| SPZ875 | 9.78 | .2 |
| SPZ887 | 9.78 | .2 |
| SPZ900 | 9.78 | .2 |
| SPZ912 | 10.35 | .2 |
| SPZ922 | 10.35 | .2 |
| SPZ925 | 10.35 | .2 |
| SPZ937 | 10.35 | .2 |
| SPZ940 | 10.35 | .2 |
| SPZ950 | 10.35 | .2 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| SPZ962 | \$11.13 | .2 |
| SPZ987 | 11.13 | .2 |
| SPZ1000 | 11.13 | .2 |
| SPZ1010 | 11.13 | .2 |
| SPZ1012 | 11.70 | .2 |
| SPZ1024 | 11.70 | .2 |
| SPZ1037 | 11.70 | .2 |
| SPZ1047 | 11.70 | .2 |
| SPZ1060 | 11.70 | .2 |
| SPZ1077 | 12.39 | .2 |
| SPZ1080 | 12.39 | .2 |
| SPZ1087 | 12.39 | .2 |
| SPZ1100 | 12.39 | .2 |
| SPZ1112 | 12.39 | .2 |
| SPZ1120 | 12.39 | .2 |
| SPZ1137 | 13.29 | .2 |
| SPZ1140 | 13.29 | .2 |
| SPZ1147 | 13.29 | .2 |
| SPZ1162 | 13.29 | .2 |
| SPZ1180 | 13.29 | .2 |
| SPZ1187 | 13.95 | .2 |
| SPZ1200 | 13.95 | .2 |
| SPZ1202 | 13.95 | .2 |
| SPZ1212 | 13.95 | .2 |
| SPZ1237 | 13.95 | .2 |
| SPZ1250 | 13.95 | .3 |
| SPZ1262 | 14.40 | .3 |
| SPZ1270 | 14.40 | .3 |
| SPZ1287 | 14.40 | .3 |
| SPZ1312 | 14.40 | .3 |
| SPZ1320 | 14.40 | .3 |
| SPZ1337 | 15.54 | .3 |
| SPZ1340 | 15.54 | .3 |
| SPZ1347 | 15.54 | .3 |
| SPZ1362 | 15.54 | .3 |
| SPZ1387 | 15.54 | .3 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| SPZ1400 | \$15.54 | .3 |
| SPZ1412 | 16.44 | .3 |
| SPZ1420 | 16.44 | .3 |
| SPZ1437 | 16.44 | .3 |
| SPZ1462 | 16.44 | .3 |
| SPZ1470 | 16.44 | .3 |
| SPZ1487 | 16.44 | .3 |
| SPZ1500 | 16.44 | .3 |
| SPZ1512 | 17.55 | .3 |
| SPZ1520 | 17.55 | .3 |
| SPZ1537 | 17.55 | .3 |
| SPZ1560 | 17.55 | .3 |
| SPZ1562 | 17.55 | .3 |
| SPZ1582 | 17.55 | .3 |
| SPZ1587 | 17.55 | .3 |
| SPZ1600 | 17.55 | .3 |
| SPZ1612 | 19.35 | .3 |
| SPZ1637 | 19.35 | .3 |
| SPZ1650 | 19.35 | .3 |
| SPZ1662 | 19.35 | .3 |
| SPZ1682 | 19.35 | .3 |
| SPZ1687 | 19.35 | .3 |
| SPZ1700 | 19.35 | .3 |
| SPZ1709 | 19.35 | .3 |
| SPZ1712 | 19.35 | .3 |
| SPZ1737 | 21.39 | .3 |
| SPZ1750 | 21.39 | .3 |
| SPZ1762 | 21.39 | .4 |
| SPZ1787 | 21.39 | .4 |
| SPZ1800 | 21.39 | .4 |
| SPZ1812 | 22.29 | .4 |
| SPZ1837 | 22.29 | .4 |
| SPZ1850 | 22.29 | .4 |
| SPZ1862 | 22.29 | .4 |
| SPZ1887 | 22.29 | .4 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| SPZ1900 | \$22.29 | .4 |
| SPZ1937 | 23.85 | .4 |
| SPZ1962 | 23.85 | .4 |
| SPZ1987 | 23.85 | .4 |
| SPZ2000 | 23.85 | .4 |
| SPZ2037 | 25.20 | .4 |
| SPZ2062 | 25.20 | .4 |
| SPZ2087 | 25.20 | .4 |
| SPZ2120 | 25.20 | .4 |
| SPZ2132 | 26.00 | .4 |
| SPZ2137 | 27.00 | .4 |
| SPZ2160 | 27.00 | .4 |
| SPZ2187 | 27.00 | .4 |
| SPZ2240 | 27.00 | .5 |
| SPZ2262 | 28.59 | .5 |
| SPZ2280 | 28.59 | .5 |
| SPZ2287 | 28.59 | .5 |
| SPZ2337 | 28.59 | .5 |
| SPZ2360 | 28.59 | .5 |
| SPZ2410 | 28.59 | .5 |
| SPZ2432 | 28.59 | .5 |
| SPZ2500 | 31.50 | .5 |
| SPZ2585 | 31.50 | .5 |
| SPZ2650 | 32.85 | .5 |
| SPZ2690 | 32.85 | .5 |
| SPZ2782 | 35.10 | .6 |
| SPZ2800 | 35.10 | .6 |
| SPZ2840 | 35.10 | .6 |
| SPZ2900 | 37.35 | .6 |
| SPZ2990 | 37.35 | .6 |
| SPZ3000 | 37.35 | .6 |
| SPZ3150 | 38.25 | .6 |
| SPZ3170 | 38.25 | .6 |
| SPZ3350 | 40.74 | .6 |
| SPZ3550 | 43.20 | .7 |

Add 13mm to pitch length for outside length.

FOR NOTCHED CONSTRUCTION ADD 25% TO THE LIST PRICE.

VISIT OUR WEB SITE AT WWW.CLARKTR.COM

UniMatch® SP Series Metric V-Belts

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

UniMatch® SP Series Metric V-Belts

UniMatch® SP Series Metric V-Belts (con't.)

SPA Section Metric V-Belts (12.7mm Top Width, 10mm Thick) ALSO AVAILABLE AS XPA TO XPA2240

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| SPA732 | \$12.39 | .2 |
| SPA757 | 12.39 | .2 |
| SPA782 | 12.39 | .2 |
| SPA800 | 12.39 | .2 |
| SPA807 | 12.84 | .2 |
| SPA832 | 12.84 | .2 |
| SPA850 | 12.84 | .2 |
| SPA857 | 13.74 | .2 |
| SPA882 | 13.74 | .2 |
| SPA900 | 13.74 | .2 |
| SPA907 | 14.64 | .3 |
| SPA932 | 14.64 | .3 |
| SPA950 | 14.64 | .3 |
| SPA957 | 15.30 | .3 |
| SPA967 | 15.30 | .3 |
| SPA982 | 15.30 | .3 |
| SPA1000 | 15.30 | .3 |
| SPA1007 | 16.44 | .3 |
| SPA1032 | 16.44 | .3 |
| SPA1060 | 16.44 | .3 |
| SPA1082 | 17.79 | .3 |
| SPA1092 | 17.95 | .3 |
| SPA1107 | 17.79 | .3 |
| SPA1120 | 17.79 | .3 |
| SPA1132 | 17.79 | .3 |
| SPA1157 | 18.90 | .3 |
| SPA1180 | 18.90 | .3 |
| SPA1187 | 18.90 | .3 |
| SPA1207 | 19.80 | .3 |
| SPA1220 | 19.80 | .4 |
| SPA1232 | 19.80 | .4 |
| SPA1250 | 19.80 | .4 |
| SPA1257 | 20.49 | .4 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| SPA1262 | \$20.49 | .4 |
| SPA1272 | 20.49 | .4 |
| SPA1282 | 20.49 | .4 |
| SPA1307 | 20.49 | .4 |
| SPA1320 | 20.49 | .4 |
| SPA1332 | 23.19 | .4 |
| SPA1357 | 23.19 | .4 |
| SPA1382 | 23.19 | .4 |
| SPA1400 | 23.19 | .4 |
| SPA1407 | 23.19 | .4 |
| SPA1423 | 26.55 | .4 |
| SPA1425 | 26.42 | .4 |
| SPA1432 | 26.55 | .4 |
| SPA1457 | 26.55 | .4 |
| SPA1482 | 26.55 | .4 |
| SPA1500 | 26.55 | .4 |
| SPA1507 | 28.35 | .4 |
| SPA1532 | 28.35 | .4 |
| SPA1550 | 28.35 | .4 |
| SPA1557 | 28.35 | .4 |
| SPA1582 | 28.35 | .5 |
| SPA1600 | 28.35 | .5 |
| SPA1607 | 30.15 | .5 |
| SPA1632 | 30.15 | .5 |
| SPA1657 | 30.15 | .5 |
| SPA1682 | 30.15 | .5 |
| SPA1700 | 30.15 | .5 |
| SPA1707 | 31.05 | .5 |
| SPA1732 | 31.05 | .5 |
| SPA1750 | 31.05 | .5 |
| SPA1757 | 31.05 | .5 |
| SPA1782 | 31.05 | .5 |
| SPA1800 | 31.05 | .5 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| SPA1807 | \$32.19 | .5 |
| SPA1832 | 32.19 | .5 |
| SPA1837 | 32.19 | .5 |
| SPA1850 | 32.19 | .5 |
| SPA1857 | 32.19 | .5 |
| SPA1882 | 32.19 | .5 |
| SPA1900 | 32.19 | .6 |
| SPA1907 | 33.54 | .6 |
| SPA1932 | 33.54 | .6 |
| SPA1957 | 33.54 | .6 |
| SPA1962 | 33.54 | .6 |
| SPA1982 | 33.54 | .6 |
| SPA2000 | 33.54 | .6 |
| SPA2032 | 35.34 | .6 |
| SPA2057 | 35.34 | .6 |
| SPA2060 | 35.34 | .6 |
| SPA2082 | 35.34 | .6 |
| SPA2120 | 35.34 | .6 |
| SPA2132 | 36.69 | .6 |
| SPA2182 | 36.69 | .6 |
| SPA2207 | 36.69 | .6 |
| SPA2230 | 36.69 | .6 |
| SPA2232 | 36.69 | .6 |
| SPA2240 | 36.69 | .6 |
| SPA2282 | 38.25 | .7 |
| SPA2300 | 38.25 | .7 |
| SPA2307 | 38.25 | .7 |
| SPA2332 | 38.25 | .7 |
| SPA2360 | 38.25 | .7 |
| SPA2382 | 39.15 | .7 |
| SPA2432 | 39.15 | .7 |
| SPA2450 | 39.15 | .7 |
| SPA2482 | 39.15 | .7 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| SPA2500 | \$39.15 | .7 |
| SPA2532 | 40.74 | .7 |
| SPA2582 | 40.74 | .7 |
| SPA2607 | 40.74 | .7 |
| SPA2632 | 40.74 | .7 |
| SPA2650 | 40.74 | .7 |
| SPA2682 | 42.75 | .7 |
| SPA2720 | 42.75 | .7 |
| SPA2732 | 42.75 | .7 |
| SPA2782 | 42.75 | .8 |
| SPA2800 | 42.75 | .8 |
| SPA2832 | 45.00 | .8 |
| SPA2882 | 45.00 | .8 |
| SPA2900 | 51.09 | .8 |
| SPA2932 | 51.09 | .8 |
| SPA2982 | 51.09 | .8 |
| SPA3000 | 51.09 | .8 |
| SPA3032 | 52.20 | .9 |
| SPA3082 | 52.20 | .9 |
| SPA3150 | 52.20 | .9 |
| SPA3182 | 52.65 | .9 |
| SPA3282 | 54.90 | .9 |
| SPA3350 | 54.90 | 1.0 |
| SPA3382 | 58.29 | 1.0 |
| SPA3550 | 58.29 | 1.0 |
| SPA3750 | 61.20 | 1.1 |
| SPA4000 | 65.04 | 1.2 |
| SPA4250 | 68.19 | 1.2 |
| SPA4500 | 72.45 | 1.3 |
| SPA4865 | 78.00 | 1.4 |

Add 18mm to pitch length for outside length. Additional sizes available to SPA5080.

FOR NOTCHED CONSTRUCTION ADD 25% TO THE LIST PRICE.

SPB Section Metric V-Belts (16.3mm Top Width, 13mm Thick) ALSO AVAILABLE AS XPB TO XPB2240

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| SPB1250 | \$31.29 | .6 |
| SPB1260 | 31.29 | .6 |
| SPB1320 | 32.40 | .7 |
| SPB1340 | 32.40 | .7 |
| SPB1400 | 34.89 | .7 |
| SPB1410 | 34.89 | .7 |
| SPB1450 | 34.89 | .8 |
| SPB1500 | 37.35 | .8 |
| SPB1550 | 37.35 | .8 |
| SPB1590 | 37.35 | .8 |
| SPB1600 | 39.39 | .8 |
| SPB1650 | 40.62 | .9 |
| SPB1700 | 42.30 | .9 |
| SPB1750 | 43.20 | .9 |
| SPB1800 | 44.10 | .9 |
| SPB1850 | 45.32 | .9 |
| SPB1900 | 47.49 | .9 |
| SPB1950 | 48.74 | 1.0 |
| SPB2000 | 50.19 | 1.0 |
| SPB2020 | 50.19 | 1.1 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| SPB2060 | \$51.18 | 1.1 |
| SPB2120 | 52.95 | 1.1 |
| SPB2150 | 52.95 | 1.1 |
| SPB2180 | 53.68 | 1.1 |
| SPB2240 | 56.04 | 1.1 |
| SPB2280 | 56.04 | 1.1 |
| SPB2300 | 57.00 | 1.2 |
| SPB2350 | 58.00 | 1.2 |
| SPB2360 | 58.95 | 1.2 |
| SPB2410 | 58.95 | 1.2 |
| SPB2430 | 59.44 | 1.2 |
| SPB2500 | 62.34 | 1.2 |
| SPB2530 | 62.34 | 1.3 |
| SPB2580 | 63.57 | 1.3 |
| SPB2650 | 66.39 | 1.3 |
| SPB2680 | 66.39 | 1.4 |
| SPB2720 | 66.54 | 1.4 |
| SPB2800 | 69.54 | 1.4 |
| SPB2840 | 69.54 | 1.5 |
| SPB2900 | 69.54 | 1.5 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| SPB2990 | \$69.54 | 1.5 |
| SPB3000 | 74.70 | 1.5 |
| SPB3070 | 76.44 | 1.6 |
| SPB3150 | 76.95 | 1.6 |
| SPB3170 | 76.95 | 1.6 |
| SPB3250 | 78.89 | 1.6 |
| SPB3340 | 82.14 | 1.6 |
| SPB3350 | 82.14 | 1.7 |
| SPB3412 | 86.85 | 1.7 |
| SPB3450 | 84.59 | 1.7 |
| SPB3550 | 86.85 | 1.7 |
| SPB3650 | 89.69 | 1.8 |
| SPB3750 | 91.80 | 1.8 |
| SPB3800 | 91.80 | 1.9 |
| SPB4000 | 97.65 | 2.0 |
| SPB4060 | 97.65 | 2.0 |
| SPB4250 | 103.95 | 2.1 |
| SPB4310 | 103.95 | 2.1 |
| SPB4500 | 110.25 | 2.2 |
| SPB4560 | 110.25 | 2.3 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| SPB4750 | \$116.34 | 2.3 |
| SPB4820 | 116.34 | 2.4 |
| SPB4870 | 119.45 | 2.4 |
| SPB5000 | 122.64 | 2.5 |
| SPB5070 | 122.64 | 2.6 |
| SPB5300 | 129.84 | 2.7 |
| SPB5380 | 129.84 | 2.7 |
| SPB5600 | 137.25 | 2.8 |
| SPB5680 | 137.25 | 2.8 |
| SPB5990 | 146.70 | 2.9 |
| SPB6000 | 146.70 | 3.0 |
| SPB6300 | 155.25 | 3.1 |
| SPB6340 | 155.25 | 3.2 |
| SPB6700 | 164.25 | 3.4 |
| SPB7100 | 173.70 | 3.6 |
| SPB7500 | 184.05 | 3.7 |
| SPB7990 | 195.99 | 4.0 |
| SPB8000 | 195.99 | 4.0 |

Add 22mm to pitch length for outside length. Additional sizes available to SPB13700.

FOR NOTCHED CONSTRUCTION ADD 25% TO THE LIST PRICE.

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

UniMatch® SP Series Metric V-Belts (con't.)



SPC Section Metric V-Belts (22mm Top Width, 18mm Thick)

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| SPC1700 | \$64.20 | 1.6 |
| SPC1800 | 67.98 | 1.6 |
| SPC1900 | 71.76 | 1.7 |
| SPC2000 | 76.50 | 1.7 |
| SPC2120 | 80.34 | 1.8 |
| SPC2240 | 84.60 | 1.8 |
| SPC2360 | 89.10 | 1.9 |
| SPC2500 | 93.60 | 2.0 |
| SPC2650 | 99.00 | 2.1 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| SPC2800 | \$104.19 | 2.2 |
| SPC3000 | 110.70 | 2.4 |
| SPC3150 | 113.40 | 2.5 |
| SPC3350 | 120.39 | 2.6 |
| SPC3550 | 126.99 | 2.8 |
| SPC3750 | 133.89 | 2.9 |
| SPC4000 | 143.34 | 3.1 |
| SPC4250 | 151.65 | 3.3 |
| SPC4500 | 159.75 | 3.5 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| SPC4750 | \$159.75 | 3.7 |
| SPC5000 | 176.64 | 3.9 |
| SPC5300 | 186.75 | 4.2 |
| SPC5600 | 197.34 | 4.4 |
| SPC6000 | 210.60 | 4.7 |
| SPC6300 | 220.74 | 4.9 |
| SPC6700 | 234.00 | 5.2 |
| SPC7100 | 247.50 | 5.6 |
| SPC7500 | 261.00 | 5.9 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| SPC8000 | \$279.00 | 6.3 |
| SPC8500 | 294.75 | 6.7 |
| SPC9000 | 312.84 | 7.1 |
| SPC10000 | 344.25 | 7.9 |
| SPC10600 | 364.50 | 8.3 |
| SPC11200 | 389.25 | 8.8 |
| SPC11800 | 377.25 | 9.3 |
| SPC12500 | 432.00 | 9.9 |

Add 30mm to pitch length for outside length. Additional sizes available to SPC13700.

FOR NOTCHED CONSTRUCTION, ADD 25% TO THE LIST PRICE.

Open-end Belting

For specialized requirements where installation prevents the use of endless belts or for emergency repairs, Jason offers Open-end and Accu-Link® belting.

Open-end belting, perforated or solid, has an oil and heat-resistant neoprene cover. Available in four V-belt sections as shown below, in 164-foot rolls.

Open-end V-belting Solid or perforated

3L/O (3/8" Top Width) A (1/2" Top Width)

| List Price Per 100 Ft. | List Price Fasteners |
|------------------------|----------------------|
| \$143.55 | \$1.21 |

| List Price Per 100 Ft. | List Price Fasteners |
|------------------------|----------------------|
| \$143.55 | \$1.21 |

B (21/32" Top Width) C (7/8" Top Width)

| List Price Per 100 Ft. | List Price Fasteners |
|------------------------|----------------------|
| \$249.00 | \$1.38 |

| List Price Per 100 Ft. | List Price Fasteners |
|------------------------|----------------------|
| \$402.00 | \$1.54 |

Standard roll length 164' - Add 20% to price for shorter lengths.



Accu-Link® Belting

Accu-Link® Belting

| List Price per Foot | | | | |
|---------------------|---------|---------|---------|---------|
| 3L | A | B | C | CC |
| \$14.54 | \$14.80 | \$17.24 | \$26.04 | \$34.30 |
| Weight per foot | | | | |
| .05 lb | .06 lb | .09 lb | .17 lb | .17 lb |


Accu-Link is available in 25ft & 100ft cartons. ■ 3L and A-Link also available in 5ft sleeved length. B-Link also available in 6ft sleeved length.

Accu-Link. Detachable tab type link belting. Make endless with a simple twist, no tools required.

Polyester fabric is impregnated with a premium polyurethane compound.

Jason's exclusive manufacturing process makes Accu-Link the most precise belt of its type, for optimum sidewall fit with the pulley.

| Part # | List Price |
|------------|--------------|
| 3L-LINK-25 | \$362.50/BOX |
| 3L-LINK-5 | \$72.70/BOX |
| A-LINK-25 | \$370.00/BOX |
| A-LINK-5 | \$74.00/BOX |
| B-LINK-25 | \$431.00/BOX |
| B-LINK-6 | \$103.44/BOX |
| C-LINK-25 | \$651.00/BOX |



UniMatch® SP Series Metric V-Belts, Open-End and Accu-Link® Belting

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

UniMatch® Deep Wedge V-Belts

UniMatch® Deep Wedge V-Belts

Oil and heat-resistant. Static Dissipating.

A more narrow, deeper wedge shape with more efficient load carrying characteristics and higher power capability allows for smaller, more compact drives. These belts feature the UniMatch construction. This eliminates belt set matching with its multiple stocking and belt wastage problems.

These belts conform to RMA Engineering Standard IP-22.

Stock UniMatch deep wedge V-belts are listed below. In-between lengths and lengths over 600 inches are available on special order.

Deep wedge V-belts are identified by a number and letter specifying the belt section and a number giving the **outside length** in inches multiplied by 10. For example: **3V1250**.



3V Section Deep Wedge V-Belts (3/8-inch Top Width, 5/16-inch Thick)

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| 3V250 | \$7.80 | .10 |
| 3V265 | 8.00 | .10 |
| 3V280 | 8.20 | .10 |
| 3V300 | 8.40 | .10 |
| 3V315 | 8.80 | .10 |
| 3V335 | 9.00 | .20 |
| 3V350 | 9.40 | .2 |
| 3V355 | 9.40 | .20 |
| 3V375 | 9.60 | .20 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| 3V400 | \$10.20 | .20 |
| 3V425 | 10.60 | .20 |
| 3V450 | 11.00 | .20 |
| 3V475 | 11.40 | .20 |
| 3V500 | 11.60 | .20 |
| 3V530 | 12.00 | .20 |
| 3V560 | 12.40 | .20 |
| 3V600 | 13.00 | .20 |
| 3V630 | 13.40 | .30 |

| Ind. Belt No. | List Price | Approx. Weigh |
|---------------|------------|---------------|
| 3V650 | \$13.70 | .30 |
| 3V670 | 14.00 | .30 |
| 3V710 | 14.80 | .30 |
| 3V730 | 15.20 | .30 |
| 3V750 | 15.60 | .30 |
| 3V800 | 16.60 | .30 |
| 3V810 | 17.80 | .4 |
| 3V830 | 17.80 | .35 |
| 3V850 | 17.80 | .40 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| 3V900 | \$19.20 | .40. |
| 3V950 | 20.20 | .40 |
| 3V1000 | 21.40 | .40 |
| 3V1060 | 22.60 | .40 |
| 3V1120 | 24.60 | .50 |
| 3V1180 | 26.20 | .50 |
| 3V1250 | 28.00 | .60 |
| 3V1320 | 29.60 | .60 |
| 3V1400 | 31.40 | .70 |

FOR NOTCHED CONSTRUCTION ADD 25% TO THE LIST PRICE.

5V Section Deep Wedge V-Belts (5/8-inch Top Width, 17/32-inch Thick)

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| 5V500 | \$24.60 | .60 |
| 5V530 | 25.60 | .70 |
| 5V560 | 26.80 | .70 |
| 5V600 | 29.00 | .70 |
| 5V630 | 30.40 | .70 |
| 5V670 | 32.40 | .80 |
| 5V710 | 34.40 | .80 |
| 5V750 | 36.40 | .80 |
| 5V800 | 38.80 | .90 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| 5V850 | \$41.80 | .90 |
| 5V900 | 43.40 | .90 |
| 5V950 | 46.60 | .90 |
| 5V1000 | 49.20 | 1.10 |
| 5V1060 | 52.20 | 1.10 |
| 5V1120 | 55.20 | 1.20 |
| 5V1180 | 58.20 | 1.30 |
| 5V1250 | 61.80 | 1.30 |
| 5V1320 | 65.20 | 1.40 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| 5V1400 | \$68.80 | 1.50 |
| 5V1500 | 74.00 | 1.60 |
| 5V1600 | 79.00 | 1.70 |
| 5V1630 | 80.60 | 1.80 |
| 5V1700 | 84.00 | 1.80 |
| 5V1800 | 89.20 | 2.20 |
| 5V1900 | 94.40 | 2.20 |
| 5V2000 | 99.60 | 2.20 |
| 5V2120 | 105.80 | 2.40 |
| 5V2240 | 112.00 | 2.70 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| 5V2360 | \$117.60 | 2.80 |
| 5V2500 | 124.60 | 3.00 |
| 5V2650 | 132.40 | 3.10 |
| 5V2800 | 139.60 | 3.30 |
| 5V3000 | 149.40 | 3.50 |
| 5V3150 | 156.80 | 3.80 |
| 5V3350 | 166.80 | 3.90 |
| 5V3550 | 176.80 | 4.00 |

FOR NOTCHED CONSTRUCTION ADD 25% TO THE LIST PRICE.

8V Section Deep Wedge V-Belts (1-inch Top Width, 7/8-inch Thick)

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| 8V1000 | \$94.00 | 3.50 |
| 8V1060 | 99.60 | 3.70 |
| 8V1120 | 105.40 | 3.90 |
| 8V1180 | 111.20 | 4.20 |
| 8V1250 | 117.80 | 4.40 |
| 8V1320 | 124.40 | 4.70 |
| 8V1400 | 132.00 | 4.90 |
| 8V1500 | 141.60 | 5.20 |
| 8V1600 | 151.00 | 5.60 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| 8V1700 | \$162.00 | 5.90 |
| 8V1800 | 170.08 | 6.30 |
| 8V1900 | 180.60 | 6.70 |
| 8V2000 | 190.40 | 7.00 |
| 8V2120 | 202.20 | 7.50 |
| 8V2240 | 213.20 | 7.90 |
| 8V2360 | 224.20 | 8.30 |
| 8V2500 | 237.40 | 8.80 |
| 8V2550 | 242.50 | 9.00 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| 8V2650 | \$251.80 | 9.30 |
| 8V2800 | 266.60 | 9.80 |
| 8V3000 | 285.60 | 10.50 |
| 8V3150 | 300.20 | 11.10 |
| 8V3300 | 319.60 | 11.60 |
| 8V3350 | 319.60 | 11.80 |
| 8V3550 | 338.60 | 12.50 |
| 8V3600 | 343.37 | 12.90 |
| 8V3750 | 358.00 | 13.30 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| 8V4000 | \$382.80 | 14.00 |
| 8V4250 | 407.60 | 14.90 |
| 8V4500 | 432.40 | 15.80 |
| 8V4750 | 457.20 | 16.40 |
| 8V5000 | 482.00 | 17.20 |
| 8V5600 | 541.60 | 19.00 |


FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

UniMatch® Cogged Raw Edge Deep Wedge V-Belts

Oil and heat-resistant.
Static dissipating.

A raw edge, cogged construction further increases the effective power transmission of deep wedge V-belts. These cogged deep wedge UniMatch V-belts need no belt set matching.

Stock raw edge, cogged deep wedge V-belts are listed below.



Cogged deep wedge V-belts are specified by the section number-letter with an "X" to indicated cogged construction. The number following is the belt's **outside length** in inches multiplied by 10.
For example: **5VX900**.

3VX Section Cogged Deep Wedge V-Belts (3/8-inch Top Width, 5/16-inch Thick)

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| 3VX250 | \$7.80 | .1 |
| 3VX265 | 8.00 | .1 |
| 3VX280 | 8.20 | .1 |
| 3VX290 | 8.30 | .1 |
| 3VX300 | 8.40 | .1 |
| 3VX315 | 8.80 | .1 |
| 3VX335 | 9.00 | .2 |
| 3VX355 | 9.40 | .2 |
| 3VX375 | 9.60 | .2 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| 3VX390 | \$10.00 | .2 |
| 3VX400 | 10.20 | .2 |
| 3VX425 | 10.60 | .2 |
| 3VX450 | 11.00 | .2 |
| 3VX475 | 11.40 | .2 |
| 3VX500 | 11.60 | .2 |
| 3VX530 | 12.00 | .2 |
| 3VX560 | 12.40 | .2 |
| 3VX600 | 13.00 | .3 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| 3VX630 | \$13.40 | .3 |
| 3VX650 | 13.83 | .3 |
| 3VX670 | 14.00 | .3 |
| 3VX710 | 14.80 | .3 |
| 3VX750 | 15.60 | .3 |
| 3VX800 | 16.60 | .4 |
| 3VX850 | 17.80 | .4 |
| 3VX880 | 18.43 | .4 |
| 3VX900 | 19.20 | .4 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| 3VX950 | \$20.20 | .4 |
| 3VX1000 | 21.40 | .4 |
| 3VX1060 | 22.60 | .5 |
| 3VX1120 | 24.60 | .5 |
| 3VX1180 | 26.20 | .6 |
| 3VX1250 | 28.00 | .6 |
| 3VX1320 | 29.60 | .7 |
| 3VX1400 | 31.40 | .7 |
| 3VX1500 | 33.64 | .8 |

5VX Section Cogged Deep Wedge V-Belts (5/8-inch Top Width, 17/32-inch Thick)

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| 5VX450 | \$24.60 | .55 |
| 5VX470 | 24.60 | .60 |
| 5VX490 | 24.60 | .60 |
| 5VX500 | 24.60 | .60 |
| 5VX510 | 25.60 | .65 |
| 5VX530 | 25.60 | .70 |
| 5VX540 | 26.80 | .70 |
| 5VX550 | 26.80 | .70 |
| 5VX560 | 26.80 | .70 |
| 5VX570 | 29.00 | .70 |
| 5VX580 | 29.00 | .70 |
| 5VX590 | 29.00 | .70 |
| 5VX600 | 29.00 | .70 |
| 5VX610 | 30.40 | .80 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| 5VX630 | \$30.40 | .70 |
| 5VX650 | 32.40 | .80 |
| 5VX660 | 32.40 | .80 |
| 5VX670 | 32.40 | .80 |
| 5VX680 | 34.40 | .80 |
| 5VX690 | 34.40 | .80 |
| 5VX710 | 34.40 | .80 |
| 5VX730 | 36.40 | .80 |
| 5VX740 | 36.40 | .80 |
| 5VX750 | 36.40 | .80 |
| 5VX780 | 38.80 | .85 |
| 5VX800 | 38.80 | .90 |
| 5VX810 | 41.80 | .90 |
| 5VX830 | 41.80 | .90 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| 5VX840 | \$41.80 | .90 |
| 5VX850 | 41.80 | .90 |
| 5VX860 | 43.40 | .90 |
| 5VX880 | 43.40 | .90 |
| 5VX900 | 43.40 | 1.00 |
| 5VX930 | 46.60 | .90 |
| 5VX950 | 46.60 | 1.10 |
| 5VX960 | 46.60 | 1.00 |
| 5VX1000 | 49.20 | 1.20 |
| 5VX1030 | 52.50 | 1.10 |
| 5VX1150 | 56.72 | 1.25 |
| 5VX1060 | 52.20 | 1.20 |
| 5VX1080 | 55.20 | 1.30 |
| 5VX1120 | 55.20 | 1.30 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| 5VX1180 | \$58.20 | 1.40 |
| 5VX1230 | 61.80 | 1.30 |
| 5VX1250 | 61.80 | 1.50 |
| 5VX1320 | 65.20 | 1.60 |
| 5VX1400 | 68.80 | 1.70 |
| 5VX1500 | 74.00 | 1.80 |
| 5VX1600 | 79.00 | 1.90 |
| 5VX1700 | 84.00 | 2.00 |
| 5VX1800 | 89.20 | 2.10 |
| 5VX1900 | 94.40 | 2.30 |
| 5VX2000 | 99.60 | 2.40 |

UniMatch® Cogged Raw Edge Deep Wedge V-Belts

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

UniMatch® Banded V-Belts - Classical

UniMatch® Banded V-Belts (Classical)

Oil and heat-resistant.


Static dissipating.

UniMatch banded V-belts are available in classical multiple sections B, C and D and in deep wedge sections 3V, 5V and 8V. They feature the same premium constructions as the individual belt and are bonded together with a fabric-neoprene top band. These belts are often used on vertical shafts and where belt vibration and flopping must be minimized.

Stock banded V-belts are listed below. To obtain the total list price, multiply the list price per rib by the total number of ribs per band. In-between lengths of the B, C and D sections are available, as are lengths to 600 inches in the B and C sections on special order. Consult Jason Customer Service. These belts conform to RMA Engineering Standard IP-20 and IP-22.

Banded multiple V-belts are specified by the letter "R" denoting banded construction, the belt section and the belt **Standard Length Designation** in inches. The number of belts in a band is given separately; i.e., **RC90 1X8-1 Belt & 8 Ribs**.

Banded deep wedge V-belts are specified by the letter "R" denoting banded construction, the belt section and a number giving the outside length in inches multiplied by 10, followed by a dash and the number of bands required. **R5V750 1X8-1 Belt & 8 Ribs**.



Classical V-Belts

B Section

| Belt Size | List Price Per Rib | Approx. Wgt. Per Rib (lbs.) |
|-----------|--------------------|-----------------------------|
| RB46 | \$12.76 | .70 |
| RB48 | 12.86 | .70 |
| RB50 | 13.18 | .70 |
| RB51 | 13.44 | .70 |
| RB52 | 13.58 | .70 |
| RB53 | 13.68 | .73 |
| RB54 | 13.92 | .72 |
| RB55 | 13.92 | .74 |
| RB56 | 14.02 | .75 |
| RB57 | 14.11 | .76 |
| RB58 | 14.20 | .77 |
| RB59 | 14.30 | .79 |
| RB60 | 14.40 | .82 |
| RB61 | 14.59 | .83 |
| RB62 | 14.78 | .84 |
| RB63 | 14.98 | .86 |
| RB64 | 15.17 | .87 |
| RB65 | 15.36 | .88 |
| RB66 | 15.55 | .89 |
| RB67 | 15.70 | .90 |
| RB68 | 15.84 | .92 |
| RB70 | 16.27 | .95 |
| RB71 | 16.46 | .97 |
| RB72 | 16.75 | .98 |
| RB74 | 17.28 | 1.00 |
| RB75 | 17.28 | 1.00 |
| RB77 | 17.76 | 1.02 |
| RB78 | 18.00 | 1.04 |
| RB79 | 18.24 | 1.06 |
| RB80 | 18.48 | 1.08 |
| RB81 | 18.72 | 1.10 |
| RB82 | 19.20 | 1.12 |
| RB83 | 19.34 | 1.15 |
| RB84 | 19.45 | 1.16 |
| RB85 | 19.68 | 1.18 |
| RB88 | 20.00 | 1.21 |
| RB90 | 20.64 | 1.22 |
| RB93 | 21.60 | 1.26 |
| RB95 | 22.08 | 1.29 |
| RB96 | 22.32 | 1.30 |
| RB97 | 22.56 | 1.32 |

B Section (cont)

| Belt Size | List Price Per Rib | Approx. Wgt. Per Rib (lbs.) |
|-----------|--------------------|-----------------------------|
| RB99 | \$23.00 | 1.35 |
| RB100 | 23.04 | 1.36 |
| RB101 | 23.04 | 1.34 |
| RB103 | 23.52 | 1.39 |
| RB105 | 24.00 | 1.43 |
| RB108 | 24.86 | 1.47 |
| RB109 | 24.86 | 1.50 |
| RB112 | 25.92 | 1.54 |
| RB114 | 26.20 | 1.58 |
| RB115 | 26.50 | 1.59 |
| RB116 | 26.50 | 1.61 |
| RB118 | 26.80 | 1.60 |
| RB120 | 27.36 | 1.68 |
| RB124 | 28.32 | 1.75 |
| RB128 | 29.28 | 1.78 |
| RB130 | 30.30 | 1.80 |
| RB133 | 30.72 | 1.81 |
| RB136 | 31.30 | 1.84 |
| RB138 | 31.74 | 1.90 |
| RB140 | 33.12 | 1.91 |
| RB141 | 32.20 | 1.92 |
| RB144 | 33.12 | 1.95 |
| RB148 | 34.04 | 2.00 |
| RB150 | 34.50 | 2.05 |
| RB154 | 36.00 | 2.09 |
| RB158 | 36.00 | 2.14 |
| RB160 | 37.00 | 2.18 |
| RB162 | 37.44 | 2.20 |
| RB173 | 39.36 | 2.35 |
| RB180 | 41.28 | 2.44 |
| RB184 | 43.44 | 2.50 |
| RB188 | 43.44 | 2.68 |
| RB190 | 43.44 | 2.75 |
| RB195 | 44.64 | 2.65 |
| RB210 | 48.00 | 2.85 |
| RB225 | 51.00 | 3.20 |
| RB240 | 54.24 | 3.26 |
| RB255 | 57.84 | 3.46 |
| RB270 | 61.44 | 3.67 |
| RB300 | 68.16 | 4.08 |
| RB315 | 72.19 | 4.28 |

C Section

| Belt Size | List Price Per Rib | Approx. Wgt. Per Rib (lbs.) |
|-----------|--------------------|-----------------------------|
| RC60 | \$25.92 | 1.44 |
| RC68 | 29.28 | 1.65 |
| RC71 | 30.72 | 1.68 |
| RC75 | 32.16 | 1.80 |
| RC80 | 32.50 | 1.85 |
| RC81 | 35.04 | 1.92 |
| RC85 | 36.00 | 2.04 |
| RC87 | 37.30 | 2.09 |
| RC90 | 38.88 | 2.16 |
| RC96 | 41.28 | 2.30 |
| RC100 | 43.20 | 2.40 |
| RC105 | 45.12 | 2.52 |
| RC109 | 46.84 | 2.60 |
| RC112 | 48.00 | 2.68 |
| RC120 | 51.36 | 2.88 |
| RC126 | 54.72 | 3.04 |
| RC128 | 54.72 | 3.07 |
| RC136 | 57.79 | 3.26 |
| RC140 | 61.44 | 3.36 |
| RC144 | 61.44 | 3.45 |
| RC158 | 67.20 | 3.79 |
| RC162 | 68.62 | 3.88 |
| RC173 | 73.44 | 4.15 |
| RC180 | 76.80 | 4.32 |
| RC195 | 83.04 | 4.68 |
| RC204 | 87.09 | 4.90 |
| RC210 | 89.76 | 5.04 |
| RC225 | 95.18 | 5.40 |
| RC240 | 100.80 | 4.76 |
| RC255 | 107.93 | 6.12 |
| RC270 | 113.76 | 6.48 |
| RC285 | 120.05 | 6.84 |
| RC300 | 126.24 | 7.20 |
| RC315 | 132.48 | 7.56 |
| RC330 | 138.72 | 7.92 |
| RC345 | 144.96 | 8.28 |
| RC360 | 151.20 | 8.64 |
| RC390 | 164.16 | 9.36 |
| RC420 | 177.12 | 10.80 |

D Section

| Belt Size | List Price Per Rib | Approx. Wgt. Per Rib (lbs.) |
|-----------|--------------------|-----------------------------|
| RD112 | \$90.00 | 4.7 |
| RD120 | 95.04 | 5.0 |
| RD128 | 101.28 | 5.3 |
| RD138 | 109.19 | 5.8 |
| RD144 | 113.76 | 6.0 |
| RD158 | 124.80 | 6.6 |
| RD162 | 128.64 | 6.8 |
| RD173 | 136.32 | 7.2 |
| RD180 | 141.60 | 7.5 |
| RD195 | 153.60 | 7.9 |
| RD210 | 165.60 | 8.7 |
| RD225 | 174.96 | 9.4 |
| RD240 | 186.24 | 10.0 |
| RD255 | 197.76 | 10.6 |
| RD270 | 209.76 | 11.2 |
| RD285 | 221.28 | 11.8 |
| RD300 | 232.80 | 12.5 |
| RD315 | 244.56 | 13.1 |
| RD330 | 256.32 | 13.7 |
| RD345 | 267.84 | 14.4 |
| RD360 | 279.36 | 14.9 |
| RD390 | 303.36 | 16.2 |
| RD420 | 327.36 | 17.5 |
| RD480 | 375.36 | 20.0 |
| RD540 | 423.36 | 22.5 |
| RD600 | 471.36 | 25.0 |
| RD660 | 519.36 | 27.5 |

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

UniMatch® Banded V-Belts (Deep-Wedge)

Oil and heat-resistant.

Static dissipating.

Deep-Wedge V-Belts

3V Section

| Belt Size | List Price Per Rib | Approx. Wgt. Per Rib (lbs.) |
|-----------|--------------------|-----------------------------|
| R3V355 | \$11.25 | .2 |
| R3V400 | 11.22 | .2 |
| R3V425 | 11.66 | .2 |
| R3V450 | 13.20 | .2 |
| R3V475 | 13.68 | .2 |
| | | |
| R3V500 | 13.92 | .2 |
| R3V530 | 14.40 | .2 |
| R3V560 | 14.88 | .2 |
| R3V600 | 15.60 | .2 |
| R3V630 | 16.08 | .3 |
| | | |
| R3V670 | 16.80 | .3 |
| R3V710 | 17.76 | .3 |
| R3V730 | 18.22 | .3 |
| R3V750 | 18.72 | .3 |
| R3V790 | 19.92 | .3 |
| | | |
| R3V800 | 19.92 | .3 |
| R3V830 | 20.78 | .4 |
| R3V850 | 21.36 | .4 |
| R3V900 | 23.04 | .4 |
| R3V950 | 24.24 | .4 |
| | | |
| R3V1000 | 25.68 | .4 |
| R3V1060 | 27.12 | .5 |
| R3V1120 | 29.52 | .5 |
| R3V1180 | 31.44 | .5 |
| R3V1250 | 33.60 | .5 |
| | | |
| R3V1320 | 35.52 | .6 |
| R3V1400 | 37.68 | .6 |

5V Section

| Belt Size | List Price Per Rib | Approx. Wgt. Per Rib (lbs.) |
|-----------|--------------------|-----------------------------|
| R5V560 | \$32.16 | .7 |
| R5V600 | 34.80 | .7 |
| R5V630 | 36.48 | .7 |
| R5V670 | 38.88 | .8 |
| R5V710 | 41.28 | .8 |
| | | |
| R5V750 | 43.68 | .8 |
| R5V800 | 46.56 | .9 |
| R5V850 | 50.16 | .9 |
| R5V900 | 52.08 | 1.0 |
| R5V950 | 55.92 | 1.1 |
| | | |
| R5V975 | 59.40 | 1.2 |
| R5V1000 | 59.40 | 1.2 |
| R5V1060 | 62.54 | 1.3 |
| R5V1120 | 66.24 | 1.3 |
| R5V1180 | 69.84 | 1.4 |
| | | |
| R5V1250 | 74.16 | 1.5 |
| R5V1320 | 78.24 | 1.6 |
| R5V1400 | 82.56 | 1.7 |
| R5V1500 | 88.80 | 1.8 |
| R5V1600 | 94.80 | 1.9 |
| | | |
| R5V1650 | 94.80 | 2.0 |
| R5V1700 | 100.80 | 2.0 |
| R5V1800 | 107.40 | 2.1 |
| R5V1900 | 113.28 | 2.2 |
| R5V2000 | 119.52 | 2.4 |

5V Section (cont)

| Belt Size | List Price Per Rib | Approx. Wgt. Per Rib (lbs.) |
|-----------|--------------------|-----------------------------|
| R5V2120 | \$126.96 | 2.5 |
| R5V2240 | 134.40 | 2.7 |
| R5V2360 | 141.12 | 2.8 |
| R5V2500 | 149.52 | 3.0 |
| R5V2650 | 158.88 | 3.2 |
| | | |
| R5V2800 | 167.52 | 3.3 |
| R5V3000 | 179.28 | 3.6 |
| R5V3150 | 188.16 | 3.8 |
| R5V3350 | 200.16 | 4.0 |
| R5V3550 | 212.16 | 4.3 |

8V Section (cont)

| Belt Size | List Price Per Rib | Approx. Wgt. Per Rib (lbs.) |
|-----------|--------------------|-----------------------------|
| R8V1320 | \$149.28 | 4.4 |
| R8V1400 | 158.40 | 4.6 |
| R8V1500 | 169.92 | 4.9 |
| R8V1600 | 181.20 | 5.2 |
| R8V1650 | 188.68 | 5.4 |
| | | |
| R8V1700 | 194.40 | 5.6 |
| R8V1800 | 204.96 | 5.9 |
| R8V1900 | 216.72 | 6.3 |
| R8V2000 | 228.48 | 6.6 |
| R8V2120 | 242.64 | 6.9 |
| | | |
| R8V2240 | 255.84 | 7.0 |
| R8V2360 | 269.04 | 7.8 |
| R8V2400 | 275.00 | 8.0 |
| R8V2500 | 284.88 | 8.3 |
| R8V2650 | 302.16 | 8.7 |
| | | |
| R8V2700 | 308.49 | 9.0 |
| R8V2800 | 319.92 | 9.2 |
| R8V3000 | 342.72 | 9.8 |
| R8V3150 | 360.24 | 9.9 |
| R8V3350 | 383.52 | 11.1 |
| | | |
| R8V3550 | 406.32 | 11.7 |
| R8V3750 | 429.60 | 12.4 |
| R8V4000 | 459.36 | 13.2 |
| R8V4250 | 489.12 | 14.0 |
| R8V4500 | 518.88 | 14.8 |
| | | |
| R8V4750 | 548.64 | 15.6 |
| R8V5000 | 578.40 | 16.5 |
| R8V5600 | 649.92 | 18.4 |

8V Section

| Belt Size | List Price Per Rib | Approx. Wgt. Per Rib (lbs.) |
|-----------|--------------------|-----------------------------|
| R8V1000 | \$112.80 | 3.3 |
| R8V1060 | 119.52 | 3.5 |
| R8V1120 | 126.48 | 3.7 |
| R8V1180 | 133.44 | 3.9 |
| R8V1250 | 141.36 | 4.1 |

Note: 2 & 3 band belts are not returnable.

It is a common practice for belt suppliers to fill orders for banded V-belts by supplying separate bands that add up to the total number of ribs requested. Jason always supplies a one-piece banded V-belt up to the maximum number for a given belt section.



UniMatch® Banded V-Belts - Deep-Wedge

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

Variable Speed V-Belts

Variable Speed V-Belts


American Standard Sizes.

For drive applications with a speed change requirement, Jason offers standard American variable speed belts in widths from 3/4-inch through 3-7/8-inches. Pitch lengths are available in lengths from 21.5 inches to 169 inches. These include all of the recommended RMA sections, plus many more covering a broad range of applications.

These belts conform to RMA Engineering Standard IP-25.

The standard RMA numbering system specifies the belt width in sixteenths of an inch, the pulley V-groove angle in degrees and the belt pitch length in tenths of an inch. For example:

| | | |
|-----------|------------|--------------|
| 32 | 36V | 369 |
| (32/16) | 36 degrees | (36.9 X 10) |
| 2 inches | Sheave | 36.9 inches |
| Width | Angle | Pitch Length |



American Variable Speed V-Belts

| Belt Size | List Price | Approx. Wgt. (lbs.) | Belt Size | List Price | Approx. Wgt. (lbs.) | Belt Size | List Price | Approx. Wgt. (lbs.) | Belt Size | List Price | Approx. Wgt. (lbs.) |
|-----------|------------|---------------------|-----------|------------|---------------------|-----------|------------|---------------------|-----------|------------|---------------------|
| 1228V255 | \$25.02 | .28 | 1626V653 | \$76.50 | 1.07 | 1922V484 | \$52.70 | .90 | 1930V585 | \$67.16 | 1.36 |
| 1422V215 | 22.87 | .27 | 1626V661 | 76.50 | 1.11 | 1922V526 | 53.54 | .98 | 1930V591 | 68.56 | 1.37 |
| 1422V235 | 25.00 | .29 | 1626V700 | 79.92 | 1.12 | 1922V544 | 54.76 | 1.01 | 1930V600 | 73.00 | 1.39 |
| 1422V240 | 25.32 | .29 | 1628V210 | 27.00 | .29 | 1922V554 | 55.25 | 1.06 | 1930V641 | 74.92 | 1.48 |
| 1422V256 | 27.00 | .29 | 1628V315 | 32.48 | .55 | 1922V604 | 56.96 | 1.12 | 1930V691 | 82.08 | 1.50 |
| 1422V270 | 26.32 | .32 | 1632V210 | 27.00 | .31 | 1922V630 | 57.88 | 1.17 | 1930V750 | 90.34 | 1.73 |
| 1422V290 | 27.14 | .35 | 1632V220 | 27.00 | .32 | 1922V646 | 59.08 | 1.20 | 1930V791 | 95.54 | 1.82 |
| 1422V300 | 27.84 | .36 | 1632V250 | 30.00 | .35 | 1922V651 | 60.00 | 1.21 | 1930V891 | 112.42 | 1.84 |
| 1422V330 | 28.98 | .39 | 1822V207 | 27.00 | .42 | 1922V666 | 60.08 | 1.23 | 1930V991 | 133.76 | 2.28 |
| 1422V340 | 29.80 | .40 | 1822V290 | 36.66 | .57 | 1922V686 | 60.60 | 1.37 | 1930V1091 | 158.38 | 2.51 |
| 1422V360 | 30.34 | .43 | 1822V320 | 39.50 | .60 | 1922V706 | 61.30 | 1.40 | 1930V1191 | 198.56 | 2.74 |
| 1422V400 | 30.80 | .47 | 1822V328 | 40.08 | .61 | 1922V721 | 63.42 | 1.33 | 1934V371 | 51.50 | .88 |
| 1422V420 | 32.32 | .50 | 1822V551 | 72.29 | .98 | 1922V726 | 63.04 | 1.34 | 2026V422 | 49.04 | .84 |
| 1422V440 | 32.78 | .52 | 1822V590 | 75.36 | 1.14 | 1922V756 | 64.72 | 1.40 | 2026V474 | 52.86 | .96 |
| 1422V460 | 33.08 | .55 | 1822V629 | 78.50 | 1.29 | 1922V806 | 70.50 | 1.60 | 2026V645 | 83.25 | 1.20 |
| 1422V466 | 33.62 | .56 | 1826V250 | 42.54 | .56 | 1922V846 | 75.44 | 1.68 | 2028V315 | 50.80 | .59 |
| 1422V470 | 33.62 | .57 | 1828V368 | 47.98 | .84 | 1922V891 | 81.06 | 1.77 | 2028V447 | 52.48 | .84 |
| 1422V480 | 34.00 | .57 | 1832V338 | 45.18 | .73 | 1922V966 | 88.22 | 1.92 | 2030V381 | 56.38 | .93 |
| 1422V520 | 35.20 | .61 | 1922V250 | 39.84 | .47 | 1922V1006 | 94.30 | 1.99 | 2032V624 | 70.40 | 1.80 |
| 1422V540 | 38.70 | .64 | 1922V256 | 40.84 | .48 | 1922V1146 | 114.82 | 2.27 | 2042V1035 | 124.95 | 2.74 |
| 1422V600 | 42.36 | .72 | 1922V277 | 41.30 | .52 | 1922V1260 | 131.96 | 2.41 | 2126V309 | 53.46 | .59 |
| 1422V660 | 46.16 | .75 | 1922V282 | 41.82 | .53 | 1926V250 | 49.04 | .48 | 2126V365 | 55.36 | .88 |
| 1422V720 | 49.58 | .80 | 1922V292 | 42.02 | .55 | 1926V275 | 49.64 | .53 | 2126V468 | 73.08 | 1.45 |
| 1422V780 | 53.54 | .82 | 1922V298 | 42.36 | .56 | 1926V333 | 50.80 | .61 | 2226V276 | 49.04 | .63 |
| 1426V298 | 27.50 | .34 | 1922V298 | 42.36 | .56 | 1926V367 | 51.82 | .68 | 2226V307 | 44.10 | .70 |
| 1430V215 | 20.66 | .27 | 1922V300 | 42.88 | .57 | 1926V380 | 52.14 | .80 | 2230V266 | 41.14 | .60 |
| 1522V270 | 33.25 | .40 | 1922V302 | 42.88 | .57 | 1926V390 | 52.48 | .90 | 2230V270 | 49.00 | .56 |
| 1622V270 | 29.24 | .43 | 1922V321 | 44.26 | .60 | 1926V407 | 53.62 | .95 | 2230V273 | 49.04 | .58 |
| 1622V297 | 32.16 | .45 | 1922V332 | 45.18 | .62 | 1926V427 | 56.25 | 1.03 | 2230V275 | 49.04 | .62 |
| 1622V336 | 36.39 | .54 | 1922V333 | 45.18 | .62 | 1926V542 | 59.44 | 1.26 | 2230V285 | 50.82 | .63 |
| 1626V218 | 28.00 | .41 | 1922V338 | 45.62 | .63 | 1930V215 | 29.70 | .50 | 2230V326 | 57.00 | .69 |
| 1626V262 | 30.26 | .43 | 1922V363 | 46.46 | .68 | 1930V355 | 49.04 | .83 | 2230V375 | 64.64 | .75 |
| 1626V304 | 32.02 | .54 | 1922V381 | 47.30 | .71 | 1930V375 | 52.48 | .88 | 2230V422 | 75.25 | .87 |
| 1626V330 | 34.52 | .58 | 1922V386 | 48.52 | .75 | 1930V400 | 54.60 | .93 | 2230V890 | 92.02 | 2.59 |
| 1626V339 | 36.04 | .61 | 1922V403 | 49.42 | .76 | 1930V425 | 55.44 | .99 | 2322V329 | 63.26 | 1.06 |
| 1626V380 | 39.16 | .61 | 1922V408 | 49.50 | .76 | 1930V431 | 56.50 | 1.00 | 2322V347 | 64.18 | 1.08 |
| 1626V384 | 40.16 | .62 | 1922V417 | 49.58 | .78 | 1930V450 | 57.00 | 1.05 | 2322V364 | 64.42 | 1.10 |
| 1626V395 | 42.50 | .56 | 1922V426 | 49.96 | .79 | 1930V475 | 57.90 | 1.10 | 2322V372 | 64.75 | 1.12 |
| 1626V411 | 43.34 | .58 | 1922V433 | 50.28 | .81 | 1930V485 | 58.20 | 1.12 | 2322V373 | 64.75 | 1.12 |
| 1626V440 | 46.00 | .78 | 1922V443 | 50.64 | .83 | 1930V491 | 58.30 | 1.12 | 2322V384 | 65.00 | 1.14 |
| 1626V455 | 48.22 | .79 | 1922V454 | 51.26 | .85 | 1930V500 | 66.76 | 1.20 | 2322V396 | 65.40 | 1.17 |
| 1626V513 | 50.88 | .80 | 1922V460 | 51.86 | .86 | 1930V530 | 66.76 | 1.23 | 2322V421 | 66.08 | 1.24 |
| 1626V517 | 50.88 | .80 | 1922V481 | 52.50 | .89 | 1930V541 | 68.42 | 1.25 | 2322V434 | 66.76 | 1.28 |
| 1626V604 | 70.75 | .95 | | | | 1930V560 | 69.20 | 1.30 | | | |

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

American Variable Speed V-Belts (cont)

| Belt Size | List Price | Approx. Wgt. (lbs.) | Belt Size | List Price | Approx. Wgt. (lbs.) | Belt Size | List Price | Approx. Wgt. (lbs.) | Belt Size | List Price | Approx. Wgt. (lbs.) |
|-----------|------------|---------------------|-----------|------------|---------------------|-----------|------------|---------------------|-----------|------------|---------------------|
| 2322V441 | \$67.08 | 1.30 | 2530V1090 | \$200.52 | 4.42 | 3226V395 | \$122.20 | 1.79 | 3830V515 | \$187.80 | 3.34 |
| 2322V461 | 67.30 | 1.36 | 2530V1187 | 243.72 | 4.83 | 3226V400 | 121.22 | 1.82 | 3830V517 | 187.90 | 3.36 |
| 2322V481 | 68.30 | 1.42 | 2530V1250 | 255.00 | 5.10 | 3226V433 | 127.22 | 1.96 | 3830V580 | 195.58 | 3.76 |
| 2322V486 | 68.55 | 1.44 | 2530V1290 | 276.34 | 5.23 | 3226V434 | 127.22 | 1.96 | 3830V587 | 196.50 | 3.52 |
| 2322V521 | 70.30 | 1.53 | 2530V1490 | 356.50 | 6.08 | 3226V439 | 129.28 | 1.98 | 3836V418 | 126.46 | 2.18 |
| 2322V541 | 71.50 | 1.59 | 2530V1690 | 409.36 | 6.89 | 3226V450 | 130.16 | 2.00 | 3836V426 | 127.52 | 2.22 |
| 2322V601 | 74.76 | 1.76 | 2626V369 | 81.68 | 1.25 | 3226V465 | 130.88 | 2.10 | 3836V654 | 134.90 | 3.84 |
| 2322V604 | 75.00 | 1.77 | 2626V388 | 91.10 | 1.27 | 3226V505 | 132.24 | 2.28 | 3836V734 | 147.14 | 4.31 |
| 2322V621 | 76.58 | 1.82 | 2630V345 | 68.82 | 1.09 | 3226V514 | 134.38 | 2.40 | 4030V538 | 179.78 | 3.83 |
| 2322V661 | 78.64 | 1.94 | 2636V332 | 67.46 | 1.17 | 3226V545 | 135.96 | 2.46 | 4034V1000 | 305.32 | 7.17 |
| 2322V667 | 79.00 | 1.95 | 2822V778 | 135.66 | 3.03 | 3226V585 | 138.64 | 2.64 | 4036V541 | 150.48 | 3.97 |
| 2322V681 | 80.22 | 2.01 | 2826V412 | 77.34 | 1.62 | 3226V603 | 141.52 | 2.72 | 4036V574 | 229.76 | 4.02 |
| 2322V701 | 81.74 | 2.05 | 2826V452 | 83.66 | 1.80 | 3226V650 | 141.80 | 2.82 | 4230V526 | 188.80 | 3.47 |
| 2322V721 | 82.66 | 2.11 | 2830V337 | 58.08 | 1.13 | 3226V663 | 141.98 | 2.98 | 4230V556 | 189.80 | 3.66 |
| 2322V801 | 85.76 | 2.34 | 2830V363 | 60.68 | 1.02 | 3226V723 | 147.90 | 3.24 | 4230V605 | 198.56 | 4.11 |
| 2322V826 | 88.44 | 2.42 | 2830V366 | 60.98 | 1.03 | 3226V783 | 156.04 | 3.52 | 4234V998 | 311.62 | 7.14 |
| 2322V846 | 89.80 | 2.47 | 2830V367 | 61.08 | 1.03 | 3226V834 | 167.95 | 3.69 | 4430V455 | 126.67 | 3.61 |
| 2322V886 | 92.02 | 2.47 | 2830V393 | 63.72 | 1.10 | 3226V843 | 168.44 | 3.78 | 4430V510 | 143.18 | 4.05 |
| 2322V921 | 94.38 | 2.71 | 2830V396 | 63.98 | 1.10 | 3226V903 | 179.54 | 4.04 | 4430V530 | 144.28 | 4.20 |
| 2322V964 | 96.08 | 2.82 | 2830V422 | 78.86 | 1.18 | 3226V963 | 192.16 | 4.32 | 4430V555 | 147.22 | 4.40 |
| 2322V1001 | 98.86 | 2.94 | 2830V428 | 79.08 | 1.19 | 3226V973 | 194.00 | 4.41 | 4430V570 | 158.92 | 4.51 |
| 2322V1061 | 102.44 | 3.12 | 2830V567 | 86.90 | 1.91 | 3226V1023 | 204.10 | 4.83 | 4430V578 | 160.52 | 4.58 |
| 2322V1271 | 119.24 | 3.68 | 2830V646 | 90.69 | 2.20 | 3226V1083 | 215.96 | 5.11 | 4430V600 | 169.90 | 4.75 |
| 2326V310 | 58.18 | .79 | 2830V666 | 93.50 | 2.26 | 3230V419 | 132.32 | 1.98 | 4430V610 | 173.30 | 4.82 |
| 2326V359 | 59.54 | .92 | 2836V300 | 77.10 | 1.16 | 3230V481 | 132.98 | 2.41 | 4430V630 | 179.88 | 4.98 |
| 2330V273 | 43.72 | .56 | 2836V343 | 88.28 | 1.29 | 3230V528 | 135.00 | 3.02 | 4430V660 | 185.26 | 5.21 |
| 2330V338 | 54.30 | .69 | 2836V350 | 91.02 | 1.39 | 3230V553 | 139.70 | 3.12 | 4430V670 | 189.88 | 5.29 |
| 2330V359 | 59.56 | .73 | 2836V361 | 91.02 | 1.44 | 3230V560 | 139.70 | 3.15 | 4430V690 | 193.82 | 5.44 |
| 2330V537 | 86.76 | 1.80 | 2836V380 | 92.02 | 1.50 | 3230V585 | 140.75 | 3.27 | 4430V700 | 197.40 | 5.52 |
| 2332V373 | 79.42 | 1.05 | 2926V366 | 78.26 | 1.47 | 3230V600 | 141.70 | 3.30 | 4430V710 | 200.00 | 5.60 |
| 2426V343 | 61.22 | 1.13 | 2926V400 | 78.64 | 1.60 | 3230V613 | 142.70 | 3.34 | 4430V718 | 202.50 | 5.66 |
| 2428V707 | 99.70 | 2.11 | 2926V426 | 79.32 | 1.70 | 3230V644 | 147.00 | 3.60 | 4430V730 | 205.32 | 5.76 |
| 2428V806 | 109.00 | 2.31 | 2926V452 | 79.50 | 1.84 | 3230V670 | 149.58 | 3.82 | 4430V740 | 207.46 | 5.84 |
| 2430V297 | 93.84 | .80 | 2926V456 | 77.08 | 1.86 | 3230V690 | 151.90 | 3.94 | 4430V750 | 209.46 | 5.91 |
| 2430V319 | 94.72 | .90 | 2926V471 | 79.62 | 1.88 | 3230V701 | 152.27 | 4.02 | 4430V760 | 211.46 | 5.99 |
| 2430V345 | 95.24 | .93 | 2926V477 | 80.08 | 1.90 | 3230V710 | 154.22 | 3.80 | 4430V772 | 212.56 | 6.05 |
| 2430V379 | 104.63 | 1.01 | 2926V486 | 80.30 | 1.93 | 3230V750 | 156.56 | 4.10 | 4430V780 | 214.98 | 6.11 |
| 2436V331 | 67.90 | .91 | 2926V491 | 82.20 | 1.95 | 3230V821 | 158.90 | 4.92 | 4430V790 | 217.74 | 6.23 |
| 2436V333 | 67.90 | .91 | 2926V521 | 84.18 | 2.07 | 3230V850 | 160.08 | 1.48 | 4430V800 | 236.88 | 6.30 |
| 2526V302 | 93.00 | .90 | 2926V546 | 85.18 | 2.17 | 3230HV553 | 135.58 | 4.15 | 4430V850 | 235.02 | 6.69 |
| 2526V314 | 93.84 | .95 | 2926V574 | 87.22 | 2.28 | 3230HV570 | 136.12 | 4.27 | 4430V900 | 253.02 | 6.90 |
| 2530V300 | 54.68 | .81 | 2926V586 | 88.82 | 2.32 | 3230HV585 | 136.80 | 4.55 | 4430V910 | 253.52 | 7.16 |
| 2530V309 | 54.70 | .84 | 2926V606 | 89.88 | 2.40 | 3230HV613 | 138.20 | 4.80 | 4430V930 | 258.92 | 7.40 |
| 2530V434 | 60.00 | 1.70 | 2926V613 | 91.26 | 2.43 | 3230HV620 | 139.92 | 4.84 | 4430V950 | 264.50 | 7.52 |
| 2530V470 | 71.94 | 1.93 | 2926V616 | 91.26 | 2.44 | 3230HV644 | 143.88 | 5.05 | 4430V970 | 270.06 | 7.63 |
| 2530V490 | 73.18 | 2.01 | 2926V636 | 92.16 | 2.52 | 3230HV670 | 145.60 | 5.28 | 4430V1000 | 296.20 | 7.86 |
| 2530V530 | 76.30 | 2.17 | 2926V646 | 92.92 | 2.56 | 3230HV821 | 158.90 | 6.46 | 4430V1030 | 286.02 | 8.09 |
| 2530V550 | 82.36 | 2.25 | 2926V666 | 95.14 | 2.64 | 3230HV856 | 184.72 | 6.70 | 4430V1060 | 306.06 | 8.30 |
| 2530V575 | 87.64 | 2.35 | 2926V686 | 96.58 | 2.72 | 3230HV931 | 202.32 | 7.33 | 4430V1090 | 306.06 | 8.56 |
| 2530V595 | 90.34 | 2.43 | 2926V706 | 97.26 | 2.80 | 3236V342 | 91.68 | 1.63 | 4430V1150 | 342.96 | 9.02 |
| 2530V610 | 91.84 | 2.49 | 2926V726 | 99.70 | 2.87 | 3236V369 | 97.34 | 1.71 | 4430V1250 | 375.20 | 9.91 |
| 2530V618 | 93.50 | 2.50 | 2926V776 | 102.58 | 3.07 | 3236V389 | 103.04 | 2.13 | 4430V1320 | 399.78 | 10.31 |
| 2530V630 | 94.98 | 2.57 | 2926V786 | 104.86 | 3.11 | 3236V552 | 142.84 | 2.35 | 4430V1410 | 427.52 | 10.55 |
| 2530V660 | 98.68 | 2.67 | 2926V834 | 107.08 | 3.28 | 3236V584 | 145.00 | 2.45 | 4430V1460 | 442.68 | 10.70 |
| 2530V670 | 100.76 | 2.73 | 2926V856 | 108.44 | 3.38 | 3236V643 | 147.00 | 3.08 | 4430V1610 | 494.22 | 12.04 |
| 2530V675 | 102.12 | 2.76 | 2926V891 | 110.58 | 3.51 | 3236V903 | 206.43 | 3.87 | 4430V1810 | 544.00 | 13.40 |
| 2530V690 | 105.72 | 2.82 | 2926V906 | 114.30 | 3.57 | 3326V478 | 138.02 | 2.08 | 4436V329 | 90.80 | 2.49 |
| 2530V700 | 106.26 | 2.86 | 2926V921 | 115.20 | 3.63 | 3430V424 | 132.64 | 1.96 | 4436V525 | 152.62 | 4.31 |
| 2530V710 | 106.58 | 2.90 | 2926V966 | 118.40 | 3.80 | 3430V450 | 132.64 | 2.10 | 4436V551 | 155.82 | 4.30 |
| 2530V730 | 114.46 | 2.98 | 2926V1006 | 120.46 | 3.98 | 3430V484 | 134.90 | 2.30 | 4436V561 | 158.26 | 4.60 |
| 2530V740 | 116.48 | 3.02 | 2926V1026 | 127.00 | 4.05 | 3430V510 | 136.80 | 2.49 | 4436V576 | 168.60 | 4.49 |
| 2530V750 | 124.22 | 3.06 | 2926V1086 | 130.64 | 4.28 | 3432V450 | 132.66 | 2.16 | 4436V646 | 226.16 | 5.03 |
| 2530V790 | 135.20 | 3.22 | 2926V1106 | 133.60 | 4.36 | 3432V456 | 133.00 | 2.27 | 4436V714 | 250.36 | 5.61 |
| 2530V800 | 136.91 | 3.25 | 2926V1146 | 140.16 | 4.52 | 3432V480 | 134.90 | 2.26 | 4626V596 | 267.30 | 5.26 |
| 2530V840 | 143.46 | 3.42 | 2926V1276 | 156.05 | 4.99 | 3432V484 | 134.90 | 2.29 | 4630V650 | 244.48 | 6.57 |
| 2530V890 | 153.76 | 3.62 | 2930V348 | 78.00 | 1.32 | 3432V528 | 137.42 | 2.50 | 4630V663 | 249.80 | 6.69 |
| 2530V934 | 164.68 | 3.81 | 2930V492 | 82.20 | 1.85 | 3630V455 | 145.12 | 2.51 | 4630V668 | 249.80 | 6.75 |
| 2530V990 | 175.90 | 4.02 | 3028V386 | 82.60 | 1.60 | 3636V479 | 148.74 | 2.77 | 4630V683 | 254.22 | 6.77 |
| | | | 3030V377 | 80.46 | 1.57 | 3826V465 | 168.44 | 2.75 | 4630V733 | 282.96 | 7.39 |
| | | | 3030V387 | 82.60 | 1.59 | 3830V501 | 183.78 | 3.25 | 4630V1070 | 379.02 | 8.75 |
| | | | 3226V392 | 120.84 | 1.73 | 3830V510 | 187.08 | 3.31 | 4632V659 | 291.87 | 6.80 |

Variable Speed V-Belts

VISIT OUR WEB SITE AT WWW.CLARKTR.COM

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

Variable Speed V-Belts

Variable Speed V-Belts

American Standard Sizes. (cont)



American Variable Speed V-Belts (cont)

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| 4632V680 | \$301.17 | 6.98 |
| 4632V722 | 319.78 | 7.25 |
| 4636V612 | 241.06 | 7.20 |
| 4830V602 | 212.16 | 5.57 |
| 4830V653 | 220.60 | 6.04 |
| 4830V663 | 222.12 | 6.18 |
| 4830V683 | 225.17 | 6.30 |
| 4830V692 | 226.70 | 6.39 |
| 4830V699 | 228.36 | 6.46 |
| 4830V730 | 238.40 | 6.74 |
| 4830V750 | 245.32 | 6.92 |
| 4830V850 | 276.04 | 7.83 |
| 4830V970 | 322.36 | 8.92 |
| 4830V1000 | 372.10 | 9.83 |
| 4836V588 | 211.78 | 5.34 |
| 4836V608 | 212.40 | 5.52 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| 4836V618 | \$215.36 | 5.54 |
| 4836V642 | 218.26 | 5.75 |
| 4836V655 | 221.36 | 5.85 |
| 4836V659 | 223.04 | 5.90 |
| 4836V670 | 225.18 | 5.99 |
| 4836V700 | 229.42 | 6.22 |
| 4836V710 | 229.42 | 6.35 |
| 4836V729 | 238.02 | 6.54 |
| 4836V750 | 243.02 | 6.75 |
| 4836V789 | 260.76 | 7.02 |
| 4836V800 | 261.74 | 7.16 |
| 4836V850 | 277.04 | 7.65 |
| 4836V900 | 297.90 | 8.05 |
| 4836V950 | 315.12 | 8.50 |
| 4836V1000 | 335.60 | 9.75 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| 4836V1060 | \$356.08 | 10.34 |
| 4836V1120 | 380.66 | 10.93 |
| 4836V1180 | 400.76 | 11.52 |
| 4836V1250 | 429.02 | 12.20 |
| 5126V938 | 477.84 | 9.75 |
| 5130V732 | 434.22 | 8.44 |
| 5130V787 | 449.10 | 9.05 |
| 5228V930 | 462.66 | 11.04 |
| 5230V652 | 415.04 | 7.85 |
| 5230V734 | 429.42 | 8.62 |
| 5230V867 | 456.02 | 10.16 |
| 5230V928 | 475.00 | 10.59 |
| 5428V959 | 542.58 | 9.41 |
| 5430V783 | 443.00 | 8.90 |
| 5636V750 | 465.74 | 8.88 |
| 5636V774 | 473.76 | 9.16 |

| Ind. Belt No. | List Price | Approx. Weight (lbs.) |
|---------------|------------|-----------------------|
| 5636V845 | \$492.78 | 10.04 |
| 5830V737 | 437.34 | 9.32 |
| 5830V756 | 427.76 | 9.94 |
| 5836V737 | 437.34 | 9.60 |
| 6036V850 | 445.86 | 10.25 |
| 6136V751 | 432.92 | 9.75 |
| 6136V756 | 437.30 | 9.80 |
| 6236V725 | 410.34 | 9.75 |
| 6236V762 | 414.38 | 10.25 |
| 6236V785 | 421.14 | 10.54 |
| 6236V849 | 445.86 | 11.38 |
| 6236V905 | 471.64 | 12.13 |
| 6236V969 | 495.74 | 12.97 |
| 6236V1009 | 511.94 | 13.50 |
| 6236V1321 | 590.74 | 17.48 |

Metric Sizes

Jason has an extensive selection of metric variable speed belts available. European metric sizes are available in top widths from 13mm to 70mm and in pitch lengths ranging from 450mm to 3610mm.

Also available are metric belts built to ISO R1604 Standards. Other metric sizes such as 10/1120, 30/40/1600, etc. are available on special order. Consult Jason Customer Service.

ISO Variable Speed V-Belts (R1604 Standards)

| ISO std Belt No. | List Price | Approx. Weight (lbs.) |
|------------------|------------|-----------------------|
| 450W16 | \$28.66 | .113 |
| 500W16 | 29.64 | .125 |
| 560W16 | 30.97 | .140 |
| 600W16 | 31.60 | .148 |
| 630W16 | 33.17 | .157 |
| 710W16 | 34.27 | .178 |
| 730W16 | 35.00 | .185 |
| 800W16 | 36.26 | .200 |
| 850W16 | 37.36 | .210 |
| 900W16 | 38.46 | .225 |
| 1000W16 | 40.67 | .250 |
| 1060W16 | 42.67 | .260 |
| 1180W16 | 44.75 | .280 |
| 560W20 | 34.50 | .224 |
| 630W20 | 36.14 | .252 |
| 710W20 | 38.13 | .284 |
| 800W20 | 40.33 | .320 |
| 900W20 | 42.76 | .360 |
| 1000W20 | 45.19 | .400 |
| 1120W20 | 48.16 | .448 |

| ISO std Belt No. | List Price | Approx. Weight (lbs.) |
|------------------|------------|-----------------------|
| 1250W20 | \$51.24 | .500 |
| 710W25 | 43.64 | .375 |
| 800W25 | 46.17 | .422 |
| 900W25 | 48.93 | .475 |
| 1000W25 | 51.69 | .528 |
| 1120W25 | 54.98 | .592 |
| 1250W25 | 58.63 | .660 |
| 1400W25 | 62.81 | .739 |
| 1600W25 | 68.33 | .845 |
| 1710W25 | 73.02 | .900 |
| 1900W25 | 89.11 | .105 |
| 900W31.5 | 59.28 | .601 |
| 1000W31.5 | 62.70 | .665 |
| 1120W31.5 | 66.67 | .745 |
| 1250W31.5 | 71.09 | .831 |
| 1400W31.5 | 76.16 | .931 |
| 1600W31.5 | 82.87 | 1.066 |
| 1800W31.5 | 89.60 | 1.192 |
| 2000W31.5 | 96.43 | 1.320 |

| ISO std Belt No. | List Price | Approx. Weight (lbs.) |
|------------------|------------|-----------------------|
| 1120W40 | \$ 87.38 | 1.57 |
| 1250W40 | 93.13 | 1.75 |
| 1400W40 | 99.73 | 1.96 |
| 1500W40 | 105.57 | 2.10 |
| 1600W40 | 108.66 | 2.24 |
| 1700W40 | 113.16 | 2.38 |
| 1800W40 | 117.47 | 2.52 |
| 2000W40 | 126.30 | 2.80 |
| 2240W40 | 136.87 | 3.14 |
| 2500W40 | 148.33 | 3.50 |
| 1400W50 | 131.14 | 2.83 |
| 1600W50 | 142.60 | 3.24 |
| 1800W50 | 154.28 | 3.65 |
| 2000W50 | 165.97 | 4.05 |
| 2240W50 | 179.86 | 4.54 |
| 2500W50 | 194.84 | 5.07 |
| 2800W50 | 212.26 | 5.68 |
| 3150W50 | 232.53 | 6.39 |
| 1600W63 | 198.37 | 5.11 |

| ISO std Belt No. | List Price | Approx. Weight (lbs.) |
|------------------|------------|-----------------------|
| 1800W63 | \$214.67 | 5.75 |
| 2000W63 | 230.77 | 6.38 |
| 2240W63 | 250.15 | 7.16 |
| 2500W63 | 271.10 | 7.99 |
| 2800W63 | 295.13 | 8.94 |
| 3150W63 | 323.55 | 10.06 |
| 3550W63 | 355.74 | 11.40 |
| 4000W63 | 392.10 | 12.77 |
| 1800W80 | 272.60 | 8.70 |
| 2240W80 | 366.31 | 10.70 |
| 2500W80 | 397.17 | 11.94 |
| 2800W80 | 432.65 | 13.37 |
| 3150W80 | 473.87 | 15.05 |
| 3550W80 | 521.27 | 16.96 |
| 4000W80 | 574.15 | 19.12 |
| 2800W100 | 654.61 | 17.30 |
| 3150W100 | 717.42 | 19.50 |
| 3550W100 | 789.05 | 22.10 |
| 4000W100 | 869.51 | 24.70 |

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

European Variable Speed V-Belts Metric Sizes

22 x 8mm

| Inside Length (mm) | Pitch Length (mm) | List Price |
|--------------------|-------------------|------------|
| 500 | 540 | \$36.71 |
| 525 | 560 | 37.21 |
| 550 | 590 | 37.99 |
| 560 | 600 | 38.57 |
| 575 | 610 | 38.57 |
| 600 | 640 | 39.36 |
| 625 | 660 | 39.93 |
| 650 | 690 | 40.64 |
| 675 | 710 | 41.21 |
| 700 | 740 | 41.99 |
| 725 | 760 | 42.57 |
| 750 | 790 | 43.29 |
| 775 | 810 | 43.99 |
| 800 | 840 | 44.64 |
| 850 | 890 | 45.93 |
| 900 | 940 | 47.29 |
| 950 | 990 | 48.50 |
| 1000 | 1040 | 49.79 |
| 1060 | 1100 | 51.50 |
| 1120 | 1160 | 53.00 |
| 1180 | 1220 | 54.57 |
| 1225 | 1260 | 55.64 |
| 1250 | 1290 | 56.42 |
| 1320 | 1360 | 58.29 |
| 1400 | 1440 | 60.36 |
| 1500 | 1540 | 63.07 |
| 1600 | 1640 | 65.57 |
| 1700 | 1740 | 68.21 |
| 1800 | 1840 | 70.86 |
| 1900 | 1940 | 73.50 |
| 2000 | 2040 | 76.14 |

28 x 8mm

| Inside Length (mm) | Pitch Length (mm) | List Price |
|--------------------|-------------------|------------|
| 525 | 560 | \$40.57 |
| 550 | 590 | 41.43 |
| 575 | 610 | 42.14 |
| 600 | 640 | 42.85 |
| 625 | 660 | 43.43 |
| 650 | 690 | 44.29 |
| 675 | 710 | 44.93 |
| 700 | 740 | 45.65 |
| 750 | 790 | 47.07 |
| 800 | 840 | 48.57 |
| 850 | 890 | 50.00 |
| 900 | 940 | 51.36 |
| 950 | 990 | 52.79 |
| 1000 | 1040 | 54.21 |
| 1060 | 1100 | 56.00 |
| 1120 | 1160 | 57.64 |
| 1180 | 1220 | 59.43 |
| 1250 | 1290 | 61.36 |
| 1320 | 1360 | 63.36 |
| 1400 | 1440 | 65.71 |
| 1500 | 1540 | 68.57 |
| 1600 | 1640 | 71.43 |
| 1700 | 1740 | 74.29 |
| 1800 | 1840 | 77.14 |
| 1900 | 1940 | 80.00 |
| 2120 | 2160 | 86.29 |

28 x 10mm

| Inside Length (mm) | Pitch Length (mm) | List Price |
|--------------------|-------------------|------------|
| 750 | 800 | \$51.93 |
| 800 | 950 | 53.43 |
| 850 | 900 | 55.07 |
| 900 | 950 | 56.64 |
| 950 | 1000 | 58.21 |
| 1000 | 1050 | 59.71 |
| 1060 | 1110 | 61.57 |
| 1120 | 1170 | 63.50 |
| 1180 | 1230 | 65.36 |
| 1250 | 1300 | 67.57 |
| 1320 | 1370 | 69.79 |
| 1400 | 1450 | 72.29 |
| 1500 | 1550 | 75.36 |
| 1600 | 1650 | 78.50 |
| 1700 | 1750 | 81.64 |
| 1800 | 1850 | 84.71 |
| 1900 | 1950 | 87.86 |
| 2000 | 2050 | 90.99 |

36 x 10mm

| Inside Length (mm) | Pitch Length (mm) | List Price |
|--------------------|-------------------|------------|
| 600 | 650 | \$53.14 |
| 625 | 670 | 53.79 |
| 650 | 700 | 54.86 |
| 675 | 720 | 55.57 |
| 700 | 750 | 56.64 |
| 725 | 770 | 57.29 |
| 750 | 800 | 58.43 |
| 800 | 850 | 60.74 |
| 850 | 900 | 61.86 |
| 900 | 950 | 63.57 |
| 950 | 1000 | 65.36 |
| 1000 | 1050 | 67.14 |
| 1060 | 1110 | 69.21 |
| 1120 | 1170 | 71.43 |
| 1180 | 1230 | 73.43 |
| 1250 | 1300 | 75.93 |
| 1320 | 1370 | 78.36 |
| 1400 | 1450 | 81.21 |
| 1500 | 1550 | 84.71 |
| 1600 | 1650 | 88.29 |
| 1700 | 1750 | 91.79 |
| 1800 | 1850 | 95.21 |
| 1900 | 1950 | 98.71 |
| 2000 | 2050 | 102.29 |
| 2120 | 2170 | 106.57 |
| 2240 | 2290 | 110.64 |

46 x 13mm

| Inside Length (mm) | Pitch Length (mm) | List Price |
|--------------------|-------------------|------------|
| 795 | 855 | \$80.02 |
| 845 | 905 | 82.43 |
| 870 | 930 | 83.53 |
| 895 | 955 | 84.74 |
| 945 | 1005 | 87.06 |
| 995 | 1055 | 89.37 |
| 1025 | 1085 | 90.82 |
| 1055 | 1115 | 92.13 |
| 1115 | 1175 | 94.98 |
| 1140 | 1200 | 96.22 |
| 1175 | 1235 | 97.76 |
| 1190 | 1250 | 98.53 |
| 1245 | 1305 | 101.06 |
| 1265 | 1325 | 102.04 |
| 1315 | 1375 | 104.35 |
| 1395 | 1455 | 108.12 |
| 1430 | 1490 | 109.66 |
| 1495 | 1555 | 112.63 |
| 1560 | 1620 | 115.71 |
| 1595 | 1655 | 117.26 |
| 1635 | 1695 | 119.24 |
| 1695 | 1755 | 122.10 |
| 1735 | 1795 | 123.87 |
| 1750 | 1610 | 124.03 |
| 1795 | 1855 | 126.73 |
| 1895 | 1955 | 131.35 |
| 1915 | 1975 | 132.24 |
| 2000 | 2060 | 136.21 |
| 2060 | 2120 | 139.07 |
| 2120 | 2180 | 141.94 |
| 2210 | 2270 | 146.13 |
| 2240 | 2300 | 147.46 |
| 2360 | 2420 | 153.19 |
| 2400 | 2460 | 154.94 |
| 2500 | 2560 | 159.57 |
| 2800 | 2860 | 173.69 |

54 x 16mm

| Inside Length (mm) | Pitch Length (mm) | List Price |
|--------------------|-------------------|------------|
| 1180 | 1255 | \$125.86 |
| 1250 | 1325 | 130.04 |
| 1320 | 1375 | 133.13 |
| 1400 | 1475 | 139.07 |
| 1500 | 1575 | 145.03 |
| 1600 | 1675 | 150.99 |
| 1800 | 1875 | 162.89 |
| 2000 | 2075 | 174.79 |
| 2240 | 2320 | 189.33 |

70 x 20mm

| Inside Length (mm) | Pitch Length (mm) | List Price |
|--------------------|-------------------|------------|
| 1320 | 1415 | \$194.61 |
| 1400 | 1495 | 201.46 |
| 1500 | 1595 | 210.04 |
| 1600 | 1695 | 218.43 |
| 1700 | 1795 | 227.01 |
| 1800 | 1895 | 235.61 |
| 1900 | 1995 | 244.21 |
| 2000 | 2090 | 252.14 |
| 2065 | 2160 | 258.31 |
| 2120 | 2210 | 262.50 |
| 2240 | 2330 | 272.87 |
| 2360 | 2450 | 283.00 |
| 2500 | 2590 | 294.90 |
| 2800 | 2890 | 320.70 |
| 3150 | 3240 | 350.44 |
| 3210 | 3300 | 355.74 |
| 3260 | 3350 | 359.93 |
| 3520 | 3610 | 382.18 |

ASYMETRICAL VARIABLE SPEED BELTS FOR SCHLAFHORST OPEN END SPINNING MACHINES

| SIZE | LIST PRICES |
|---------------|-------------|
| 52x17x1800 PL | \$173.83 |
| 52x17x2120 PL | 234.85 |
| 57x20x2400 PL | 293.12 |
| 57x20x2560 PL | 312.66 |

VARIABLE SPEED BELTS FOR EURODRIVE UNITS

| UNIT | RATIO | PART | ORDER BELT | LIST PRICES |
|------|-----------|----------|---------------|-------------|
| VU1 | 4/1 | 00108855 | 25x8x680 LI | \$25.94 |
| VU1 | 6/1 - 8/1 | 00108782 | 25x8x655 LI | 25.00 |
| VU2 | 4/1 | 00109088 | 32x10x820 LI | 43.20 |
| VU2 | 6/1 - 8/1 | 00109010 | 32x10x790 LI | 41.50 |
| VU3 | 4/1 | 00109282 | 40x13x1040 LI | 80.54 |
| VU3 | 6/1 - 8/1 | 00109223 | 40x13x1000 LI | 77.55 |
| VU4 | 4/1 - 6/1 | 00109401 | 52x16x1180 LI | 99.80 |
| VU5 | 4/1 - 6/1 | 00109630 | 70x19x1445 LI | 297.97 |
| | | | 75x18x1980 LI | 396.60 |
| | | | 75x23x1900 LI | 396.60 |


Variable Speed V-Belts

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

Multi-Rib V-Belts

Multi-Rib V-Belts

Where a broad range of speed ratios (up to 60 to 1) is required, multi-rib V-belts are often recommended. Belt turnover is eliminated. Additionally, multi-rib V-belts offer greater flexibility than banded V-belts for smaller pulley diameters and more compact drives. Greater belt rib to pulley groove contact gives more power transmission in less space. Multi-rib V-belts are also available with a urethane construction on special order. For K section automotive and other sizes not listed, consult our Jason Customer Service. These belts conform to RMA Engineering Standard IP-26.



Multi-rib V-belts are specified by the **effective length** in inches multiplied by 10, the cross section and the number of ribs. For example: **445J6**.

Special Constructions - Consult Jason for prices

- Additional Cover Rubber (Max. 1/8")
- Ground Top or Ribs (Max. 10" Width)
- Non-Marking

J Section Multi-Rib V-Belts (3/32-inch Rib Width, 5/32-inch Thick)

| Size | List Price Per Rib | Approx. Wgt. Per Rib (lbs.) | Size | List Price Per Rib | Approx. Wgt. Per Rib (lbs.) | Size | List Price Per Rib | Approx. Wgt. Per Rib (lbs.) | Size | List Price Per Rib | Approx. Wgt. Per Rib (lbs.) |
|------|--------------------|-----------------------------|------|--------------------|-----------------------------|------|--------------------|-----------------------------|------|--------------------|-----------------------------|
| 80J | \$2.10 | .004 | 270J | \$.96 | .014 | 445J | \$1.09 | .022 | 655J | \$1.38 | .033 |
| 85J | 2.10 | .004 | 280J | .96 | .014 | 450J | 1.09 | .023 | 670J | 1.44 | .033 |
| 90J | 2.10 | .004 | 285J | .97 | .014 | 460J | 1.10 | .023 | 690J | 1.44 | .035 |
| 95J | 2.10 | .005 | 290J | .97 | .015 | 470J | 1.12 | .024 | 700J | 1.48 | .037 |
| 100J | 2.10 | .005 | 300J | .98 | .015 | 480J | 1.12 | .024 | 730J | 1.54 | .037 |
| 105J | 2.10 | .005 | 310J | 1.00 | .015 | 490J | 1.12 | .025 | 750J | 1.54 | .038 |
| 110J | 2.10 | .006 | 320J | 1.00 | .016 | 500J | 1.16 | .025 | 760J | 1.54 | .038 |
| 120J | 2.10 | .006 | 330J | 1.02 | .017 | 505J | 1.16 | .025 | 770J | 1.58 | .038 |
| 130J | 2.10 | .006 | 340J | 1.02 | .017 | 510J | 1.18 | .026 | 775J | 1.59 | .039 |
| 140J | 2.10 | .007 | 350J | 1.02 | .018 | 520J | 1.18 | .026 | 780J | 1.60 | .039 |
| 150J | .94 | .007 | 360J | 1.02 | .018 | 530J | 1.18 | .026 | 785J | 1.60 | .039 |
| 160J | .94 | .008 | 370J | 1.03 | .018 | 540J | 1.18 | .026 | 795J | 1.60 | .041 |
| 170J | .94 | .008 | 380J | 1.04 | .019 | 550J | 1.22 | .027 | 820J | 1.60 | .043 |
| 180J | .94 | .009 | 390J | 1.05 | .019 | 560J | 1.24 | .027 | 870J | 1.62 | .045 |
| 190J | .94 | .010 | 400J | 1.06 | .020 | 575J | 1.28 | .028 | 900J | 1.80 | .046 |
| 200J | .94 | .010 | 410J | 1.07 | .020 | 580J | 1.28 | .028 | 920J | 1.80 | .043 |
| 210J | .94 | .011 | 415J | 1.08 | .021 | 610J | 1.32 | .031 | 950J | 1.90 | .043 |
| 220J | .94 | .011 | 420J | 1.08 | .021 | 625J | 1.33 | .032 | 980J | 1.90 | .043 |
| 230J | .94 | .012 | 430J | 1.08 | .021 | 630J | 1.33 | .032 | | | |
| 240J | .94 | .012 | 435J | 1.08 | .022 | 640J | 1.42 | .032 | | | |
| 260J | .96 | .013 | 440J | 1.09 | .022 | 650J | 1.38 | .033 | | | |

Max. no. of Ribs -190

L Section Multi-Rib V-Belts (3/16-inch Rib Width, 3/8-inch Thick)

| Size | List Price Per Rib | Approx. Wgt. Per Rib (lbs.) | Size | List Price Per Rib | Approx. Wgt. Per Rib (lbs.) | Size | List Price Per Rib | Approx. Wgt. Per Rib (lbs.) | Size | List Price Per Rib | Approx. Wgt. Per Rib (lbs.) |
|------|--------------------|-----------------------------|------|--------------------|-----------------------------|-------|--------------------|-----------------------------|-------|--------------------|-----------------------------|
| 375L | \$3.20 | .08 | 585L | \$3.88 | .14 | 840L | \$4.90 | .21 | 1375L | \$17.20 | .34 |
| 390L | 3.20 | .09 | 590L | 3.88 | .14 | 865L | 5.16 | .22 | 1455L | 18.20 | .36 |
| 410L | 3.20 | .10 | 615L | 3.92 | .14 | 880L | 5.38 | .22 | 1595L | 19.40 | .40 |
| 425L | 3.40 | .10 | 635L | 4.00 | .15 | 915L | 5.68 | .23 | 1650L | 20.60 | .42 |
| 460L | 3.44 | .11 | 650L | 4.10 | .16 | 930L | 5.88 | .23 | 1680L | 21.00 | .43 |
| 470L | 3.44 | .11 | 655L | 4.10 | .16 | 975L | 6.30 | .24 | 1690L | 21.13 | .43 |
| 480L | 3.44 | .12 | 675L | 4.18 | .17 | 990L | 6.46 | .25 | 1700L | 21.20 | .43 |
| 500L | 3.44 | .12 | 680L | 4.10 | .17 | 1065L | 7.24 | .26 | 1710L | 21.98 | .45 |
| 510L | 3.44 | .12 | 695L | 4.28 | .17 | 1080L | 7.68 | .27 | 1760L | 21.98 | .44 |
| 520L | 3.44 | .13 | 710L | 4.36 | .18 | 1120L | 7.80 | .28 | 1820L | 22.80 | .46 |
| 525L | 3.55 | .13 | 725L | 4.40 | .18 | 1140L | 8.20 | .29 | 1890L | 23.50 | .47 |
| 530L | 3.57 | .13 | 765L | 4.58 | .19 | 1150L | 8.72 | .29 | 1910L | 24.00 | .48 |
| 540L | 3.60 | .13 | 770L | 4.58 | .19 | 1180L | 9.40 | .30 | 1980L | 24.20 | .50 |
| 550L | 3.70 | .13 | 780L | 4.64 | .19 | 1215L | 10.74 | .30 | 2120L | 26.50 | .53 |
| 560L | 3.80 | .14 | 795L | 4.70 | .19 | 1230L | 11.84 | .31 | 2400L | 30.00 | .60 |
| 565L | 3.68 | .14 | 815L | 4.80 | .20 | 1295L | 13.24 | .32 | | | |
| 580L | 3.68 | .14 | 825L | 4.85 | .21 | 1310L | 13.70 | .33 | | | |

Max. no. of Ribs - 100

M Section Multi-Rib V-Belts (3/8-inch Rib Width, 21/32-inch Thick)

| Size | List Price Per Rib | Approx. Wgt. Per Rib (lbs.) | Size | List Price Per Rib | Approx. Wgt. Per Rib (lbs.) | Size | List Price Per Rib | Approx. Wgt. Per Rib (lbs.) | Size | List Price Per Rib | Approx. Wgt. Per Rib (lbs.) |
|-------|--------------------|-----------------------------|-------|--------------------|-----------------------------|-------|--------------------|-----------------------------|-------|--------------------|-----------------------------|
| 900M | \$25.70 | .80 | 1310M | \$34.46 | 1.17 | 1980M | \$46.32 | 1.76 | 3910M | \$82.76 | 3.48 |
| 920M | 26.27 | .82 | 1390M | 36.10 | 1.24 | 2130M | 48.82 | 1.90 | 3930M | 83.18 | 3.60 |
| 940M | 26.54 | .84 | 1470M | 37.80 | 1.31 | 2410M | 53.50 | 2.15 | 4210M | 88.55 | 3.76 |
| 990M | 27.60 | .88 | 1520M | 45.18 | 1.37 | 2450M | 54.80 | 2.17 | 4330M | 91.07 | 3.82 |
| 1060M | 29.10 | .94 | 1550M | 38.90 | 1.40 | 2560M | 56.40 | 2.30 | 4540M | 94.70 | 3.93 |
| 1115M | 30.26 | .99 | 1610M | 40.14 | 1.43 | 2710M | 59.28 | 2.42 | 4810M | 99.80 | 4.29 |
| 1150M | 31.00 | 1.02 | 1650M | 40.80 | 1.47 | 3010M | 65.06 | 2.68 | 5410M | 111.80 | 4.82 |
| 1185M | 31.74 | 1.06 | 1760M | 42.64 | 1.57 | 3310M | 70.86 | 2.95 | 6010M | 124.00 | 5.36 |
| 1230M | 32.70 | 1.10 | 1830M | 43.82 | 1.63 | 3610M | 76.64 | 3.22 | | | |

Max. no. of Ribs - 48

Flexionic™ - Special construction multi-rib belts now available for OEM applications. No take-up or idlers required. Will work on fixed center drives. Consult Jason Engineering for details.

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

Double Classical V-Belts

Oil and heat-resistant.
Static dissipating.

Especially designed for serpentine and reversing drives, double V-belts transmit power from both sides of the belt. Polyester cords and cotton/polyester cover provide maximum strength and length stability with minimum stretch. These belts conform to RMA Engineering Standard IP-21.

Double V-belts are available in three standard RMA sections AA, BB and CC and in lengths to 540 inches. They are specified by belt section letters, **inside length** in inches.



Double Classical V-Belts

AA Section Double Classical V-Belts (1/2-inch Wide, 13/32-inch Thick)

| Ind. Belt No. | List Price | Approx. Wgt. (lbs.) | Ind. Belt No. | List Price | Approx. Wgt. (lbs.) | Ind. Belt No. | List Price | Approx. Wgt. (lbs.) | Ind. Belt No. | List Price | Approx. Wgt. (lbs.) |
|---------------|------------|---------------------|---------------|------------|---------------------|---------------|------------|---------------------|---------------|------------|---------------------|
| AA49 | \$9.50 | .50 | AA75 | \$12.50 | .60 | AA96 | \$16.50 | 1.00 | AA145 | \$26.05 | 1.40 |
| AA51 | 9.50 | .50 | AA78 | 13.55 | .75 | AA98 | 17.50 | 1.00 | AA148 | 26.59 | 1.50 |
| AA55 | 10.00 | .50 | AA80 | 13.50 | .80 | AA100 | 17.14 | 1.00 | AA155 | 27.85 | 1.50 |
| AA58 | 10.25 | .50 | AA83 | 14.55 | .80 | AA105 | 18.00 | 1.00 | AA194 | 34.86 | 1.80 |
| AA60 | 10.50 | .50 | AA85 | 14.50 | .80 | AA112 | 20.00 | 1.20 | AA240 | 43.13 | 2.40 |
| AA63 | 10.57 | .65 | AA88 | 15.50 | .80 | AA120 | 21.50 | 1.20 | | | |
| AA68 | 11.50 | .60 | AA90 | 15.50 | .80 | AA128 | 23.00 | 1.30 | | | |
| AA73 | 12.25 | .60 | AA93 | 16.50 | 1.00 | AA130 | 23.36 | 1.30 | | | |

BB Section Double Classical V-Belts (21/32-inch Wide, 17/32-inch Thick)

| Ind. Belt No. | List Price | Approx. Wgt. (lbs.) | Ind. Belt No. | List Price | Approx. Wgt. (lbs.) | Ind. Belt No. | List Price | Approx. Wgt. (lbs.) | Ind. Belt No. | List Price | Approx. Wgt. (lbs.) |
|---------------|------------|---------------------|---------------|------------|---------------------|---------------|------------|---------------------|---------------|------------|---------------------|
| BB43 | \$12.26 | .60 | BB90 | \$21.50 | 1.10 | BB120 | \$28.50 | 1.50 | BB180 | \$43.00 | 2.20 |
| BB45 | 12.00 | .64 | BB92 | 22.50 | 1.20 | BB124 | 29.50 | 1.50 | BB182 | 43.40 | 2.30 |
| BB50 | 13.80 | .70 | BB93 | 22.50 | 1.20 | BB127 | 30.16 | 1.55 | BB185 | 44.10 | 2.30 |
| BB51 | 14.00 | .70 | BB94 | 23.00 | 1.20 | BB128 | 30.50 | 1.60 | BB187 | 44.60 | 2.40 |
| BB54 | 14.50 | .85 | BB95 | 23.00 | | BB129 | 31.10 | 1.70 | BB190 | 45.93 | 2.40 |
| BB55 | 14.50 | .90 | BB96 | 23.25 | 1.20 | BB130 | 31.10 | 1.70 | BB195 | 46.50 | 2.40 |
| BB60 | 15.00 | 1.00 | BB97 | 23.50 | 1.20 | BB133 | 32.50 | 1.75 | BB210 | 50.00 | 2.60 |
| BB62 | 15.40 | 1.00 | BB100 | 24.25 | 1.25 | BB136 | 32.50 | 1.80 | BB214 | 53.50 | 2.65 |
| BB68 | 16.50 | 1.00 | BB102 | 24.74 | 1.30 | BB140 | 34.50 | 1.80 | BB215 | 53.75 | 2.66 |
| BB70 | 16.99 | 1.00 | BB103 | 24.25 | 1.30 | BB144 | 34.50 | 1.80 | BB225 | 53.09 | 2.80 |
| BB71 | 17.23 | 1.00 | BB104 | 25.00 | 1.30 | BB148 | 35.14 | 1.90 | BB228 | 53.80 | 2.90 |
| BB72 | 17.47 | 1.00 | BB105 | 25.00 | 1.30 | BB155 | 36.80 | 2.00 | BB234 | 55.09 | 2.90 |
| BB73 | 18.00 | 1.00 | BB107 | 25.60 | 1.30 | BB158 | 37.50 | 2.00 | BB240 | 56.50 | 2.90 |
| BB74 | 18.00 | 1.00 | BB108 | 26.05 | 1.30 | BB161 | 38.20 | 2.00 | BB255 | 60.26 | 3.10 |
| BB75 | 18.12 | 1.00 | BB111 | 26.50 | 1.30 | BB162 | 38.40 | 2.10 | BB270 | 64.00 | 3.30 |
| BB76 | 18.24 | 1.00 | BB112 | 27.00 | 1.40 | BB168 | 40.38 | 2.10 | BB278 | 70.00 | 3.70 |
| BB77 | 29.44 | | BB114 | 27.48 | 1.40 | BB170 | 40.30 | 2.10 | BB360 | 71.00 | 3.70 |
| BB81 | 18.80 | 1.10 | BB115 | 24.74 | 1.45 | BB172 | 40.80 | 2.10 | BB300 | 89.20 | 4.30 |
| BB85 | 20.50 | 1.10 | BB116 | 27.76 | 1.50 | BB173 | 41.00 | 2.10 | | | |
| BB87 | 21.00 | 1.10 | BB118 | 28.50 | 1.50 | BB175 | 43.00 | 2.10 | | | |

CC Section Double Classical V-Belts (7/8-inch Wide, 1 1/16-inch Thick)

| Ind. Belt No. | List Price | Approx. Wgt. (lbs.) | Ind. Belt No. | List Price | Approx. Wgt. (lbs.) | Ind. Belt No. | List Price | Approx. Wgt. (lbs.) | Ind. Belt No. | List Price | Approx. Wgt. (lbs.) |
|---------------|------------|---------------------|---------------|------------|---------------------|---------------|------------|---------------------|---------------|------------|---------------------|
| CC75 | \$33.50 | 1.7 | CC119 | \$53.08 | 2.6 | CC173 | \$76.50 | 3.8 | CC240 | \$105.00 | 5.2 |
| CC81 | 36.52 | 1.8 | CC120 | 53.50 | 2.7 | CC174 | 76.50 | 3.8 | CC270 | 118.50 | 5.9 |
| CC85 | 37.50 | 1.9 | CC128 | 57.00 | 2.9 | CC178 | 80.00 | | CC300 | 131.50 | 6.5 |
| CC90 | 40.50 | 2.0 | CC140 | 62.00 | 3.1 | CC180 | 80.00 | 4.0 | CC330 | 144.50 | 7.2 |
| CC96 | 43.00 | 2.2 | CC144 | 64.00 | 3.2 | CC195 | 86.50 | 4.6 | CC360 | 157.50 | 7.8 |
| CC105 | 47.00 | 2.4 | CC154 | 70.00 | | CC210 | 93.50 | 4.7 | CC390 | 170.80 | 8.5 |
| CC112 | 50.00 | 2.5 | CC158 | 70.00 | 3.5 | CC225 | 99.25 | 4.9 | CC420 | 184.00 | 9.1 |
| CC118 | 52.63 | 2.6 | CC162 | 71.50 | 3.8 | CC234 | 102.38 | 5.1 | CC780 | 374.00 | 14.9 |

Dry can belts available on request.

VISIT OUR WEB SITE AT WWW.CLARKTR.COM

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

MXV Super Duty Belts

MXV Super Duty Belts

Tough aramid reinforcement.

These belts are ideal for lawn and garden applications. Excellent shock resistance. Special cover for belt release and engagement in clutching applications. Special oil and heat resistant synthetic rubber. Part number denotes width and **outside** length; i.e., **MXV4-300** is 1/2" wide and 30.0" outside.



MXV3 (3/8-inch Top Width x 7/32-inch Thick x 40° Angle)

| Belt No. | List Price | Approx. Weight (lbs.) |
|----------|------------|-----------------------|
| MXV3-200 | \$9.44 | .07 |
| MXV3-210 | 9.44 | .07 |
| MXV3-220 | 9.44 | .07 |
| MXV3-230 | 9.44 | .08 |
| MXV3-240 | 9.44 | .08 |
| MXV3-250 | 9.92 | .08 |
| MXV3-260 | 9.92 | .09 |

| Belt No. | List Price | Approx. Weight (lbs.) |
|----------|------------|-----------------------|
| MXV3-270 | \$9.92 | .09 |
| MXV3-280 | 10.16 | .10 |
| MXV3-290 | 10.16 | .10 |
| MXV3-300 | 10.24 | .10 |
| MXV3-310 | 10.32 | .11 |
| MXV3-320 | 10.48 | .11 |
| MXV3-330 | 10.64 | .11 |

| Belt No. | List Price | Approx. Weight (lbs.) |
|----------|------------|-----------------------|
| MXV3-340 | \$10.80 | .11 |
| MXV3-350 | 11.04 | .12 |
| MXV3-360 | 11.20 | .12 |
| MXV3-370 | 11.44 | .12 |
| MXV3-380 | 11.74 | .13 |
| MXV3-390 | 11.92 | .13 |
| MXV3-400 | 13.28 | .13 |

| Belt No. | List Price | Approx. Weight (lbs.) |
|----------|------------|-----------------------|
| MXV3-410 | \$13.28 | .14 |
| MXV3-420 | 13.28 | .14 |
| MXV3-430 | 13.28 | .14 |
| MXV3-440 | 13.28 | .14 |
| MXV3-450 | 13.28 | .14 |
| MXV3-460 | 13.28 | .15 |

MXV4 (1/2-inch Top Width x 5/16-inch Thick x 40° Angle)

| Belt No. | List Price | Approx. Weight (lbs.) |
|----------|------------|-----------------------|
| MXV4-200 | \$9.92 | .12 |
| MXV4-210 | 9.92 | .13 |
| MXV4-220 | 9.92 | .14 |
| MXV4-230 | 9.92 | .14 |
| MXV4-240 | 9.92 | .14 |
| MXV4-250 | 9.92 | .15 |
| MXV4-260 | 10.08 | .16 |
| MXV4-270 | 10.24 | .16 |
| MXV4-280 | 10.40 | .17 |
| MXV4-290 | 10.56 | .17 |
| MXV4-300 | 10.72 | .18 |
| MXV4-305 | 10.80 | .19 |
| MXV4-310 | 10.88 | .19 |
| MXV4-320 | 11.04 | .19 |
| MXV4-330 | 11.20 | .20 |
| MXV4-340 | 11.44 | .20 |
| MXV4-350 | 11.60 | .21 |
| MXV4-360 | 11.84 | .22 |
| MXV4-370 | 12.00 | .22 |
| MXV4-380 | 12.24 | .23 |
| MXV4-390 | 12.56 | .23 |
| MXV4-400 | 12.80 | .24 |

| Belt No. | List Price | Approx. Weight (lbs.) |
|----------|------------|-----------------------|
| MXV4-410 | \$13.04 | .25 |
| MXV4-420 | 13.20 | .25 |
| MXV4-430 | 13.44 | .26 |
| MXV4-440 | 13.76 | .26 |
| MXV4-450 | 14.00 | .27 |
| MXV4-460 | 14.16 | .28 |
| MXV4-470 | 14.32 | .28 |
| MXV4-480 | 14.40 | .29 |
| MXV4-490 | 14.56 | .29 |
| MXV4-500 | 14.72 | .30 |
| MXV4-510 | 14.88 | .31 |
| MXV4-520 | 15.04 | .31 |
| MXV4-530 | 15.20 | .32 |
| MXV4-540 | 15.36 | .33 |
| MXV4-550 | 15.52 | .33 |
| MXV4-560 | 15.76 | .34 |
| MXV4-570 | 15.92 | .34 |
| MXV4-580 | 16.08 | .35 |
| MXV4-590 | 16.28 | .36 |
| MXV4-600 | 16.48 | .36 |
| MXV4-610 | 16.64 | .37 |
| MXV4-620 | 16.80 | .37 |

| Belt No. | List Price | Approx. Weight (lbs.) |
|----------|------------|-----------------------|
| MXV4-630 | \$17.04 | .38 |
| MXV4-640 | 17.20 | .39 |
| MXV4-650 | 17.44 | .39 |
| MXV4-660 | 17.60 | .40 |
| MXV4-670 | 17.76 | .40 |
| MXV4-680 | 18.00 | .41 |
| MXV4-690 | 18.24 | .42 |
| MXV4-700 | 18.40 | .42 |
| MXV4-710 | 18.80 | .43 |
| MXV4-720 | 19.20 | .43 |
| MXV4-730 | 19.36 | .44 |
| MXV4-740 | 19.44 | .45 |
| MXV4-750 | 19.60 | .45 |
| MXV4-760 | 19.76 | .46 |
| MXV4-770 | 20.00 | .47 |
| MXV4-780 | 20.32 | .47 |
| MXV4-790 | 20.64 | .48 |
| MXV4-800 | 20.96 | .48 |
| MXV4-810 | 21.28 | .49 |
| MXV4-820 | 21.60 | .49 |
| MXV4-830 | 21.92 | .50 |
| MXV4-840 | 22.24 | .51 |

| Belt No. | List Price | Approx. Weight (lbs.) |
|-----------|------------|-----------------------|
| MXV4-850 | \$22.56 | .51 |
| MXV4-860 | 22.88 | .52 |
| MXV4-870 | 23.20 | .52 |
| MXV4-880 | 23.52 | .53 |
| MXV4-890 | 23.84 | .54 |
| MXV4-900 | 24.16 | .54 |
| MXV4-910 | 24.48 | .55 |
| MXV4-920 | 24.80 | .55 |
| MXV4-930 | 25.12 | .56 |
| MXV4-940 | 25.36 | .57 |
| MXV4-950 | 25.60 | .57 |
| MXV4-960 | 25.92 | .58 |
| MXV4-970 | 26.16 | .58 |
| MXV4-980 | 26.40 | .59 |
| MXV4-990 | 26.72 | .59 |
| MXV4-1000 | 27.32 | .60 |
| MXV4-1020 | 27.54 | .60 |
| MXV4-1030 | 27.70 | .61 |
| MXV4-1050 | 28.20 | .62 |
| MXV4-1070 | 29.23 | .62 |
| MXV4-1080 | 29.41 | .63 |
| MXV4-1380 | 37.26 | .82 |

MXV5 (21/32-inch Top Width x 3/8-inch Thick x 40° Angle)

| Belt No. | List Price | Approx. Weight (lbs.) |
|----------|------------|-----------------------|
| MXV5-230 | \$12.16 | .24 |
| MXV5-240 | 12.16 | .25 |
| MXV5-250 | 12.16 | .25 |
| MXV5-260 | 12.48 | .26 |
| MXV5-270 | 12.80 | .28 |
| MXV5-280 | 13.04 | .28 |
| MXV5-290 | 13.36 | .29 |
| MXV5-300 | 13.92 | .30 |
| MXV5-310 | 13.92 | .31 |
| MXV5-320 | 14.24 | .31 |
| MXV5-330 | 14.88 | .32 |
| MXV5-340 | 14.88 | .33 |
| MXV5-350 | 15.12 | .34 |
| MXV5-360 | 15.44 | .35 |
| MXV5-370 | 15.68 | .36 |
| MXV5-380 | 16.00 | .37 |
| MXV5-390 | 16.48 | .39 |
| MXV5-400 | 17.12 | .39 |
| MXV5-410 | 17.60 | .40 |
| MXV5-420 | 18.00 | .41 |

| Belt No. | List Price | Approx. Weight (lbs.) |
|----------|------------|-----------------------|
| MXV5-430 | \$18.40 | .42 |
| MXV5-440 | 18.80 | .44 |
| MXV5-450 | 19.20 | .44 |
| MXV5-460 | 19.60 | .45 |
| MXV5-470 | 20.00 | .46 |
| MXV5-480 | 20.40 | .47 |
| MXV5-490 | 20.80 | .48 |
| MXV5-500 | 21.12 | .49 |
| MXV5-510 | 21.44 | .50 |
| MXV5-520 | 21.76 | .51 |
| MXV5-530 | 22.08 | .52 |
| MXV5-540 | 22.40 | .53 |
| MXV5-550 | 22.64 | .54 |
| MXV5-560 | 22.80 | .55 |
| MXV5-570 | 23.04 | .56 |
| MXV5-580 | 23.20 | .56 |
| MXV5-590 | 23.36 | .59 |
| MXV5-600 | 23.52 | .60 |
| MXV5-610 | 23.84 | .60 |
| MXV5-620 | 23.92 | .61 |

| Belt No. | List Price | Approx. Weight (lbs.) |
|----------|------------|-----------------------|
| MXV5-630 | \$24.00 | .62 |
| MXV5-640 | 24.32 | .63 |
| MXV5-650 | 24.64 | .65 |
| MXV5-660 | 24.96 | .65 |
| MXV5-670 | 25.28 | .65 |
| MXV5-680 | 25.60 | .67 |
| MXV5-690 | 25.88 | .67 |
| MXV5-700 | 26.16 | .69 |
| MXV5-710 | 26.40 | .70 |
| MXV5-720 | 26.72 | .71 |
| MXV5-730 | 27.12 | .71 |
| MXV5-740 | 27.44 | .73 |
| MXV5-750 | 27.76 | .74 |
| MXV5-760 | 28.08 | .75 |
| MXV5-770 | 28.48 | .75 |
| MXV5-780 | 28.80 | .76 |
| MXV5-790 | 29.20 | .78 |
| MXV5-800 | 29.60 | .78 |
| MXV5-810 | 30.00 | .80 |
| MXV5-820 | 30.40 | .81 |

| Belt No. | List Price | Approx. Weight (lbs.) |
|-----------|------------|-----------------------|
| MXV5-830 | \$30.80 | .82 |
| MXV5-840 | 31.20 | .83 |
| MXV5-850 | 32.00 | .84 |
| MXV5-860 | 32.24 | .85 |
| MXV5-870 | 32.56 | .86 |
| MXV5-880 | 32.80 | .87 |
| MXV5-890 | 33.12 | .88 |
| MXV5-900 | 33.44 | .89 |
| MXV5-910 | 33.76 | .90 |
| MXV5-920 | 34.08 | .91 |
| MXV5-930 | 34.40 | .92 |
| MXV5-940 | 34.88 | .93 |
| MXV5-950 | 35.44 | .94 |
| MXV5-960 | 36.00 | .94 |
| MXV5-970 | 36.40 | .95 |
| MXV5-980 | 36.80 | .97 |
| MXV5-990 | 37.20 | .97 |
| MXV5-1000 | 37.60 | .98 |

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

Jason Type 400 Flat Belts

Oil-resistant, non-marking cover
Static conductive.

Jason Type 400 flat belts are single-ply, endless woven belts built to the rigid standards necessary to meet the demands of modern high speed compact drives requiring flat belts. These belts are interchangeable with Gates Speed Flex, #400 Panther, Tilton Superspeed and Fenner Ultra Speed 400.


These high-performance flat belts have a single-ply of endless woven polyester cord bonded to an oil-resistant, non-marking, static conducting chloroprene (Neoprene) rubber covers.

Type 400 Flat Belt Nominal Dimensions

Thickness - 0.9mm (.035" ± .004")
Widths - Up to 13" ± .012"
Lengths * - 6 to 142" ± .070" or .4%

* Available in 1/2-inch increments from 8 to 62.5 inches, and in 1-inch increments from 63-142 inches.

Belts are specified by length in inches, the letter "M" and width in one-hundredths of an inch; i.e., **36.0M125**.



Jason Type 400 Flat & Neoflex Belts

Endless Woven Flat Belts Type 400

| Belt Width (in.) | 3/4" & Under | 1 | 1-1/4 | 1-1/2 | 1-3/4 | 2 | 2-1/4 | 2-1/2 | 2-3/4 |
|----------------------------|--------------|--------|--------|--------|--------|--------|--------|--------|--------|
| List Price Per Inch Length | \$.218 | \$.270 | \$.318 | \$.374 | \$.426 | \$.478 | \$.530 | \$.582 | \$.634 |



| Belt Width (in.) | 3 | 3-1/4 | 3-1/2 | 3-3/4 | 4 | 4-1/4 | 4-1/2 | 4-3/4 | 5 |
|----------------------------|--------|--------|--------|--------|--------|--------|--------|---------|---------|
| List Price Per Inch Length | \$.692 | \$.738 | \$.790 | \$.842 | \$.894 | \$.952 | \$.998 | \$1.056 | \$1.102 |

Notes: For prices of intermediate widths not shown use price of next higher width shown above. Widths up to 13 inches are available. Price on request.

Neoflex Belts

Wide angle belts,
Neoprene body.

More power in less space. The wide 60° angle provides more sidewall support under the tensile member for even load distribution and higher ratings. Allows for maximum speed ratios with smaller sheaves. Constructed of neoprene with transverse fabric plies for rigidity. Tensile member is polyester.



Part No. = Top Width & Effective Length
i.e. **7MR600**

7mm wide Rubber 600 mm long

| Belt No. | Effective Length (Inches) | List Price |
|----------|---------------------------|------------|
| 7MR600 | 23.62 | \$15.80 |
| 7MR615 | 24.21 | 15.80 |
| 7MR630 | 24.80 | 15.80 |
| 7MR650 | 25.59 | 15.91 |
| 7MR670 | 26.38 | 16.05 |
| 7MR690 | 27.17 | 16.30 |
| 7MR710 | 27.95 | 16.40 |
| 7MR730 | 28.74 | 16.62 |
| 7MR750 | 29.53 | 16.65 |
| 7MR775 | 30.51 | 17.01 |

| Belt No. | Effective Length (Inches) | List Price |
|----------|---------------------------|------------|
| 7MR800 | 31.50 | \$17.47 |
| 7MR825 | 32.48 | 17.54 |
| 7MR850 | 33.46 | 17.61 |
| 7MR875 | 34.45 | 18.07 |
| 7MR900 | 35.43 | 18.39 |
| 7MR925 | 36.42 | 18.42 |
| 7MR950 | 37.40 | 18.67 |
| 7MR975 | 38.39 | 19.03 |
| 7MR1000 | 39.37 | 19.06 |
| 7MR1030 | 40.55 | 19.38 |

| Belt No. | Effective Length (Inches) | List Price |
|----------|---------------------------|------------|
| 7MR1060 | 41.73 | \$19.95 |
| 7MR1090 | 42.91 | 20.23 |
| 7MR1120 | 44.09 | 20.44 |
| 7MR1150 | 45.28 | 20.76 |
| 7MR1180 | 46.46 | 20.94 |
| 7MR1220 | 48.30 | 21.51 |
| 7MR1250 | 49.21 | 21.83 |
| 7MR1280 | 50.39 | 22.29 |
| 7MR1320 | 51.97 | 22.60 |
| 7MR1360 | 53.54 | 22.78 |

| Belt No. | Effective Length (Inches) | List Price |
|----------|---------------------------|------------|
| 7MR1400 | 55.12 | \$23.49 |
| 7MR1450 | 57.09 | 23.81 |
| 7MR1500 | 59.06 | 24.55 |
| 7MR1550 | 61.02 | 25.37 |
| 7MR1600 | 63.00 | 26.19 |
| 7MR1650 | 65.00 | 25.61 |
| 7MR1700 | 66.93 | 27.83 |

VISIT OUR WEB SITE AT WWW.CLARKTR.COM


FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422

Jason Iron Products

Jason Iron Products

Now available from Jason: Pulleys and Bushings. From 2" diameter to 71" O.D., Vee belt sheaves up to 12 grooves and synchronous pulleys to fit all standard belt sizes. Pulleys are balanced and painted and available for quick delivery.

Please contact Jason for your copy of our Multi-Plus Dual Brand Belts/Light & Heavy Duty Sheaves & Bushings catalog. (catalog #MPSB-1)




JASON
MULTI-PLUS® DUAL
BRAND V-BELTS
LIGHT & HEAVY DUTY
SHEAVES & BUSHINGS

- For Heating
- Air Conditioning
- Ventilation
- Refrigeration
- Industrial





Direct Access Worldwide!

Now, access to Jason Industrial is available to you 24 hours a day, 7 days a week!

Introducing Jason's new online Business-to-Business Module!

www.jasonindustrial.com



Belt Tensioning Instructions

Timing Belt

HTB, Standard and Metric timing belts should be installed to fit pulleys snugly, neither too tight nor too loose. The belt's positive grip eliminates the need for high initial tension. When a belt is installed with a snug but not overly tight fit, longer belt life, less bearing wear and more quiet operation will result. Overtight belts can cause early failure and should be avoided. With high torque a loose belt may "jump teeth" upon startup. If such occurs, the tension should be increased gradually until satisfactory operation is achieved.

To properly tension a timing belt, place belt on pulleys and adjust takeup until the belt teeth mesh securely with the pulley grooves. Measure belt span "t". Then tighten belt so that it deflects 1/64-inch for every inch of belt span when a force as specified in the table below is applied to the top of the belt. For belts wider than two inches, a metal or wooden strip 3/4 to 1-inch wide should be placed across the belt between it and the tester to prevent distortion.

The following range of deflection forces are normally adequate for drive installation. Actual installation tension required depends on peak loads, system rigidity, number of teeth in mesh, etc.

Timing Belt Tensioning Deflection Force Table

| Belt Pitch | Belt Width | Deflection Force |
|---------------------------|------------|------------------|
| HTB 8MM (8mm) | 20mm | 2 to 4 lbs |
| | 30mm | 3 to 6 lbs |
| | 50mm | 7 to 11 lbs |
| | 85mm | 11 to 19 lbs |
| HTB 14MM (14mm) | 40mm | 5 to 11 lbs |
| | 55mm | 8 to 17 lbs |
| | 85mm | 14 to 27 lbs |
| | 115mm | 20 to 40 lbs |
| | 170mm | 30 to 60 lbs |
| MXL (.080-in.) | 1/8-inch | 1 oz |
| | 3/16-inch | 1 - 1-1/2 oz |
| | 1/4-inch | 2 oz |
| | 5/16-inch | 2 - 2-1/2 oz |
| XL (1/5-in.) | 1/4-inch | 2-1/2 oz |
| | 5/16-inch | 3 oz |
| | 3/8-inch | 3-1/2 oz |
| L (3/8-in.) | 1/2-inch | 7 oz |
| | 3/4-inch | 11 oz |
| | 1-inch | 1 lb |
| H (1/2-in.) | 3/4-inch | 2 lbs |
| | 1-inch | 2-1/2 lbs |
| | 1-1/2-inch | 4 lbs |
| | 2-inch | 5-1/2 lbs |
| XH (7/8-in.) | 3-inch | 8-1/2 lbs |
| | 2-inch | 7-1/2 lbs |
| | 4-inch | 11-1/2 lbs |
| XXH (1-1/4-in.) | 4-inch | 16-1/2 lbs |
| | 5-inch | 9 lbs |
| | 3-inch | 14 lbs |
| | 4-inch | 20 lbs |
| | 5-inch | 26 lbs |


See Pg 7 for Tiger Values

Multi-Rib Belt Deflection Force Table

| Belt Cross Section | Small Sheave Diameter Range | Force "F" Lbs. Per rib |
|--------------------|-----------------------------|------------------------|
| J | 1.32-1.67 | 0.4 |
| J | 1.77-2.20 | 0.5 |
| J | 2.36-2.95 | 0.6 |
| L | 2.95-3.74 | 1.7 |
| L | 3.94-4.92 | 2.1 |
| L | 5.20-6.69 | 2.5 |
| M | 7.09-8.82 | 6.4 |
| M | 9.29-11.81 | 7.7 |
| M | 12.40-15.75 | 8.8 |

V-Belt & Multi-Rib Series

V-belt tensioning adjustment can be made using a tension gauge or other type spring scale, using the following procedure. After seating the belts in the groove and adjusting center distance so as to take up slack in the belts, further increase the tension until only a slight bow on the slack side is apparent while the drive is operating under load. Stop the drive, and using the gage, measure the force necessary to depress one of the center belts 1/64-inch for every inch of belt span (see sketch below). For example, a deflection for a 50-inch belt span is 50/64ths, or 25/32-inch. The amount of force required to deflect the belt should compare with the deflection forces noted in the chart below. Also notice for V-belts the deflection forces vary from the initial "run-in" values which are greater (reflecting higher run-in tensioning) to the "normal" values for after the run-in period.




Measure the span length "t" as shown in the sketch above.

Standard V-Belt Tensioning Deflection Force Table

| Belt Cross-Section | Smaller Pulley Diameter Range (in.) | Deflection Force | |
|--------------------|-------------------------------------|------------------|---------------|
| | | Run-in (lbs.) | Normal (lbs.) |
| A | 3.0-3.6 | 3-3/8 | 2-1/4 |
| | 3.8-4.8 | 4-1/4 | 2-7/8 |
| | 5.0-7.0 | 5-1/8 | 3-3/8 |
| AX | 3.0-3.6 | 4-1/8 | 2-3/4 |
| | 3.8-4.8 | 5 | 3-1/4 |
| | 5.0-7.0 | 6 | 4 |
| B | 3.4-4.2 | 4 | 2-5/8 |
| | 4.4-5.2 | 6 | 4 |
| | 5.4-9.4 | 7-1/8 | 5-1/4 |
| BX | 3.4-4.2 | 5-1/4 | 3-1/2 |
| | 4.4-5.2 | 7-1/8 | 4-3/4 |
| | 5.4-9.4 | 9 | 6 |
| C | 7.0-9.0 | 11-1/4 | 7-1/2 |
| | 9.5-16.0 | 15-3/4 | 10-1/2 |
| CX | 7.0-9.0 | 13-1/2 | 9 |
| | 9.5-16.0 | 17-1/2 | 11-3/4 |
| D | 12.0-16.0 | 24-1/2 | 16-1/2 |
| | 18.0-22.0 | 33 | 22 |
| E | 21.6-27.0 | 48 | 32 |
| 3V | 3.40-4.20 | 6 | 4 |
| | 4.20-10.6 | 7 | 5 |
| 3VX | 2.20-3.65 | 7 | 5 |
| | 4.12-10.6 | 8 | 6 |
| 5V | 7.10-10.9 | 16 | 8-12 |
| | 11.8-16.0 | 20 | 10-15 |
| 5VX | 4.40-10.9 | 18 | 10-14 |
| | 11.8-16.0 | 22 | 12-18 |
| 8V | 12.5-17.0 | 36 | 18-27 |
| | 18.0-22.4 | 40 | 20-30 |

Reference Dimensions for Jason Belts



| Belt Section (Pitch) | Figure | β (Angle)* | Nom. b_b (Width) | Nom. h_b (Height) | Nom. h_t |
|----------------------|--------|------------------|--------------------|---------------------|------------|
| 5M (5mm) | 1 | - | 0.114-in | 0.150-in | 0.082-in |
| 8M (8mm) | 1 | - | 0.197-in | 0.236-in | 0.133-in |
| 14M (14mm) | 1 | - | 0.346-in | 0.394-in | 0.237-in |
| MXL (.080-in.) | 2 | 40° | 0.45-in | 0.045-in | 0.020-in |
| XL (.200-in.) | 2 | 50° | 0.101-in | 0.090-in | 0.050-in |
| L (.375-in.) | 2 | 40° | 0.183-in | 0.140-in | 0.075-in |
| H (.500-in.) | 2 | 40° | 0.241-in | 0.160-in | 0.090-in |
| XH (.875-in.) | 2 | 40° | 0.495-in | 0.440-in | 0.250-in |
| XXH (1.25-in.) | 2 | 40° | 0.750-in | 0.620-in | 0.375-in |
| T5 (5mm) | 2 | 40° | 1.88mm | 2.2mm | 1.2mm |
| T10 (10mm) | 2 | 40° | 3.5mm | 4.5mm | 2.5mm |
| DXL (.200-in.) | 3 | 50° | .101-in | .120-in | .050-in |
| DL (.375-in.) | 3 | 40° | .183-in | .180-in | .075-in |
| DH (.500-in.) | 3 | 40° | .241-in | .231-in | .090-in |
| 2L | 4 | 40° | 0.25-in | 0.16-in | - |
| 3L | 4 | 40° | 0.38-in | 0.22-in | - |
| 4L | 4 | 40° | 0.50-in | 0.31-in | - |
| 5L | 4 | 40° | 0.66-in | 0.38-in | - |
| A, AX | 4 | 40° | 0.50-in | 0.31-in | - |
| B, BX | 4 | 40° | 0.66-in | 0.41-in | - |
| C, CX | 4 | 40° | 0.88-in | 0.53-in | - |
| D | 4 | 40° | 1.25-in | 0.75-in | - |
| E | 4 | 40° | 1.50-in | 1.00-in | - |


| Belt Section (Pitch) | Figure | β (Angle)* | Nom. b_b (Width) | Nom. h_b (Height) |
|----------------------|--------|------------------|--------------------|---------------------|
| SPZ | 5 | 38° | 9.7-mm | 8-mm |
| SPA | 5 | 38° | 12.7-mm | 10-mm |
| SPB | 5 | 38° | 16.3-mm | 13-mm |
| SPC | 5 | 38° | 22.0-mm | 18-mm |
| 3V, 3VX | 5 | 38° | 0.38-in | 0.31-in |
| 5V, 5VX | 5 | 38° | 0.62-in | 0.53-in |
| 8V | 5 | 38° | 1.00-in | 0.88-in |
| RB | 6 | 40° | 0.66-in | 0.50-in |
| RC | 6 | 40° | 0.88-in | 0.66-in |
| RD | 6 | 40° | 1.25-in | 0.84-in |
| R3V | 6 | 38° | 0.38-in | 0.38-in |
| R5V | 6 | 38° | 0.62-in | 0.62-in |
| R8V | 6 | 38° | 1.00-in | 1.00-in |
| 1422V | 7 | 22° | 0.88-in | 0.31-in |
| 1922V | 7 | 22° | 1.19-in | 0.38-in |
| 2322V | 7 | 22° | 1.44-in | 0.44-in |
| 1926V | 7 | 26° | 1.19-in | 0.44-in |
| 2926V | 7 | 26° | 1.81-in | 0.50-in |
| 3226V | 7 | 26° | 2.00-in | 0.53-in |
| 2530V | 7 | 30° | 1.56-in | 0.59-in |
| 3230V | 7 | 30° | 2.00-in | 0.62-in |
| 4430V | 7 | 30° | 2.75-in | 0.69-in |
| 4036V | 7 | 36° | 2.50-in | 0.69-in |
| 4436V | 7 | 36° | 2.75-in | 0.72-in |
| 4836V | 7 | 36° | 3.00-in | 0.75-in |
| J | 8 | - | 0.092-in | 0.14-in |
| L | 8 | - | 0.185-in | 0.27-in |
| M | 8 | - | 0.370-in | 0.48-in |
| AA | 9 | 40° | 0.50-in | 0.41-in |
| BB | 9 | 40° | 0.66-in | 0.53-in |
| CC | 9 | 40° | 0.88-in | 0.69-in |
| DD | 9 | 40° | 1.25-in | 1.00-in |

*V-belt angles are for the production tooling or VSB sheave angle system.

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422




For catalog information, see www.jasonindustrial.com




Power Transmission Belts Catalog JB-8




Urethane Power Transmission Belts Catalog UB-4



Industrial Hose, Couplings & Accessories Catalog HC-8



Accu-Link Belts Catalog AL-4



Multi-Plus Dual Brand V-Belts / Light & Heavy Duty Sheaves & Bushings Catalog MPSB-1




Appliance & HVAC Replacement Parts Catalog APPL-2



Tiger Horsepower Synchronous Belts




Lawn & Garden Belts Catalog LG-1008



Synchronous Belt Technical Manual TM-2



Autotension Self-Tensioning Belt



Made to Order Timing Belts



Skirtboard Rubber

Your Industrial Rubber Solution!

VISIT OUR WEB SITE AT WWW.CLARKTR.COM

FOR MORE INFORMATION CALL CLARK TRANSMISSION @ 973.227.4422



**JASON
INDUSTRIAL
POWER
TRANSMISSION
BELTING**
www.jasonindustrial.com



**Corporate Office
Central Warehouse**

Jason Industrial Inc.
340 Kaplan Drive
Fairfield, NJ 07004
973-227-4904 • FAX: 973-227-1651

Branch Offices & Warehouses

Jason Industrial Inc.
258 S. Westgate Drive
Carol Stream, IL 60188-2243
630-752-0600 • FAX: 630-752-0680

Jason Industrial Inc.
3236 Royalty Row
Irving, TX 75062
972-438-6992 • FAX: 972-721-9162

Jason Industrial Inc.
3724 East 26th Street
Los Angeles, CA 90023
323-265-8061 • FAX: 323-265-0813

Jason Industrial Inc.
5120-B East Adamo Drive
Tampa, FL 33619
813-241-4111 • FAX: 813-241-4212

Jason Do Brazil Ltda.
Avenida Armando Panunzio 610
Sorocaba - Sao Paulo
Brazil CEP 18050-000
011 55 15 222 00 07
FAX: 011 55 15 222 90 12 or
011 55 15 222 75 65

Jason Industrial Canada Ltd.
9135 Cote De Liesse
Dorval, Quebec H9P-2N9
514-631-6781 • FAX: 514-631-7408

Jason Industrial Canada Ltd.
927 Matheson Blvd, East
Mississauga, Ontario L4W-2R7
905-602-4400 • FAX: 905-602-4406

Jason Industrial Canada Ltd.
4242 99th St.
Edmonton, Alberta T6E-5B3
780-461-4400 • FAX: 780-461-1034

Jason Industrial U.K. Ltd.
62 Brunswick Street
Stockton-on-Tees
Cleveland TS18 1DR
United Kingdom
+44 (0) 1642 672413
FAX: +44 (0) 1642 601753

Jason Industrial, S. De R.L. De C.V.
Av. Ceylan No. 959 Bodega 8
Col. Industrial Vallejo C.P. 02300
Azcapotzalco, Mexico D.F.
011 52 5555873680
FAX: 011 52 5555873688

All recommendations for the use of the products described herein and all other data or information set forth in this publication, whether concerning such products or otherwise, are furnished without any guarantee, warranty representations or inducement of any kind whether express or implied, including but not limited to implied warranties of merchantability and fitness for a particular purpose. And Jason expressly disclaims liability under any theory, including without limitation, contract negligence, misrepresentation or breach of any obligation relating to the recommendation, data or information set forth herein. Readers and customers are encouraged to conduct their own test before using any product. Read its label and all related instructions. The information in this publication is not intended as permission or recommendations to practice a patented invention without permission of the patent owner.

